IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETER-MINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

## WINDING

23 TURNS, CLOSE WOUND OF (ITEM 5)

## FABRICATION

- 1~BUILD UP FERRAMIC CORE (ITEM 4) WITH TAPE (ITEM 3) TO 3/4" DIA ..
- 2~PRESS FIT CORE INTO COIL FORM (ITEM 2) LEAVE 3/4" SPACE EACH END OF COIL.
- 3-ASSEMBLE INSERTS (ITEM 1) INTO COIL FORM AS SHOWN. ASSEMBLE SCREWS (ITEM 7) AS SHOWN.
- 4-WIND 23 TURNS OF WIRE (ITEM 5) ON COIL FORM (ITEM 2), START WINDING 1-1/8 FROM END.
- 5~ SOLDER WIRE ENDS TO INSERTS (ITEM 1)

## TEST DATA

L-MIN. 10.5 ± 10% MH BOONTON OR

L-MAX. 15.42 ± 10% MH MARCONI

Q-10 OR GREATER

F 2.5 MC ON BOONTON (260).

TIOKC ON MARCONI


TEST ON BOONTON Q" METER, MODEL 260

MARCONI

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual

À		REVISED AND REDRAWN	17/20	167	18330	A	LAS	060
ISSUE	ITEM	CHANGED FROM	DATE		CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES				SCALE:				
ALL		DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			SIZES A	ND MAN	MERCIAL UFACTUR NOT INC	ERS



FORM-110