


AL/HR-TR-1995-0050



**FLIGHT SIMULATOR VISUAL SYSTEM
RESEARCH AND DEVELOPMENT:
A COMPREHENSIVE BIBLIOGRAPHY**

Harold D. Warner



University of Dayton Research Institute
300 College Park Avenue
Dayton, Ohio 45469

HUMAN RESOURCES DIRECTORATE
AIRCREW TRAINING RESEARCH DIVISION
6001 South Power Road, Building 558
Mesa, Arizona 85206-0904

19950608 119

June 1995

Final Technical Report for Period March 1994 to December 1994

DTIC QUALITY INSPECTED 5

Approved for public release; distribution is unlimited.

**AIR FORCE MATERIEL COMMAND
BROOKS AIR FORCE BASE, TEXAS 78235-5352**

NOTICES

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation; or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

The Office of Public Affairs has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This report has been reviewed and is approved for publication.

Elizabeth L. Martin
ELIZABETH L. MARTIN
Project Scientist

Dee H. Andrews
DEE H. ANDREWS
Technical Director

Lynn A. Carroll
LYNN A. CARROLL, Colonel, USAF
Chief, Aircrew Training Research Division

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
	June 1995	Final Report May 1993 - October 1994	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
Flight Simulator Visual System Research and Development: A Comprehensive Bibliography			C - F33615-90-C-0005 PE - 62205F PR - 1123 TA - 03, 32 WU - 85, 03
6. AUTHOR(S)			
Harold D. Warner			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER
University of Dayton Research Institute 300 College Park Avenue Dayton, OH 45469-0110			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER
Armstrong Laboratory Human Resources Directorate AircREW Training Research Division 6001 S. Power Road, Bldg 558 Mesa, AZ 85206-0904			AL/HR-TR-1995-0050
11. SUPPLEMENTARY NOTES			
Armstrong Laboratory Technical Monitor: Dr Elizabeth L. Martin, (602) 988-6561			
12a. DISTRIBUTION/AVAILABILITY STATEMENT		12b. DISTRIBUTION CODE	
Approved for public release; distribution is unlimited.			
13. ABSTRACT (<i>Maximum 200 words</i>) This bibliography contains 1,610 references to research and development efforts accomplished over the past 25 years concerning flight simulator visual systems. It includes related work that may be of interest to the flight simulation community. The bibliography encompasses journal articles, technical reports and papers, and conference proceedings. The references are categorized according to the subject matter that is addressed in the cited publication. Overall, there are 45 various subject categories.			
14. SUBJECT TERMS Area of interest; Helmet-mounted displays; Eye movement; Field of view; Flight simulators; Flight simulation; Head Movement; Holographic; Images; Imaging; Motion perception; Simulator sickness; Scene content; Stereoscopic; Variable acuity; Vision; Visual system			15. NUMBER OF PAGES 244
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION ABSTRACT
Unclassified	Unclassified	Unclassified	UL

CONTENTS

	<u>Page</u>
INTRODUCTION	1
Organization and Content	1
REFERENCES	5
1. Visual Simulation Overview	6
2. Visual System Technologies	15
3. Helmet-Mounted Displays	39
4. Area-of-Interest Displays	51
5. Variable-Acuity Displays	57
6. Visual System Characteristics	58
7. Visual Cue Requirements	64
8. Scene Content	79
9. Visual Database Development	88
10. Networked Visual Simulation	108
11. Display Field of View	113
12. Scene Texture	120
13. Display Color	131
14. Display Luminance	136
15. Image Contrast and Sharpness	139
16. Display Resolution	141
17. Display Interlacing and Antialiasing	144
18. Collimation and Accommodation	146
19. CRT and Phosphor Characteristics	149
20. Display Update Rate	150
21. Display Flicker and Jitter	151
22. Display Distortion and Screen Characteristics	153
23. Display Seams and Joints and Windscreen Quality	154
24. Image Processing, Bandwidth, and Spatial Frequency	155
25. Display Magnification and Gray Scale	156
26. Visual and Motion System Integration	158
27. Transport Delay	159
28. Video Projection	168
29. Stereoscopic Displays	175
30. Holographic Displays	178

REFERENCES (continued)

31. Low-Altitude Flight Simulation	179
32. Aerial Refueling Simulation	180
33. Night Simulation	183
34. Eye Movement Characteristics	187
35. Head Movement Characteristics	190
36. Optical Flow	193
37. Blur Patterns and Looming	200
38. Motion Perception (Vection)	201
39. Human Vision Characteristics	203
40. Visual Target Acquisition	210
41. Image Quality Measurement	220
42. Visual Contributions to Simulator Sickness	228
43. Simulator Evaluation	231
44. Collision Detection and System Calibration	234
45. Research Requirements	234

PREFACE

The present bibliography was prepared at the Aircrew Training Research Division of the Armstrong Laboratory to provide a comprehensive reference source for those engaged in the design and use of flight simulator visual systems. This effort was supported by the University of Dayton Research Institute, Contract No. F33615-90-C-0005, in conjunction with Work Unit Nos. 1123-03-85, Flying Training Research Support, and 1123-32-03, Tactical Scene Content Requirements. The Armstrong Laboratory contract monitor was Ms. Patricia A. Spears. The work unit monitor was Dr. Elizabeth L. Martin.

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and / or Special
A>1	

FLIGHT SIMULATOR VISUAL SYSTEM RESEARCH AND DEVELOPMENT: A COMPREHENSIVE BIBLIOGRAPHY

INTRODUCTION

A vast number of research and development efforts have been accomplished over the past 25 years directed toward improving the training effectiveness of the out-the-window visual scenes in flight simulators. In these efforts, the minimum requirements for a variety of visual simulation characteristics were determined for different types of simulated aircraft and flight tasks. Additionally, various advanced visual systems capable of producing more detailed and realistic scenes were developed and implemented. The results of this work have been disseminated to the flight simulator community through presentations at international and national technical conferences, Government and industry technical reports, and scientific journal publications.

To aid in identifying the past work for reference purposes in future visual simulation endeavors, the present bibliography was prepared. This bibliography contains 1,610 different references and spans the period from 1970 to the present. There are no references to classified material, and references to distribution-controlled Government publications are omitted.

Organization and Content

The references contained in this bibliography are categorized according to the subject about which they are concerned. Overall, the references are partitioned into 45 subject categories, as follows:

1. Visual Simulation Overview
2. Visual System Technologies
3. Helmet-Mounted Displays

4. Area-of-Interest Displays
5. Variable-Acuity Displays
6. Visual System Characteristics
7. Visual Cue Requirements
8. Scene Content
9. Visual Database Development
10. Networked Visual Simulation
11. Display Field of View
12. Scene Texture
13. Display Color
14. Display Luminance
15. Image Contrast and Sharpness
16. Display Resolution
17. Display Interlacing and Antialiasing
18. Collimation and Accommodation
19. CRT and Phosphor Characteristics
20. Display Update Rate
21. Display Flicker and Jitter
22. Display Distortion and Screen Characteristics
23. Display Seams, Display Joints, and Windscreen Quality
24. Image Processing, Bandwidth, and Spatial Frequency
25. Display Magnification and Gray Scale
26. Visual and Motion System Integration
27. Transport Delay
28. Video Projection
29. Stereoscopic Displays
30. Holographic Displays
31. Low-Altitude Flight Simulation
32. Aerial Refueling Simulation
33. Night Simulation

34. Eye Movement Characteristics
35. Head Movement Characteristics
36. Optical Flow
37. Blur Patterns and Looming
38. Motion Perception (vection)
39. Human Vision Characteristics
40. Visual Target Acquisition
41. Image Quality Measurement
42. Visual Contributions to Simulator Sickness
43. Simulation Evaluation
44. Collision Detection and System Calibration
45. Research Requirements

Some of the references are applicable to more than one subject category, for example, display field of view and scene content. In such cases, the same references were repeated in each of the appropriate categories.

References to work that did not actually concern flight simulation are included because the subject matter may be of interest to the flight simulation community. Category 40, Visual Target Acquisition, for example, includes references to research addressing the visual detection distances of different aircraft types under real-world flight conditions, which may be useful for determining the level-of-detail and resolution requirements for flight simulator visual systems. Similarly, category 41, Image Quality Measurement, provides various references to research that, even though not specifically related, may be generalizable to flight simulation.

The references contained in this bibliography were obtained in the following manner. Initially, an extensive literature search was conducted through the Technical Information Service Office of the University of Dayton Research Institute. Five major information databases were searched:

DTIC (Defense Technical Information Center)

NASA (National Aeronautics and Space Administration)

Ei COMPENDEX PLUS (produced by Engineering Information, Inc.)

PsychINFO (produced by the American Psychological Assoc.)

INSPEC (Information Services for Physics, Electronics, and Computing)

Subsequently, a large number of conference proceedings, technical reports, and journal articles were individually reviewed by the author to locate other relevant references for inclusion in the bibliography. These publications were obtained from government and contractor personnel and the technical library at the Aircrew Training Research Division of the Armstrong Laboratory, as well as from Arizona State University and the University of Arizona. Also, selected publications were obtained from Wright-Patterson Air Force Base and the University of Dayton. Approximately half of the references contained herein are from this supplementary literature search.

REFERENCES

1. VISUAL SIMULATION OVERVIEW

Aronson, R. B. (1978). Flight simulators: Learning in an illusion. Machine Design, 50(8), 28-34.

Baarspul, M. (1989). Lecture notes on flight simulation techniques (LR-596 ETN-90-97165). Delft, Netherlands: Technische University.

Baarspul, M. (1990). A review of flight simulation techniques. Progress in Aerospace Sciences, 27(1), 1-120.

Babenko, V. S. (1978). Imitatory vizual'noi obstanovki trenazherov letatel'nykh apparatov (Visual simulation devices for flight training simulators). Moscow, USSR: Izdatel'stvo Mashinostroenie. (In Russian)

Balven, T. L. (1976). The Air Force takes to the ground. Astronautics and Aeronautics, 14(9), 52-57.

Barnes, A. G. (1991). The compromise between accuracy and realism in flight simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2920, pp. 65-71). Washington, DC: American Institute of Aeronautics and Astronautics.

Barrette, R. E. (1987). Flight simulator visual systems - An overview. In Fifth Aerospace Behavioral Engineering Technology Conference Proceedings (pp. 193-198). Warrendale, PA: Society of Automotive Engineers.

Beck, R. W. (1981). The challenge of visual simulation for Air Force flight simulators. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 1-7). Arlington, VA: American Defense Preparedness Association.

Blatt, P. E., & Gum, D. R. (1986). Trends in ground-based and in-flight simulators for development applications. In AGARD Conference Proceedings No. 408, Flight Simulation (AGARD-CP-408, pp. 11-1 - 11-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Booth, G. R. (1988). Visual simulation for advanced fighter training. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 108-114). Arlington, VA: National Security Industrial Association.

Bothwell, R. L., & Lacy, J. W. (1994). Low-cost cockpit trainer design: Challenges and solutions. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 470-479). Warminster, Wiltshire, UK: ITEC Ltd.

Boyle, D. (1982). Simulation reaches towards reality. Interavia, 37(5), 451-453.

Bridgwater, R. J. (1992). Increased vertical field of view for wide-angle collimated displays. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 502-508). Tempe, AZ: IMAGE Society, Inc.

Bunker, W. M. (1973). Real-time, three-dimensional, visual scene generation with computer generated images. In Proceedings of 1973 Summer Computer Simulation Conference (Vol. 1, pp. 205-212). La Jolla, CA: Society for Computer Simulation.

Bunker, W. M. (1975). Computer generation of images - The multi-purpose tool. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 25-39). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Clapp, R. E. (1986). Comparisons of performance in various visual systems common to simulation. In R. Crosbie & P. Luker (Eds.), Proceedings of the 1986 Summer Computer Simulation Conference (pp. 578-585). San Diego, CA: Society for Computer Simulation.

Cook, P. A. (1982). Aerial combat simulation in the U.S. Air Force. In Proceedings of the AIAA Computer Graphics Symposium, Phoenix Section (AIAA Paper No. 82-3003, pp. 16-19). New York, NY: American Institute of Aeronautics and Astronautics.

Cosic, K., Kostic, T., Slamic, M., Kopriva, I., & Penzar, I. (1994). Mathematical modeling and implementation of tactical training scenarios. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 644-649). Warminster, Wiltshire, UK: ITEC Ltd.

Cream, B. W., Eggemeier, F. T., & Klein, G. A. (1978). A strategy for the development of training devices. Human Factors, 20(2), 145-158.

DeBerg, O. H., McFarland, B. P., & Showalter, T. W. (1976). The effect of simulator fidelity on engine failure training in the KC-135 aircraft. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 83-88). New York, NY: American Institute of Aeronautics and Astronautics.

Devarajan, V. (1989). Image processing in visual systems for flight simulation. In Y-w. Lin & R. Srinivasan (Eds.). Proceedings of SPIE-The International Society for Optical Engineering, Volume 1075, Digital Image Processing Applications (pp. 208-216). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Doenges, P. K. (1984). Recent advances in computer image generation. In M. Ung (Ed.), Aerospace Simulation, Proceedings of the Conference on Aerospace Simulation (Simulation Series, Vol. 13, No. 1, pp. 27-38). La Jolla, CA: Society for Computer Simulation.

Driskell, C. R. (1974). Capabilities in wide angle visual technology (NAVTRAEEQUIPCEN-IH-237, AD-A002 706). Orlando, FL: Naval Training Equipment Center.

Dulio, S. (1985). Computer image generation: The state of the art in flight simulation. Pixel. Computer Graphics, CAD/CAM, Image Processing, 6(6), 39-47. (In Italian)

Duncan, W. (1988). Advanced technology flight and visual simulation for commercial aircraft. In Flight Simulation: Recent Developments in Technology and Use, International Conference Proceedings (pp. 8-24). London, England: Royal Aeronautical Society.

Elmer, S. J., & Wynn, O. J. (1984). Wide angle visual display techniques. In ED 84: Electronic Displays and Information Display Systems Conference Proceedings (Vol. 3, pp. 52-70). Buckingham, England: Network Events Ltd.

Evans, D. C. (1978). Computer generated images for aircraft use. Aeronautical Journal, 82(10), 342-345.

Evans, D. C. (1978). Computer generated images for aircraft use. In Proceedings of the Fourth Flight Simulation Symposium (pp. 1-10). London, England: Royal Aeronautical Society.

Fischetti, M. A., & Truxal, C. (1985). Simulating "the right stuff." IEEE Spectrum, 22(3), 38-47.

Freestone, W. E. (1983). Displays used in flight simulation. In ED 83, Proceedings of the Electronic Displays and Information Display Systems Conference (Vol. 2, pp. 1-5). Buckingham, UK: Network Events.

Geltmacher, H. E. (1988). Recent advances in computer image generation simulation. Aviation, Space, and Environmental Medicine, 59(11, Suppl.), A39-A45.

Geltmacher, H. E., & Seat, J. C. (1983). Wide field-of-view visual display technology for flight simulation. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 2, pp. 746-753). New York, NY: Institute of Electrical and Electronics Engineers.

Geltmacher, H., & Thomas, M. (1992). An overview of Air Force combat simulator display development and performance. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 903-905). Playa del Rey, CA: Society for Information Display.

Gray, A. R. (1981). Flight simulation in the current Australian airline scene. In Experience and Needs of Civil and Military Flight Simulator Users, Proceedings of the Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Gullen, R. K., Cattell, C. S., & Overton, R. K. (1980). The computer image generation applications study (AFWAL-TR-80-3075, AD-A096 235). Wright-Patterson AFB, OH: Wright Aeronautical Laboratories.

Gustin, G. F., & Gruber, E. V. (1987). Low cost visual systems come of age. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 236-241). Tempe, AZ: IMAGE Society, Inc.

Haber, R. N. (1986). Flight simulation. Scientific American, 255(1), 96-103.

Harvey, J. F. (1978). Current trends and issues in visual simulation. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 2-5). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Haseltine, E. C. (1993). Displays in visual simulation. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 749-752). Playa del Rey, CA: Society for Information Display.

Hauck, D., & Verstegen, M. (1983). New concepts in aircrew training using computer generated imagery - A study report. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 32-38). Arlington, VA: American Defense Preparedness Association.

Heintzman, R. J. (1984). Flight simulation: history, evolution, and future directions. In V. Amico & A. B. Clymer (Eds.), All About Simulators, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 14, No. 1, pp. 170-175). La Jolla, CA: Society for Computer Simulation.

Heintzman, R. J., & Shumway, D. A. (1976). A systematic approach to visual system requirements and developments. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 1-12). New York, NY: American Institute of Aeronautics and Astronautics.

Holmes, R. E. (1982). Visual systems used in military training and simulation. In L. Winner & M. Winner (Eds.), 1982 SID International Symposium Digest of Technical Papers, Volume XIII (pp. 138-139). Los Angeles, CA: Society for Information Display.

Huettner, C. H. (1981). Advanced simulation. In Experience and Needs of Civil and Military Flight Simulator Users, Proceedings of the Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Huff, E. M., & Nagel, D. C. (1975). Psychological aspects of aeronautical flight simulation. American Psychologist, 30(3), 426-439.

Kaip, D. D. (1988). Controlled degradation of resolution of high-quality flight simulator images for training effectiveness evaluation (AFIT/CI/NR-88-46, AD-A196 189). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Kent, W. S. (1990). Visual simulation in the commercial airframe manufacturer's training environment. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 230-239). Tempe, AZ: IMAGE Society, Inc.

Lockenour, J. L. (1987). Simulation as a fighter design tool. In AGARD Lecture Series No. 153, Integrated Design of Advanced Fighters (AGARD-LS-153, pp. 3-1 - 3-34). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Low cost visual systems for flight simulators. (1990). Military Simulation & Training, 4, 36-39.

Markman, S. R. (1985). Capabilities of airborne and ground based flight simulation. In Proceedings of the SAE Aerospace Technology Conference and Exposition, Flight Simulation/Simulators (SAE Paper 851944, pp. 35-42). Warrendale, PA: Society of Automotive Engineers.

Marr, P. R. (1981). Computer-generated images in visual simulation and avionic technologies. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 36-43). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Martzall, T. L. (1993). Simultaneous raster and calligraphic CRT projection system for flight simulation. In E. M. Conwell, M. Stolka, & M. R. Miller (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1910, Electroluminescent Materials, Devices, and Large-Screen Displays (pp. 292-299). Bellingham, WA: SPIE-The International Society for Optical Engineering.

McCulloch, G. V. (1977). United's experience with computer generated visual systems, April 1977. In National Aerospace Symposium Proceedings (pp. 28-30). Washington, DC: Institute of Navigation.

McLanaghan, R. (1982). Visual systems in flight simulation. In Proceedings of the IMACS 10th World Congress on System Simulation and Scientific Computation (Vol. 2, pp. 70-72). Brussels, Belgium: International Association for Mathematics and Computers in Simulation.

Mooij, H. A. (1988). Technology involved in the simulation of motion cues: The current trend. In AGARD Conference Proceedings No. 433, Motion Cues in Flight Simulation and Simulator Induced Sickness (AGARD-CP-433, pp. 2-1 - 2-15). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Moran, W. P. (1973). Total simulation - A near future goal. In Proceedings of the Second Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Nash, T. (1990). Trends in military helicopter simulation. Military Simulation & Training, 4, 6-10.

Nash, T. (1991). Visual systems for flight simulators. Military Simulation & Training, 3, 8-19.

Nash, T. (1994). Visual systems - Value judgements rule. Military simulation & Training, 2, 7-12.

O'Connor, D. G. (1975). Displays in flight simulation. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 61-70). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Parris, B. L., & Cook, A. M. (1978). Effects of visual and motion simulation cueing systems on pilot performance during takeoffs with engine failures (NASA-TP-1365). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Peters, D. L. (1985). Visual simulation: The unsolved problem. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 15-17). Playa del Rey, CA: Society for Information Display.

Rhea, J. (1980). Flight simulation techniques - The quest for realism. High Technology, 5, 7-10.

Richard, D. M. (1979). A military view of flight simulation. In 50 Years of Flight Simulation, Proceedings of the Conference (pp. 24-32). London, England: Royal Aeronautical Society.

Rowley, T. W. (1986). Flight simulator visual systems. In Proceedings of the Second International Conference on Simulators (pp. 26-30). London, England: Institution of Electrical Engineers.

Schachter, B. J. (1981). Computer image generation for flight simulation. IEEE Computer Graphics and Applications, 1(4), 29-68.

Schepp, J. A. (1984). Advances in flight simulators. In M. Ung (Ed.), Aerospace Simulation, Proceedings of the Conference on Aerospace Simulation (Simulation Series, Vol. 13, No. 1, pp. 192-206). La Jolla, CA: Society for Computer Simulation.

Shohat, M. (1975). From submarine to satellite: Diverse applications for digital image generation techniques. In 8th NTEC/Industry Conference Proceedings (pp. 173-182). Orlando, FL: Naval Training Equipment Center.

Shorrock, D. (1981). Visual technology and the future. In Experience and Needs of Civil and Military Flight Simulator Users, Proceedings of the Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Shorrock, D. (1986). Visual systems - The state of the art. In R. Crosbie & P. Luker (Eds.), Proceedings of the 1986 Summer Computer Simulation Conference (pp. 586-590). San Diego, CA: Society for Computer Simulation.

Sinacori, J. B. (1978). Piloted aircraft simulation concepts and overview (STI-TR-1074-2). Mountain View, CA: Systems Technology, Inc.

Smith, J. F. (1981). Experience with flight simulators - Training effectiveness-future developments (AFHRL-TP-81-41, AD-A108 087). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Spooner, A. M. (1973). The development of visual systems for flight simulation. In Proceedings of the Second Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Spooner, A. M. (1976). Visual display systems for flight simulation. Electro-Optical Systems Design, 8(10), 44-48.

Spooner, A. M. (1979). Visual simulation - Past, present and future. In 50 Years of Flight Simulation, Proceedings of the Conference (pp. 30-42). London, England: Royal Aeronautical Society.

Stark, E. A. (1977). Digital image generation: The medium with a message. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 187-201). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Statler, I. C., & Deel, A. (1981). The role of the research simulator in the systems development of rotorcraft (NASA-TM-81276/USAAVRADCOM-TR-81-A-7). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Suminski, L. T., Jr., & Hulin, P. H. (1980). Computer Generated Imagery (CGI) current technology and cost measures feasibility study (CSC/TR-80/6008, PM-TRADE-RE-0012, AD-A091 636). Orlando, FL: Computer Sciences Corporation.

Szabo, N. (1978). Real-time computer generated image systems for raster displays. In 1978 WESCON Technical Papers, Volume 22, Western Electronic Show and Convention (Part 2, Paper No. 1, pp. 1-4). El Segundo, CA: Electronic Conventions, Inc.

Tait, D. R. (1970). The next generation of visual systems. In Proceedings of the Two-Day Symposium on Flight Training Simulators for the '70s (pp. D.1-D.8). London, England: Royal Aeronautical Society.

Taylor, C. G. (1983). Visual simulation - A new era. In Proceedings of the International Conference on Simulators (pp. 13-18). London, England: Institution of Electrical Engineers.

Thomas, M., & Geltmacher, H. (1993). Combat simulator display development. Information Display, 9(4 & 5), 23-26.

Tucker, J. B. (1984). Visual simulation takes flight. High Technology, 4(12), 34-43, 46-47.

Visual flight simulation. (1976). Aircraft Engineering, 48(2), 5-9.

Welch, B. L. (1978). Recent advances in television visual systems. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 13-1 - 13-12). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Westphal, G. (1981). Flugsimulatoren (Flight simulators). Technisch-oekonomische Information der zivilen Luftfahrt, 17(4), 180-189. (In German)

Whitted, T. (1982). Some recent advances in computer graphics. Science, 215, 767-774.

Yan, J. K. (1985). Advances in computer-generated imagery for flight simulation. IEEE Computer Graphics and Applications, 5(8), 37-51.

2. VISUAL SYSTEM TECHNOLOGIES

Abbey, G. G. (1982). A visual simulator image generator using a laser scanned model. In L. Winner & M. Winner (Eds.), 1982 SID International Symposium Digest of Technical Papers, Volume XIII (pp. 142-143). Los Angeles, CA: Society for Information Display.

Advani, S. K. (1994). SIMONA - An advanced simulation facility for fundamental research. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 100-111). Warminster, Wiltshire, UK: ITEC Ltd.

Albers, G. (1983). Advanced display techniques for training the multi-member tactical air crew. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 83-1079, pp. 32-34). New York, NY: American Institute of Aeronautics and Astronautics.

Albery, W. B., & Dickison, G. J. (1978). Advanced Tactical Air Combat Simulation (ATACS) - An overview of Project 2363. In Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1580, pp. 68-72). New York, NY: American Institute of Aeronautics and Astronautics.

Albery, W. B., & LaRussa, J. A. (1980). Optical infinity lens developments for flight simulator visual displays. In W. M. Hollister (Ed.), AGARDograph No. 255, Advancement on Visualization Techniques (pp. 8-1 - 8-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Allen, J. H., & Hebb, R. C. (1983). Helmet mounted display feasibility model (NAVTRAEEQUIPCEN-IH-338, AD-A128 150). Orlando, FL: Naval Training Equipment Center.

Allen, R. W., Hogue, J. R., & Smith, J. C. (1984). A programmable low-cost hybrid display processor for man-in-the loop simulation. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 116-117). Los Angeles, CA: Society for Information Display.

Allerton, D. J., & Zaluska, E. J. (1985). Computer image generation in real time. In Proceedings of the Electronic Displays 1985 Conference, Volume 1. Display Systems Applications I (pp. 17-31). Buckingham, England: Network Events Ltd.

Allerton, D. J., & Zaluska, E. J. (1986). A multi-processor approach to computer image generation. In Proceedings of the Second International Conference on Simulators (pp. 226-231). London, England: Institution of Electrical Engineers.

Anderson, S. (1982). Flight simulator display capability significantly enhanced. Aircraft Engineering, 54(10), 18-21.

Baldwin, D. M., Goldiez, B. F., & Graf, C. P. (1983). Design of a real-time CGSI system. In Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 83-1101, pp. 154-162). New York, NY: American Institute of Aeronautics and Astronautics.

Baldwin, D. M., Goldiez, B. F., & Graf, C. P. (1983). A hybrid approach to high fidelity visual/sensor simulation. In Proceedings of the International Conference on Simulators (pp. 1-6). London, England: Institution of Electrical Engineers.

Barker, L. E., Jr., Copeland, J. L., Grove, R. D., Kahlbaum, W. M., Jr., & Steinmetz, G.G. (1970). The design of a dual wide angle visual cue simulator and the analysis of multiaxis projection equipment. In AIAA Visual and Motion Simulation Technology Conference (AIAA Paper No. 70-360). New York, NY: American Institute of Aeronautics and Astronautics.

Barnes, A. G. (1987). Operating experience of a small six axis motion system inside a dome with a wide angle visual system. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2437, pp. 86-95). New York, NY: American Institute of Aeronautics and Astronautics.

Barnes, A. G., & Houghton, D. E. A. (1978). Air to air combat simulation. In Proceedings of the Fourth Flight Simulation Symposium (pp. 1-18). London, England: Royal Aeronautical Society.

Basinger, J. D. (1973). An approach to computer image generator for visual simulation. In AIAA Visual and Motion Simulation Conference (AIAA Paper No. 73-928). New York, NY: American Institute of Aeronautics and Astronautics.

Basinger, J. D., Wilson, J. M., & Fisher, R. A. (1982). The technical contributions of the Tactical Combat Trainer development program. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 217-230). Arlington, VA: National Security Industrial Association.

Beardsley, H. W., Jr. (1975). CIG visual system for the T-37B jet trainer (ASUPT). In 8th NTEC/Industry Conference Proceedings (pp. 23-33). Orlando, FL: Naval Training Equipment Center.

Beardsley, H., Bunker, W., Eibeck, A., Juhlin, J., Kelly, W., Page, J., & Shaffer, L. (1975). Advanced simulation in undergraduate pilot training: Computer image generation (AFHRL-TR-75-59(V), AD-A022 251). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Beckett, P. (1985). Investigation into parallel processing architectures for CGI. In 1985 IREECON International, 20th International Electronics Convention and Exhibition of the Institution of Radio and Electronics Engineers Australia, Digest of Papers (Vol. 2, pp. 984-986). Sydney, Australia: Institution of Radio and Electronics Engineers.

Blanton, K. (1987). A new approach for flight simulator visual systems. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 229-233). San Diego, CA: Society for Computer Simulation.

Boidin, P. (1988). Generation d'images de synthese Systeme VISA 4 (VISA 4 computer image generation system). L'Onde Electrique, 68(5), 61-66. (In French)

Bondzeit, F. (1987). A visual system for rotorcraft simulation. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 64-69). Tempe, AZ: IMAGE Society, Inc.

Booker, J. L. (1977). Aviation Wide Angle Visual System (AWAVS) CGI System. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 122-141). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Boursette, J-F., & Michot, J-L. (1994). COSMOS - A new concept for a multi-mission trainer. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 29-36). Warminster, Wiltshire, UK: ITEC Ltd.

Boyle, D. (1984). Looking around at visuals - for flight simulation. Interavia, 39(10), 1077-1079.

Bridgwater, R. J. (1987). The AWARDS wide-angle display. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 176-182). Tempe, AZ: IMAGE Society, Inc.

Browder, G. B. (1989). Evaluation of a helmet-mounted laser projector display. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet Mounted Displays (pp. 85-89). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Burbidge, D., & Murray, P. M. (1989). Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the Naval Training Systems Center. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Helmet Mounted Displays, Volume 1116 (pp. 52-60). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Chambers, W. S. (1976). AWAWS, An engineering simulator for design of visual flight training simulators. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 26-31). New York, NY: American Institute of Aeronautics and Astronautics.

Chambers, W. S. (1977). AWAWS: An engineering simulator for design of visual flight training simulators. Journal of Aircraft, 14(11), 1060-1063.

Chauvin, M. (1988). La generation d'images de synthese dans la simulation (Computer generated images in simulation). L'Onde Electrique, 68(5), 54-60. (In French)

Chen, W. L. (1975). Night calligraphic digital visual system. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 40-47). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Clark, R., & Pferdner, R. (1985). Real-time digital terrain image generator (HEL-TM-10-85, AD-A159 316). Aberdeen Proving Ground, MD: Human Engineering Laboratory.

Cleveland, J. I., II, Sudik, S. J., & Grove, R. D. (1992). High performance flight simulation at NASA Langley. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4179, pp. 313-319). Washington, DC: American Institute of Aeronautics and Astronautics.

Cochran, J. K., Hubele, N. F., & Sykes, D. J. (1987). New generation of flight simulators: Design configuration with discrete-event simulation. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 234-238). San Diego, CA: Society for Computer Simulation.

Coe, L. K. (1990). Project to improve performance of the NASA/AMES ACAB visual pipeline: An interim report. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 242-256). Tempe, AZ: IMAGE Society, Inc.

Collyer, S. C., & Chambers, W. S. (1978). AWAVS, a research facility for defining flight trainer visual system requirements. In E. J. Baise & J. M. Miller (Eds.), Proceedings of the Human Factors Society 22nd Annual Meeting (pp. 99-104). Santa Monica, CA: Human Factors Society.

Cooper, R. A. (1982). Generating an out-the-window cockpit image with the IAPX 432 (AFIT/GCS/EE/82-12, AD-A124 852). Wright- Patterson AFB, OH: Air Force Institute of Technology.

Cosentino, A. (1975). A high resolution color TV system for visual simulation. In 8th NTEC/Industry Conference Proceedings (pp. 67-76). Orlando, FL: Naval Training Equipment Center.

Cosman, M. A., Mathisen, A. E., & Robinson, J.A. (1990). A new visual system to support advanced requirements. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 370-380). Tempe, AZ: IMAGE Society, Inc.

Cox, A. (1978). Application of Fresnel lenses to virtual image display. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 130-137). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Cox, A., & Dykes, W. V. (1984). A second generation WAVIDS. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 315-329). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Cyrus, M. L., & Fogarty, L. (1978). Advanced simulation for new aircraft. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 103-108). Orlando, FL: Naval Training Equipment Center.

Dalton, N. M., & Deering, C. S. (1989). Photo based image generator. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet Mounted Displays (pp. 61-75). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Davis, J. L. (1989). Novoview LCV: Balancing performance and cost for a "low cost" visual system. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3321, pp. 416-421). Washington, DC: American Institute of Aeronautics and Astronautics.

Deel, A., & Rue, R. J. (1980). Conceptual design of a rotorcraft advanced visual system. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 117-124). Arlington, VA: National Security Industrial Association.

Derderian, G., Mohon, W. N., Maldonato, E. D., & Rodemann, A. H. (1980). Pilot training simulator (PAT-APPL-841 240, Patent-4 207 688). Washington, DC: Commissioner of Patents.

Desvignes, F., Huriet, J. R., & Sultan, R. A. (1983). Systeme de visualisation a hautes performances pour les futurs simulateurs de combat aerien (High-performance visualization system for future combat-aircraft simulators). L'Aeronautique et L'Astronautique, 103, 53-59. (In French)

Devarajan, V., Hooks, J. T., Jr., & McGuire, D. C. (1984). Low altitude high speed flight simulation using video disc technology. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 53-65). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dichter, W., Doris, K., & Conkling, C. (1980). A new approach to CGI systems. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 102-109). Arlington, VA: National Security Industrial Association.

Dichter, W., Doris, K., & Conkling, C. (1981). Raster scan computer image generation (CIG) system based on refresh memory. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 9-15). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Driskell, C. R. (1978). Wide angle visual system developments. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 15-1 - 15-12). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Driskell, C. R., & Spooner, A. M. (1976). Scanned laser visual system. In Electro-Optical Systems Design Conference and International Laser Exposition, Proceedings of the Technical Program (pp. 738-743). Chicago, IL: Industrial and Scientific Conference Management, Inc.

Dugdale, J. (1993). Low-cost visual display technology. In A. Sharon (Ed.), Simulators X, Proceedings of the 1993 Simulation Multiconference on the International Simulators Conference (Simulation Series, Vol. 25, No. 4, pp. 624-629). San Diego, CA: Society for Computer Simulation.

Dugdale, J. (1994). New advanced single seat visual display. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 42-48). Tempe, AZ: IMAGE Society, Inc.

Dynamic manned vehicle simulator. (1972). Aircraft Engineering, 44(1), 8-9.

Eibeck, A. C., & Petrie, D. F. (1988). Advanced Visual Technology System (AFHRL-TR-88-37, AD-B131 378L). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Eyth, J., Jr. (1984). A CGI simulation display in a high-G environment. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 120-123). Los Angeles, CA: Society for Information Display.

Ferguson, R. L. (1984). AVTS: A high fidelity visual simulator. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 475-486). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Ford, T. (1988). Advanced simulation. Aircraft Engineering, 60(7), 8-10.

Fowler, V. J., Schlafer, J., & Stone, S. M. (1970). Wide-angle multicolor scanned laser display system for visual flight simulators. In AIAA Visual and Motion Simulation Technology Conference (AIAA Paper No. 70-361). New York, NY: American Institute of Aeronautics and Astronautics.

Fox, T. A., & Clark, P. D. (1986). Development of computer-generated imagery for a low-cost real-time terrain imaging system. In Proceedings of The IEEE 1986 National Aerospace and Electronics Conference, NAECON 1986 (Vol. 3, pp. 986-991). New York, NY: Institute of Electrical and Electronics Engineers.

Fray, K. (1987). New standards established for realism in visual simulation. ICAO Bulletin, 42(5), 9-12.

Ganzler, B. C. (1971). Virtual image display for flight simulation (NASA-TM-X-2327). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Gardner, G. Y. (1979). Computer image generation system with efficient image storage. In K. G. Leib (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 177, Optical Information Storage (pp. 10-12). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Gardner, G. Y., & Rulon, R. S. (1984). Producing high scene content with perspective validity. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 79-94). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Geere, D. H., & Crampin, T. (1984). Military applications of the Singer Link-Miles Image Visual System. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 455-474). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Gertner, I. C., Wolberg, G., Geri, G. A., Kelly, G. R., Pierce, B. J., Thomas, M., & Martin, E. L. (1994). A PC-based photographic-quality image generator for flight simulation. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-1). Arlington, VA: National Security Industrial Association.

Gibson, K. J., & Wells, I. M. (1985). An improved optical viewing system for a flight simulator (ETN-86-96555). Dorking, England: Carville, Ltd.

Gordon, A. A., Patton, D. L., & Richards, N. F. (1975). The development of wide angle visual display systems at Northrop. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 143-150). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Grimsdale, R. L., Lok, Y. C., Price, S. M., Westmore, R., & Woollons, D. J. (1983). Computer generation of images for flight simulators. In Proceedings of the International Conference on Simulators (pp. 7-12). London, England: Institution of Electrical Engineers.

Gum, D. R., Albery, W. E., & Basinger, J. D. (1975). Advanced Simulation in Undergraduate Pilot Training: An overview (AFHRL-TR-75-59(I), AD-A030 224). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Haas, M., & Guldenpfennig, P. (1979). The influence of full-mission simulation on visual system capability. In Proceedings of the 1st Interservice/Industry Training Equipment Conference (NAVTRAEEQUIPCEN-IH-316, pp. 53-56). Orlando, FL: Naval Training Equipment Center.

Haas, R. L. (1973). An engineering flight simulation visual display system. In AIAA Visual and Motion Simulation Conference (AIAA Paper No. 73-924). New York, NY: American Institute of Aeronautics and Astronautics.

Haas, R. L., Hotz, H. E., & Mills, G. R. (1973). The Large Amplitude Multi-Mode Aerospace Research (LAMAR) simulator. In AIAA Visual and Motion Simulation Conference (AIAA Paper No. 73-922). New York, NY: American Institute of Aeronautics and Astronautics.

Hart, B. H. (1989). Fleet requirements for F-14D aircrew trainer suite. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3303, pp. 279-292). Washington, DC: American Institute of Aeronautics and Astronautics.

Haseltine, E. C. (1984). Visual system of the F/A-18 Weapons Tactics Trainer. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 141-147). Arlington, VA: National Security Industrial Association.

Hechler, B. (1977). Entwurf und aufbau einer hybriden flugsichtsimulationsanlage (Design and construction of a hybrid flight visual simulation system). Dr.-Ing. Dissertation, Darmstadt Technische Hochschule, Darmstadt, Germany. (In German)

Heintzman, R. J. (1975). A full field of view optical display for aerial combat simulation. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 151-157). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Heintzman, R. J., Basinger, J. D., & Doty, A. B. (1973). Optical mosaics for large field visual simulation display systems. In AIAA Visual and Motion Simulation Conference (AIAA Paper No. 73-926). New York, NY: American Institute of Aeronautics and Astronautics.

Heising, H. (1977). Ein Sichtsimulator mit perspektivischer verzeichnung des rasters von fernsehbildern (A visual simulator with transformation of the perspective in the raster of television pictures). Meckenheim, West Germany: Forschungsinstitut fuer Anthropotechnik. (In German)

Henderson, B., & Squires, J. A. (1992). Visual simulation techniques for desktop training applications. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 456-464). Arlington, VA: National Security Industrial Association.

Hennessy, R. T. (1991). Flight simulation visual research by the Crew Station Research and Development Branch of the U.S. Army NASA Ames Research Center, Moffett Field, California. In Visual Issues in Training and Simulation Presentation Summaries (pp. 25-30). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Herndon, J. W. (1982). A visual technology research simulator for vertical take off and landing (VTOL) (NAVTRAEEQIPCEN-IH-337, AD-A115 626). Orlando, FL: Naval Training Equipment Center.

Heumann, W. (1978). Ein sichtsimulator zur untersuchung des lernvorgangs bei der flugzeuglandung (Visual flight simulator for the investigation of the learning process during aircraft landing). Zeitschrift fuer Flugwissenschaften und Weltraumforschung, 2, 228-242. (In German)

Holler, E. M. (1984). Tactical software modeling for flight simulators. In V. Amico & A. B. Clymer (Eds.), All About Simulators, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 14, No. 1, pp. 257-259). La Jolla, CA: Society for Computer Simulation.

Holmes, R. E. (1989). Videorama™ - a new concept in juxtaposed large screen displays. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1081, Projection Display Technology, Systems, and Applications (pp. 15-20). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Holmes, R. E., & Mays, J. A. (1978). A 25-inch precision color display for simulator visual systems. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 57-62). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Hooks, J. T., Jr., & Devarajan, V. (1981). Digital processing of color photography for visual simulation. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 47-55). Arlington, VA: American Defense Preparedness Association.

Howie, J. B., & Cosman, M. A. (1984). CIG goes to war: The tactical illusion. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 439-454). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Hughes, D. A. (1992). Multiple projector small dome display (AL-TP-1992-0057, AD-A258 621). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Jarvis, K. M. (1987). Visual performance requirement below the skyline, a cost effective solution to low level flight. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 230-235). Tempe, AZ: IMAGE Society, Inc.

Jarvis, K. M. (1994). Shifting the visual paradigm. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 66-75). Tempe, AZ: IMAGE Society, Inc.

Kashork, E. F., & Turner, J. A. (1978). Aviation Wide Angle Visual System (AWAVS): Visual system performance. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Proceedings of the Seminar, Volume 162, Visual Simulation & Image Realism (pp. 36-42). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Katz, A., Butler, B. E., & Allen, D. E. M. (1991). A computer generated helicopter for air to air combat. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2923, pp. 82-86). Washington, DC: American Institute of Aeronautics and Astronautics.

Kaufmann, B., & Brandt, V. (1994). Commercial pilot training based on a "commercial off the shelf" components Dornier DO 228 full flight training simulator. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 606-620). Warminster, Wiltshire, UK: ITEC Ltd.

Khajenoori, S., Hannon, E., & Bauer, C. S. (1990). A low cost visual system for general aviation flight simulation. In W. G. Vogt & M. H. Mickle (Eds.), Proceedings of the Twenty-First Annual Pittsburgh Conference on Modeling and Simulation, Volume 21, Part 5: Control, Robotics, Systems, Power and Mechanical (pp. 2321-2325). Research Triangle Park, NC: Instrument Society of America.

King, B. C., Ohmart, J. G., & Riebenack, A. D. (1975). Design rationale and performance specifications for a visual flight research facility (ARI-RN-79-15, AD-069 707). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Kinsella, K. J., & Matthews, A. J. (1972). Using interactive graphics for fighter pilot training. Information Display, 9(2), 15-20.

Krauspe, P., Van Gaasbeek, J., & Borchert, H. (1987). MBB simulation facilities applied for rotorcraft research. In AGARD Conference Proceedings No. 243, Rotorcraft Design of Operations (AGARD-CP-243, pp. 7-1 - 7-19). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Kugel, D. L., & Gressang, R. V. (1976). Air-to-ground visual display system. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 13-20). New York, NY: American Institute of Aeronautics and Astronautics.

Kurts, D., & Gainer, C. (1992). The use of a dedicated testbed to evaluate simulator training effectiveness. In AGARD Conference Proceedings 513, Piloted Simulation Effectiveness (AGARD-CP-513, pp. 11-1 - 11-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Lam, T., & Cheng, V. H. L. (1992). Simulation of automatic rotorcraft nap-of-the-earth flight in graphics workstation environment. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4131, pp. 8-15). Washington, DC: American Institute of Aeronautics and Astronautics.

Larsen, M., & Gruendell, F. (1994). A visual system display for full-mission flight simulator training. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 10-20). Tempe, AZ: IMAGE Society, Inc.

LaRussa, J. A., & Gill, A. T. (1978). The holographic Pancake Window™. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 120-129). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

LaRussa, J. A., & Gill, A. T. (1978). Optical simulator with a holographic component. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1581, pp. 176-179). New York, NY: American Institute of Aeronautics and Astronautics.

Latham, R. (1985). A VLSI-based digital image generator. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 107-112). Arlington, VA: American Defense Preparedness Association.

Leavy, W. P., & Fortin, M. (1983). Closing the gap between aircraft and simulator training with limited field-of-view visual systems. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 10-18). Arlington, VA: American Defense Preparedness Association.

Leray, P. (1981). A 3D synthetic imagery generator in real time. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 78-89). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Leray, P. (1982). The CIG system of synthetic image generation. IEEE Computer Graphics and Applications, 2(5), 89-92.

Leshem, Z. (1985). 3-D real-time, real images manipulation. In Proceedings of the IEEE 1985 National Aerospace and Electronics Conference, NAECON 1985 (Vol. 1, pp. 166-169). New York, NY: Institute of Electrical and Electronics Engineers.

Lewis, J. T. (1981). COMPUTROL - A new technique in computer image generation. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 420-429). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Lewis, M. S., & Yeo, D. G. (1985). Development of a simulator facility for helicopter air-to-air combat. In AIAA Flight Simulation Technology Conference, A Collection of Technical Papers (AIAA Paper No. 85-1733). Washington, DC: American Institute of Aeronautics and Astronautics.

Lintern, G. (1983). Visual display manipulations for simulation training. In L. Winner & M. Winner (Eds.), 1983 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 190-191). Los Angeles, CA: Society for Information Display.

Long, M. (1986). New levels of realism achieved in visuals for flight simulation. ICAO Bulletin, 41(5), 28-29.

Magarinos, J. R., & Coleman, D. J. (1981). Wide angle, color, holographic infinity optics display (AFHRL-TR-80-53). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Magarinos, J. R., Coleman, D. J., & Lenczowski, T. (1981). Low cost, wide angle infinity optics visual system (AFHRL-TR-80-54, AD-A105 508). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Maldonato, E. D. (1982). Helmet mounted display feasibility model: Optical design (NAVTRAEEQUIPCEN-IH-340, AD-A119 191). Orlando, FL: Naval Training Equipment Center.

Maresh, J. (1991). The development of a real time visual flight simulator for tactical operations research and measurement. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 2, pp. 841-846). Columbus, OH: Ohio State University.

Marvel, O., Stickel, R., Baldwin, D. M., Pierce, J., Frary, S., & Graf, C. P. (1984). Image synthesis for simulation, stimulation, and training. In Proceedings of the IEEE 1984 National Aerospace and Electronics Conference, NAECON 1984 (Vol. 2, pp. 884-890). New York, NY: Institute of Electrical and Electronics Engineers.

Mays, J. A. (1981). Calligraphic/raster color display for simulation. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 16-22). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Mays, J. A., & Holmes, R. E. (1978). A three-channel high-resolution-TV image-generation system. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 28-35). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Meier, J. (1981). A European airline's future simulator requirements. In Experience and Needs of Civil and Military Flight Simulator Users, Proceedings of the Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Milelli, R. J., Keane, W. A., & Kenneally, W. J. (1973). A flight research program to define VTOL visual simulator requirements. In Proceedings of the Second Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Miller, C. C. (1994). Development of a deployable AH-1W trainer. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 480-488). Warminster, Wiltshire, UK: ITEC Ltd.

Monroe, E. G. (1975). Computer image generation (CIG) in visual flight simulation. In Proceedings of the Sixth Annual Pittsburgh Conference, Modeling and Simulation, Volume 6, Part 1 (pp. 475-477). Pittsburgh, PA: Instrument Society of America.

Monroe, E. G. (1976). Air-to-surface weapons delivery simulation with a computer-image generation system. In W. G. Vogt & M. H. Mickle (Eds.), Modeling and Simulation, Volume 7, Part 1, Proceedings of the Seventh Annual Pittsburgh Conference (pp. 526-530). Pittsburgh, PA: Instrument Society of America.

Moon, R. N. (1985). Providing high performance visual simulation at low cost. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 100-106). Arlington, VA: American Defense Preparedness Association.

Morland, D. V., & Michler, F. A. (1981). Aviation Wide-Angle Visual System (AWAVS) Computer Image Generator (CIG) visual system (NAVTRAEEQUIPCEN-76-C-0048-1, AD-A111 800). Orlando, FL: Naval Training Equipment Center.

Morris, A., & Van Hemel, P. E. (1992). The evaluation of simulator effectiveness for the training of high speed, low level, tactical flight operations. In AGARD Conference Proceedings 513, Piloted Simulation Effectiveness (AGARD-CP-513, pp. 17-1 - 17-11). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Murray, P. M., & Barker, B. W. (1981). A continuous wide-angle visual system using scanned lasers. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 430-447). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Murray, P. M., Olive, G. J., Roberts, M. E., & Wynn, O. (1984). Air combat visual simulation using a head slaved projector. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 295-311). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Nack, M. L., Rosman, A., Yang, C., & Haseltine, E. (1983). Cost and performance analysis of visual and sensor simulation systems using Defense Mapping Agency data bases (AFWAL-TR-83-1184, AD-A135 955). Wright-Patterson AFB, OH: Wright Aeronautical Laboratories.

Nass, L., Seats, P., & Albery, W. B. (1975). Advanced simulation in undergraduate pilot training: Visual display development (AFHRL-TR-75-59(VI), AD-A022 962). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Nigus, S. G. (1994). New system advances visual simulation core technologies. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 86-95). Tempe, AZ: IMAGE Society, Inc.

Northrop Corp. (1977). System description and analysis - Part 1: Feasibility study for helicopter/VTOL wide-angle simulation image generation display system (NASA-CR-152376). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

O'Neal, M. E. (1984). F-15 Limited Field of View visual system training effectiveness evaluation (AD-A144 309). Eglin AFB, FL: Tactical Air Warfare Center.

Oharek, F. J. (1977). 360-deg non-programmed visual display. In Proceedings of the Electro-Optics/Laser Conference and Exposition (pp. 115-119). Chicago, IL: Industrial and Scientific Conference Management, Inc.

Oharek, F. J., & Harvey, J. F. (1978). Component performance of a 360 degree non-programmed visual display. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 51-56). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Penwill, J. C., & Packwood, R. J. (1975). Digitally generated outside world display of lighting pattern used in conjunction with an aircraft simulator. In AGARD Conference Proceedings No. 198, Flight Simulation/Guidance Systems Simulation (AGARD-CP-198, pp. 16-1 - 16-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Petryszyn, M. D. (1992). Modular design of a moving-target simulation in support of mission training objectives. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4144, pp. 97-105). Washington, DC: American Institute of Aeronautics and Astronautics.

Pierce, B. J., Felber, A. A., & Wetzel, P. A. (1993). Real image display effects on oculomotor response and the perception of spatial relationships. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 502-505). Playa del Rey, CA: Society for Information Display.

Pieters, L. A. (1982). Simple CIG - An approach to visual simulation for procedure training. In Flight Simulation - Avionic Systems and Aero Medical Aspects, Proceedings of the International Conference. London, England: Royal Aeronautical Society.

Platt, P. A., Dahn, D. A., & Amburn, P. (1991). Low-cost approaches to virtual flight simulation. In Proceedings of the IEEE 1991 National Aerospace and Electronics Conference, NAECON 1991 (Vol. 2, pp. 940-946). New York, NY: Institute of Electrical and Electronics Engineers.

Pouliquen, D. (1994). SHERPA, An innovative concept for an helicopter simulator. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 464-469). Warminster, Wiltshire, UK: ITEC Ltd.

Raike, R. R. (1976). Compu-Scene - Modular approach to day-night computer image simulation. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 101-119). New York, NY: American Institute of Aeronautics and Astronautics.

Ranjbaran, S. E., & Swallow, R. J. (1980). COMPUTROL in flight simulation. In C. E. Vandoni (Ed.), EUROGRAPHICS 80, Proceedings of the International Conference and Exhibition (pp. 321-329). Amsterdam, Netherlands: North-Holland Publishing Co.

Reese, W. S., & Hansen, R. A. (1981). The semi-automatic instructional system. In Experience and Needs of Civil and Military Flight Simulator Users, Proceedings of the Flight Simulation Symposium. London, England: Royal Aeronautical Society.

Reno, B. (1989). Full field of view dome display system. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3316, pp. 390-394). Washington, DC: American Institute of Aeronautics and Astronautics.

Rhinehart, R. M. (1977). Wide-angle, multiviewer infinity display design (AFHRL-TR-77-71). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Ritchie, M. L., & Shinn, B. J. (1973). Beyond linear perspective with computer generated displays. In M. P. Ranc, Jr. & T. B. Malone (Eds.), Proceedings of the Human Factors Society 17th Annual Meeting (pp. 52-55). Santa Monica, CA: Human Factors Society.

Roden, D. W., & Corbin, M. J. (1994). HOVERS - A workstation-based mission environment for helicopter simulation. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 536-542). Warminster, Wiltshire, UK: ITEC Ltd.

Ross, L. E., & Voss, W. J. (1976). A visual generation system for air-to-ground weapon delivery simulation. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 21-25). New York, NY: American Institute of Aeronautics and Astronautics.

Rowley, T. W. (1979). The capability of CGI in flight simulation. In 50 Years of Flight Simulation, Proceedings of the Conference (pp. 43-50). London, England: Royal Aeronautical Society.

Samuelsson, B., Johansson, T., & Gimstedt, L. (1977). A computer generated image system for real time simulation (SAAB-TN-AE-71). Linkoping, Sweden: Saab-Scania.

Sandor, J., & Jost, P. G. (1981). A scan line algorithm for computer generated flight visuals (ARL-SYS-NOTE-77, AD-A116 320). Melbourne, Australia: Aeronautical Research Laboratory.

Schumacker, R. A. (1980). A new visual system architecture. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 94-101). Arlington, VA: National Security Industrial Association.

Schwartz, R. J. (1990). Two crew display. In H. M. Assenheim & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 155-162). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Shenker, M. (1983). Visual-simulation optical systems. In R. S. McDowell & S. C. Stotler (Eds.), Proceedings of the Los Alamos Conference on Optics, Volume 380 (pp. 22-29). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Sieverding, M. J. (1984). Simulating speed and height cues in the C-130 Weapon System Trainer. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 69-77). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Siksik, D. N., & Rourke, R. D. (1993). Implementation of expert systems within an interactive tactical environment. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3583, pp. 227-233). Washington, DC: American Institute of Aeronautics and Astronautics.

Simulator gives 200 degree field of view. (1984). Aircraft Engineering, 56(6), 11.

Sinacori, J. B. (1980). Conceptual design study of a visual system for a rotorcraft simulator and some advances in platform motion utilization (NASA-CR-166322). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Singer, Co. (1975). Aviation Wide-Angle Visual System (AWAVS): Design analysis report (NAVTRAEEQUIPCEN-75-C-0009-1, AD-A037 223). Orlando, FL: Naval Training Equipment Center.

Smit, M. H., & Kiel, R. (1993). A high end visual system in software. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 43-48). Warminster, Wiltshire, UK: ITEC Ltd.

Snow, A. E., & Moon, R. N. (1986). Providing high performance visual simulation at low cost, revisited. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 58-63). Arlington, VA: National Security Industrial Association.

Soderberg, B., & Miller, D. (1993). Image generation design for ground-based network training environments. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 320-329). Warminster, Wiltshire, UK: ITEC Ltd.

Spears, W. D., & Corley, W. E. (1986). Evaluation of a visual system in its support of simulated helicopter flight (TR-86-06, AD-A168 829). Irving, TX: Seville Training Systems.

Speer, R. G. (1983). The C-130 visual system - An update. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 2, pp. 769-775). New York, NY: Institute of Electrical and Electronics Engineers.

Statler, I. C., & Key, D. L. (1978). Simulation requirements for rotocraft. In Proceedings of the Fourth European Rotorcraft and Powered Lift Aircraft Forum (Vol. 1, pp. 32-0 - 32-23). Callarate, Italy: Costruzioni Aeronautiche Giovanni Agusta.

Swallow, R. J. (1978). The CHARGE CGI system and its applications. In 1978 WESCON Technical Papers, Volume 22, Western Electronic Show and Convention (Part 2, Paper No. 3, pp. 1-3). El Segundo, CA: Electronic Conventions, Inc.

Swallow, R., Goodwin, R., & Draudin, R. (1978). COMPUTROL computer generated day/dusk/night image display. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 321-332). Orlando, FL: Naval Training Equipment Center.

Swallow, R., Goodwin, R., & Draudin, R. (1978). COMPUTROL a new approach to computer generated imagery. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 16-25). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Swallow, R., Goodwin, R., & Draudin, R. (1978). COMPUTROL - A new technique in image generation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1579, pp. 59-67). New York, NY: American Institute of Aeronautics and Astronautics.

Thomas, M. L., & Reining, G. (1990). The Display for Advanced Research and Development: An "inexpensive" answer to tactical simulation. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 156-161). Warminster, Wiltshire, UK: ITEC Ltd.

Thomas, M. L., Reining, G., & Kelly, G. (1991). The Display for Advanced Research and Training: An "inexpensive" answer to tactical simulation. In H. M. Assenheim, R. A. Flasck, T. M. Lippert, & J. Bentz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1456, Large-Screen-Projection, Avionic, and Helmet-Mounted Displays (pp. 65-75). Bellingham, WA: SPIE-International Society for Optical Engineering.

Thorpe, J. A., Varney, N. C., McFadden, R. W., LeMaster, W. D., & Short, L. H. (1978). Training effectiveness of three types of visual systems for KC-135 flight simulators (AFHRL-TR-78-16). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Ure, R., & Siksik, D. N. (1990). User definable doctrine for interactive air targets. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3176, pp. 359-363). Washington, DC: American Institute of Aeronautics and Astronautics.

Vogl, E. (1978). Differences between simulation and real world at the IABG air-to-air combat simulator with a wide angle visual system. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 24-1 - 24-11). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Vorst, C. J. (1976). A new visual simulation technique for pilot training. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 115-126). Orlando, FL: Naval Training Equipment Center.

Wekwerth, M. (1978). The Lufthansa day/night computer generated visual system. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 12-1 - 12-6). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Westland, J. L. (1981). All natural color - cockpit bright/daylight Japanese CGI-Systems (A look at one Japanese company). In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 121-136). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Westra, D. P. (1984). Investigation of simulator design features for the air-to-ground bombing task. In V. Amico & A. B. Clymer (Eds.), All About Simulators, 1984, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 14, No. 1, pp. 82-87). La Jolla, CA: Society for Computer Simulation.

Whyte, I., & Zepf, A. W. (1982). Wide-angle, multiviewer, infinity display system (AFHRL-TR-81-27(I), AD-A116 308). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Wilkins, D. A., & Roach, C. C. (1993). A high fidelity video delivery system for real-time flight simulation research. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3558, pp. 68-73). Washington, DC: American Institute of Aeronautics and Astronautics.

Willis, P. J. (1980). A modular low-cost raster-scan colour visual system. Aeronautical Journal, 84(8), 230-232.

3. HELMET-MOUNTED DISPLAYS

Andre, A. D., & Johnson, W. W. (1992). Stereo effectiveness evaluation for precision hover tasks in a helmet-mounted display simulator. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1136-1140). New York, NY: Institute of Electrical and Electronics Engineers.

Beamon, W. S., & Moran, S. I. (1990). Raster graphic helmet-mounted display study (NASA-CR-4331). Washington, DC: National Aeronautics and Space Administration.

Beamon, W. S., & Parrish, R. V. (1990). Two approaches for implementing full color helmet mounted display suitable for training and research. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 281-285). Arlington, VA: National Security Industrial Association.

Bennett, C. T. (1989). Head-mounted displays and the measurement of performance in a virtual world. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 1, pp. 82-85). Santa Monica, CA: Human Factors Society.

Bloomfield, J. R., & McAleese, K. J. (1975). Effect of changes in visual parameters of helmet-mounted displays on target acquisition performance. In L. Winner & B. K. Winner (Eds.), 1975 SID International Symposium Digest of Technical Papers, Volume VI (pp. 102-103). Los Angeles, CA: Society for Information Display.

Buchroeder, R. A. (1983). An optical analysis of the Farrand VCASS helmet-mounted display (AMRL-TR-83-072, AD-A136 649). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Burley, J. R., II, & LaRussa, J. A. (1990). A full-color wide-field-of-view holographic helmet-mounted display for pilot/vehicle interface development and human factors studies. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 9-15). Bellingham, WA: SPIE-The International Society for Optical Engineering.

CAE Electronics Ltd. (1983). Wide-field-of-view, helmet-mounted infinity display system development (AFHRL-TR-84-27, AD-A149 641). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Carey, M. S., Densmore, J. E., Jr., Kerchner, R. M., Lee, A. T., & Hughes, R. (1983). Effects of transport delay on simulator air-to-air engagements (AFHRL-TR-83-8, AD-A133 707). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Carlson, A. L., & Droessler, J. (1991). Development of a binocular visor projection helmet-mounted display. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 131-134). Playa del Rey, CA: Society for Information Display.

Casey, C. J., & Melzer, J. E. (1991). Part-task training with a helmet integrated display simulator system. In H. M. Assenheim, R. A., Flasck, T. M. Lippert, & J. Bentz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1456, Large-Screen-Projection, Avionic, and Helmet-Mounted Displays (pp. 175-178). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Chisum G. T. (1975). Head-coupled display visual design considerations. Aviation, Space, and Environmental Medicine, 46(11), 1373-1377.

Chisum, G. T., & Morway, P. E. (1977). Effect of virtual image projection distance on the accommodative response of the eye. Aviation, Space, and Environmental Medicine, 48(9), 819-823.

Cook, A. M. (1988). The helmet-mounted visual system in flight simulation. In Flight Simulation: Recent Developments in Technology and Use, International Conference Proceedings (pp. 214-232). London, England: Royal Aeronautical Society.

Corwin, W. H., Probert, A., & Royer, R. (1993). Synthetic terrain imagery for helmet-mounted display. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 108-114). Columbus, OH: Ohio State University.

Dahn, D. A. (1990). A low-cost part-task flight training system: An application of a head mounted display (AFIT/GCE/ENG/90D-01, AD-A230 353). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Dixon, K. W., & Curry, D. G. (1990). Weapons delivery training: Effects of scene content and field of view (AFHRL-TP-88-29, AD-A227 968). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Edgar, G. K., Carr, K. T., Williams, M., Page, J., & Clarke, A. L. (1991). The effects upon visual performance of varying binocular overlap. In AGARD Conference Proceedings 517, Helmet Mounted Displays and Night Vision Goggles (AGARD-CP-517, pp. 8-1 - 8-15). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Edwards, O. J., Larimer, J., & Gille, J. (1992). Performance considerations for high-definition head-mounted displays. In E. Schlam & M. M. Slusarczuk (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1664, High-Resolution Displays and Projection Systems (pp. 141-149). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Ferrin, F. J. (1991). Survey of helmet tracking technologies. In H. M. Assenheim, R. A., Flasck, T. M. Lippert, & J. Bentz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1456, Large-Screen-Projection, Avionic, and Helmet-Mounted Displays (pp. 86-94). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Furness, T. A., III. (1988). Harnessing virtual space. In J. Morreale (Ed.), 1988 SID International Symposium Digest of Technical Papers, Volume XIX (pp. 4-9). Playa del Rey, CA: Society for Information Display.

Furness, T. A., III, & Kocian, D. F. (1986). Putting humans into virtual space. In M. Ung (Ed.), Aerospace Simulation II, Proceedings of the Conference on Aerospace Simulation II (Simulation Series, Vol. 16, No. 2, pp. 214-230). San Diego, CA: Society for Computer Simulation.

Geri, G. A., & Zeevi, Y. Y. (1985). Visual phenomena produced by binocularly disparate dynamic visual noise (AFHRL-TP-85-4, AD-A154 758). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Goodwin, P. R., & Knight, S. N. (1993). The utility of helmet-mounted visual displays for tactical air crew training. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 341-346). Warminster, Wiltshire, UK: ITEC Ltd.

Grigsby, S. S., & Tsou, B. H. (1993). Visual factors in the design of partial overlap binocular helmet-mounted displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 185-187). Playa del Rey, CA: Society for Information Display.

Grunwald, A. J., & Kohn, S. (1994). Visual field information in low-altitude visual flight by line-of-sight slaved helmet-mounted displays. IEEE Transactions on Systems, Man, and Cybernetics, 24, 120-134.

Hanson, C. L. (1983). Fiber Optic Helmet Mounted Display: A cost effective approach to full visual flight simulation. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 262-268). Arlington, VA: American Defense Preparedness Association.

Hanson, C. L., Longridge, T. M., Barrette, R., Welch, B., & Kruk, R. (1984). Fiber-optic helmet-mounted display for full visual flight simulation. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 112-115). Los Angeles, CA: Society for Information Display.

Haworth, L. A., & Bucher, N. M. (1989). Helmet-mounted display systems for flight simulation. In Proceedings of the SAE Aerospace Technology Conference and Exhibition (SAE Paper 892352). Warrendale, PA: Society of Automotive Engineers.

Haworth, L. A., Bucher, N. M., & Hennessy, R. T. (1988). Wide field of view helmet mounted display systems for helicopter simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4575, pp. 1-9). Washington, DC: American Institute of Aeronautics and Astronautics.

Haworth, L. A., Bucher, N., & Runnings, D. (1989). Helmet mounted display systems for helicopter simulation. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 1, 86-90). Santa Monica, CA: Human Factors Society.

Hughes, R. L., Chason, L. R., & Schwank, J. C. (1973). Psychological considerations in the design of helmet-mounted displays and sights: Overview and annotated bibliography (AMRL-TR-73-16, AD-770 993). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Kaye, M. G., Ineson, J., Jarrett, D. N., & Wickham, G. (1990). Evaluation of virtual cockpit concepts during simulated missions. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 236-245). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Kelly, G., Shenker, M., & Weissman, P. (1992). Helmet-mounted area of interest. In T. M. Lippert (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1695, Helmet-Mounted Displays III (pp. 58-63). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Kelly, G. R., Shenker, M., & Weissman, P. (1992). Helmet-mounted area-of-interest display (AL/HR-TR-1992-0119, AD-A258 275). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Klymenko, V., Verona, R. W., Beasley, H. H., Martin, J. S., & McLean, W. E. (1994). Visual perception in the field-of-view of partial binocular overlap helmet-mounted displays (USAARL-94-40, AD-A285 213). Fort Rucker, AL: Army Aeromedical Research Laboratory.

Klymenko, V., Verona, R. W., Beasley, H. H., Martin, J. S., & McLean, W. E. (1994). Factors affecting the visual fragmentation of the field-of-view in partial binocular overlap displays (USAARL-94-29, AD-A283 081). Fort Rucker, AL: Army Aeromedical Research Laboratory.

Kocian, D. F. (1977). A Visually-Coupled Airborne Systems Simulator (VCASS): An approach to visual simulation (AMRL-TR-77-31, AD-A039 999). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Kocian, D. F. (1977). A Visually-Coupled Airborne Systems Simulator (VCASS) - An approach to visual simulation. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 14-23). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Kocian, D. F. (1988). Design considerations for Virtual Panoramic Display (VPD) helmet systems. In AGARD Conference Proceedings No. 425, The Man-Machine Interface in Tactical Aircraft Design and Combat Automation (AGARD-CP-425, pp. 22-1 - 22-32). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Kocian, D. F. (1991). Visually Coupled Systems (VCS): The Virtual Panoramic Display (VPD) system. In Proceedings of the Fifth Annual Workshop on Space Operations, Applications and Research, SOAR 1991 (Vol. 2, pp. 548-561). Houston, TX: Johnson Space Center, National Aeronautics and Space Administration.

Kruk, R., & Longridge, T. M. (1984). Binocular overlap in a fiber optic helmet mounted display. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 363-378). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kruk, R. V., & Runnings, D. W. (1989). Low level flight performance and air combat maneuvering performance in a simulator with a fiber optic helmet mounted display system. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3287). Washington, DC: American Institute of Aeronautics and Astronautics.

Lacroix, M., & Melzer, J. (1994). Helmet-mounted displays for flight simulators. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 34-40). Tempe, AZ: IMAGE Society, Inc.

Landau, F. (1990). The effect on visual recognition performance of misregistration and overlap for a binocular helmet mounted display. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 173-184). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Leinenwever, R. W., Best, L. G., & Erickson, B. J. (1992). Low-cost color LCD helmet display. In T. M. Lippert (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1695, Helmet-Mounted Displays III (pp. 68-71). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Leinenwever, R. W., Best, L. G., & Erickson, B. J. (1992). Low-cost monochrome CRT helmet display. In T. M. Lippert (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1695, Helmet-Mounted Displays III (pp. 64-67). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Leinenwever, R. W., Best, L. G., & Erickson, B. J. (1993). Low-cost helmet-mounted displays (AL-TR-1993-0008, AD-A262 616). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Lewis, E., & Amos, B. (1976). A high resolution vision system for aircraft and trainers. In Proceedings of the IEEE 1976 National Aerospace and Electronics Conference, NAECON 1976 (pp. 894-902). New York, NY: Institute of Electrical and Electronics Engineers.

Leyland, J. D., Walters, F., & Etherington, D. G. (1990). Developments in CRT's for HMD applications. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 30-40). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Lippert, T. M. (1990). Fundamental monocular/binocular HMD human factors. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 185-191). Bellingham, WA: SPIE-The International Society for Optical Engineering.

List, U. H. (1983). Nonlinear prediction of head movements for helmet-mounted displays (AFHRL-TP-83-45, AD-A136 590). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Longridge, T. M., & Dohme, J. A. (1988). Low cost visual flight simulator testbed. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 372-379). Arlington, VA: National Security Industrial Association.

Longridge, T., Thomas, M., Fernie, A., Williams, T., & Wetzel, P. (1989). Design of an eye slaved area of interest system for the simulator complexity testbed. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 275-283). Arlington, VA: American Defense Preparedness Association.

Macleod, S., & Coblitz, D. B. (1979). Visually Coupled System: Computer Generated Imagery (VCS-CGI) engineering interface (AMRL-TR-79-32, AD-A080 931). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

McLean, B., & Smith, S. (1987). Developing a wide field of view HMD for simulators. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 79-82). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Melzer, J. E., & Larkin, E. W. (1987). An integrated approach to helmet display system design. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 83-88). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Melzer, J. E., & Moffitt, K. (1989). Partial binocular-overlap in helmet-mounted displays. In H. M. Assenheim (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1117, Display System Optics II (pp. 56-62). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Melzer, J. E., & Moffitt, K. (1991). An ecological approach to partial binocular-overlap. In H. M. Assenheim, R. A. Flasck, T. M. Lippert, & J. Bentz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1456, Large-Screen-Projection, Avionic, and Helmet-Mounted Displays (pp. 124-131). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Moffitt, K. (1989). Ocular responses to monocular and binocular helmet-mounted display configurations. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 142-148). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Naish, P. L. N., & Dudfield, H. J. (1991). Helmet mounted displays: Human factors and fidelity. In AGARD Conference Proceedings 517, Helmet Mounted Displays and Night Vision Goggles (AGARD-CP-517, pp. 13-1 - 13-5). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Osgood, R. K., & Wells, M. J. (1991). The effect of field-of-view size on performance of a simulated air-to-ground night attack. In AGARD Conference Proceedings 517, Helmet Mounted Displays and Night Vision Goggles (AGARD-CP-517, pp. 10-1 - 10-7). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Rebo, R. K. (1988). A helmet-mounted virtual environment display system (AFIT/GCS/ENG/88D-17, AD-A203 055). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Rebo, R. K., & Amburn, P. (1989). A helmet-mounted virtual environment display system. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 80-84). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Robinson, R. M., Thomas, M. L., & Wetzel, P. A. (1989). Eye tracker development on the Fiber Optic Helmet Mounted Display. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 102-108). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Rodgers, A. G. (1991). Advances in head tracker technology - A key contributor to helmet vision system performance and implementation. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 127-130). Playa del Rey, CA: Society for Information Display.

Roscoe, S. N. (1989). The eyes prefer real images. In R. S. Jensen (Ed.), Aviation Psychology (pp. 231-239). Aldershot, Hantsfordshire, England: Gower Technical.

Sandor, P. B., & Leger, A. (1991). Tracking with a restricted field of view: Performance and eye-head coordination aspects. Aviation, Space, and Environmental Medicine, 62, 1026-1031.

Self, H. C. (1986). Optical tolerances for alignment and image differences for binocular helmet mounted displays (AAMRL-TR-86-019, AD-A174 536). Wright-Patterson AFB, OH: Harry G. Armstrong Aerospace Medical Research Laboratory.

Shenker, M. (1987). Optical design criteria for binocular helmet-mounted displays. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 70-78). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Shenker, M., & Weissman, P. (1991). Aberrational effects in binocular helmet-mounted displays. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 318-320). Playa del Rey, CA: Society for Information Display.

Smith, B. R., Jr. (1984). Digital head tracking and position prediction for helmet mounted visual display systems. In AIAA 22nd Aerospace Sciences Meeting (AIAA Paper No. 84-0557). New York, NY: American Institute of Aeronautics and Astronautics.

So, R. H. Y., & Griffin, M. J. (1991). Effects of time delays on head tracking performance and the benefits of lag compensation by image deflection. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2926, pp. 124-130). Washington, DC: American Institute of Aeronautics and Astronautics.

Stern, J. A., Goldstein, R., & Dunham, D. N. (1988). An evaluation of electrooculographic, head movement and steady state evoked response measures of workload in flight simulation (AAMRL-TR-88-36, AD-A236 505). Wright-Patterson AFB, OH: Harry G. Armstrong Aerospace Medical Research Laboratory.

Task, H. L. (1991). Optical and visual considerations in the specification and design of helmet mounted displays. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 297-300). Playa del Rey, CA: Society for Information Display.

Task, H. L., Kocian, D. F., & Brindle, J. H. (1980). Helmet mounted displays: Design considerations. In W. M. Hollister (Ed.), AGARDograph No. 255, Advancement on Visualization Techniques (pp. 10-1 - 10-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Thomas, M., Barrette, B., Shenker, M., & Weissman, P. (1989). The enlarged field of view fiber optic helmet mounted display. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3319, pp. 403-408). Washington, DC: American Institute of Aeronautics and Astronautics.

Thomas, M. L., Robinson, R., Siegmund, W. P., & Antos, S. E. (1990). Fiber optic development for use on the fiber optic helmet-mounted display. Optical Engineering, 29(8), 855-862.

Thomas, M. L., Siegmund, W. P., & Robinson, R. M. (1989). Fiber optic development for use on the Fiber Optic Helmet Mounted Display. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 90-101). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Tucker, G. E., Tischler, M. B., Lifshitz, S., Merhav, S. J., & Grunwald, A. J. (1991). Suppression of biodynamic interference in visually coupled systems. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 453-456). Playa del Rey, CA: Society for Information Display.

Venturino, M., & Kunze, R. J. (1989). Spatial awareness with a helmet-mounted display. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 2, pp. 1388-1391). Santa Monica, CA: Human Factors Society.

Venturino, M., & Wells, M. J. (1990). Head movements as a function of field-of-view size on a helmet-mounted display. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 2, pp. 1572-1576). Santa Monica, CA: Human Factors Society.

Welch, B. L., & Kruk, R. (1986). Engineering and human visual considerations in development of a fibre optic helmet mounted display. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 295-313). London, England: Royal Aeronautical Society.

Welch, B., & Shenker, M. (1984). The Fiber-Optic Helmet-Mounted Display. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 345-361). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Wells, M. J., & Haas, M. W. (1990). Head movements during simulated air-to-air engagements. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 246-257). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Wells, M. J., & Haas, M. (1992). The human factors of helmet-mounted displays and sights. In M. A. Karim (Ed.), Electro-optical displays (pp. 743-785). New York, NY: Marcel Dekker, Inc.

Wells, M. J., Osgood, R. K., & Venturino, M. (1988). Using target replacement performance to measure spatial awareness in a helmet-mounted simulator. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 2, pp. 1429-1433). Santa Monica, CA: Human Factors Society.

Wells, M. J., & Venturino, M. (1989). The effect of increasing task complexity on the field-of-view requirements for a visually coupled system. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 1, pp. 91-95). Santa Monica, CA: Human Factors Society.

Wells, M. J., & Venturino, M. (1990). Performance and head movements using a helmet-mounted display with different sized fields-of-view. Optical Engineering, 29(8), 870-877.

Wells, M. J., Venturino, M., & Osgood, R. K. (1989). The effect of field-of-view size on performance at a simple simulated air-to-air mission. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 126-137). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Wetzel, P. A., Thomas, M. L., & Williams, T. T. (1990). Development and evaluation of eye tracker performance for use with the Fiber Optic Helmet Mounted Display. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 273-280). Arlington, VA: National Security Industrial Association.

Wetzel, P. A., Thomas, M. L., & Williams, T. T. (1990). Evaluation of eye tracking measurement systems for use with the Fiber Optic Helmet Mounted Display. In H. M. Assenheim & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 163-174). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Williams, T., Komoda, M., & Zeevi, J. (1987). Eyetracking with the fiber optic helmet mounted display. In J. Q. B. Chou (Ed.), Proceedings of the 1987 Summer Computer Simulation Conference (pp. 730-734). San Diego, CA: Society for Computer Simulation.

Williams, T., Komoda, M., & Zeevi, J. (1987). Techniques and methods used in eye-tracking in the Fiber-Optic Helmet-Mounted Display. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 314-319). Tempe, AZ: IMAGE Society, Inc.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1985). Advanced Simulator for Pilot Training and helmet-mounted visual display configuration comparisons (AFHRL-TR-84-65, AD-A155 326). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1986). Comparison of helmet-mounted visual displays for flight simulation. Displays Technology and Applications, 7(4), 179-185.

4. AREA-OF-INTEREST DISPLAYS

Allen, D., Tsou, B., Gieske, G., Bien, J., Shipley, M., & Walker, J. L. (1987). System performance of a Servo-Optical Projection System (SOPS). In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 120-127). Tempe, AZ: IMAGE Society, Inc.

Aronson, M. (1978). A low-cost simulator for air-to-ground weapons delivery training. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-JH-306, pp. 227-236). Orlando, FL: Naval Training Equipment Center.

Baldwin, D. M. (1981). Area of interest - instantaneous field of view vision model. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 481-496). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Barber, B. (1984). The use of lasers in wide-angle visual displays. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 223-237). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Barber, B. (1986). AOI displays using laser illumination. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 272-294). London, England: Royal Aeronautical Society.

Barber, B., Burbidge, D., & Roberts, M. E. C. (1987). AOI displays for operational training. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 302-313). Tempe, AZ: IMAGE Society, Inc.

Berbaum, K. S. (1983). Design criteria for reducing "popping" in area-of-interest displays: Preliminary experiments (NAVTRAEEQUIPCEN-81-C-0105-8, AD-A136 769). Orlando, FL: Naval Training Equipment Center.

Berbaum, K. S., & Kennedy, R. S. (1985). Plan for evaluation of the training potential of helmet-mounted display and computer-generated synthetic imagery (EOTR-85-6, AD-A160 299). Orlando, FL: Essex Corp.

Breglia, D. R. (1981). Helmet Mounted Laser Projector. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 8-18). Arlington, VA: American Defense Preparedness Association.

Breglia, D. R., Lobb, D. R., & Spooner, A. M. (1984). Helmet mounted display projector (PAT-APPL-374 575, PATENT-4 439 157). Washington, DC: Commissioner of Patents.

Breglia, D. R., Spooner, A. M., & Lobb, D. (1981). Helmet Mounted Laser Projector. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 241-258). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Breglia, D. R., Windyka, D., & Barber, B. (1985). Visual Display Research Tool performance vs. design goals. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 194-201). Arlington, VA: American Defense Preparedness Association.

Browder, G. B., & Butrimas, S. K. (1981). Visual Technology Research Simulator: Visual and motion system dynamics (NAVTRAEEQUIPCEN-IH-326, AD-A111 801). Orlando, FL: Naval Training Equipment Center.

Browder, G. B., & Chambers, W. S. (1988). Eye-slaved area-of-interest display systems: Demonstrated feasible in the laboratory. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4636, pp. 332-342). Washington, DC: American Institute of Aeronautics and Astronautics.

Chambers, W. S. (1982). AOI displays in simulation. In Flight Simulation - Avionic Systems and Aero Medical Aspects, Proceedings of the International Conference. London, England: Royal Aeronautical Society.

Clifford, B. R., & Jackson, P. (1992). Harrier GR MK 5/7 mission simulators for the Royal Air Force. In AGARD Conference Proceedings 513, Piloted Simulation Effectiveness (AGARD-CP-513, pp. 18-1 - 18-6). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Cowdrey, D. A. (1986). Advanced visuals in mission simulators. In AGARD Conference Proceedings No. 408, Flight Simulation (AGARD-CP-408, AD-A173 875, pp. 3-1 - 3-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Driskel, C. R., & Spooner, A. M. (1976). Wide-angle scanned laser visual system. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 97-102). Orlando, FL: Naval Training Equipment Center.

Fisher, R. A., & Tong, H. M. (1987). A full-field-of-view dome visual display for tactical combat training. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 142-150). Tempe, AZ: IMAGE Society, Inc.

Harvey, J. F., Chambers, W. S., & Kulik, J. J. (1982). Pilot helmet mounted CIG display with eye coupled area of interest (PAT-APPL-104 521, PATENT-4 348 186). Washington, DC: Commissioner of Patents.

Haswell, M. R. (1986). Visual systems developments. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 264-271). London, England: Royal Aeronautical Society.

Hettinger, L. J., Berbaum, K. S., Kennedy, R. S., & Westra, D. P. (1987). Human performance issues in the evaluation of a helmet-mounted area-of-interest projector. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 320-327). Tempe, AZ: IMAGE Society, Inc.

Hurault, F. (1993). A head slaved visual system for flight simulators. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 37-42). Warminster, Wiltshire, UK: ITEC Ltd.

Kelly, W. A., & Turnage, G. R. (1977). Area of interest simulation with variable size hood to restrict viewable scene. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 83-105). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Kerchner, R., Lee, A., & Hughes, R. G. (1983). Air combat simulation visual display requirements: An application of engagement simulation modeling (AFHRL-TR-82-39, AD-B072 581). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

LeMaster, W. D., & Longridge, T. M., Jr. (1978). Area of interest/field-of-view research using ASPT (AFHRL-TR-78-11, AD-A055 692). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Longridge, T., Thomas, M., Fernie, A., Williams, T., & Wetzel, P. (1989). Design of an eye slaved area of interest system for the simulator complexity testbed. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 275-283). Arlington, VA: American Defense Preparedness Association.

Monroe, E. G., & Richeson, W. E. (1977). CIG edge conservation evaluation and application to visual flight simulation. In Proceedings of the 10th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-294, pp. 157-168). Orlando, FL: Naval Training Equipment Center.

Murray, P. M., & Barber, B. (1986). Visual Display Research Tool. In AGARD Conference Proceedings No. 408, Flight Simulation (AGARD-CP-408, pp. 2-1 - 2-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Nadalsky, M., & Kellogg, R. (1990). Subsystem performance of optical projection systems. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 98-105). Tempe, AZ: IMAGE Society, Inc.

Neves, F. B. (1984). Design considerations for an eye tracked AOI display system. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 255-266). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Peters, D. L. (1991). Chasing the eye: An eye-tracked display for the simulation industry - The how and the why. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 495-497). Playa del Rey, CA: Society for Information Display.

Peters, D. L., & Turner, J. (1992). Temporal perception versus reality in an eye-tracked display: The impact of lag. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 332-341). Arlington, VA: National Security Industrial Association.

Roberts, M. E. C., & Murray, P. M. (1987). Required performance for an area of interest system for operational training. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 294-301). Tempe, AZ: IMAGE Society, Inc.

Sakaino, H., Tomono, A., Kishino, F., & Yamaguchi, H. (1991). Analysis of eye-head coordination motion in a multiresolution display system. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 498-501). Playa del Rey, CA: Society for Information Display.

Spooner, A. M. (1982). The trend towards area of interest in visual simulation technology. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 205-215). Arlington, VA: National Security Industrial Association.

Spooner, A. M. (1983). Area of interest displays in visual simulation. In Proceedings of the Twentieth Space Congress (pp. IB-1 - IB-12). Cocoa Beach, FL: Canaveral Council of Technical Societies.

Stober, S., Lippay, A., McKinnon, M., Welch, B., & Longridge, T. (1983). A psychophysical evaluation of an area-of-interest (AOI) display. In Proceedings of the Nineteenth Annual Conference on Manual Control (pp. 392-399). Cambridge, MA: Massachusetts Institute of Technology.

Tong, H. M. (1990). An eye-slaved visual system for tactical combat training - The Harrier GR MK5 simulator. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 70-78). Tempe, AZ: IMAGE Society, Inc.

Tong, H. M., & Fisher, R. A. (1984). Progress report on an eye-slaved area-of-interest visual display. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 279-294). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Turner, J. A. (1984). Evaluation of an eye-slaved area-of-interest display for tactical combat simulation. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 75-86). Arlington, VA: National Security Industrial Association.

Warner, H. D. (1981). Effects of reduced visual overlap and field of view on air-to-surface weapons delivery performance (UDR-TR-81-21). Dayton, OH: University of Dayton Research Institute.

Warner, H. D., Hubbard, D. C., & Serfoss, G. (1992). Area-of-interest display resolution and stimulus characteristics effects on visual detection thresholds (AL-TR-1991-0134, AD-A247 830). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Warner, H. D., Serfoss, G. L., & Hubbard, D. C. (1993). Effects of area-of-interest display characteristics on visual search performance and head movements in simulated low-level flight (AL-TR-1993-0023, AD-A264 661). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Wightman, D. C., Hettinger, L. J., Jones, S. A., Sheppard, D. J., & Westra, D. P. (1989). Evaluation of the Helmet-Mounted Laser Projector for air to ground weapons delivery and target acquisition tasks. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 142-147). Arlington, VA: American Defense Preparedness Association.

Woodruff, C. J., & Folkard, M. (1986). The effect of instantaneous field of view on search rate for single targets over a wide field (MRL-R-1032, AD-A180 199). Melbourne, Australia: Materials Research Laboratories, Defence Science and Technology Organization, Department of Defense.

5. VARIABLE-ACUITY DISPLAYS

Bunker, R. B., & Fisher, R. (1984). Considerations in an optical variable acuity display system. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 239-251). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Fisher, R. W. (1982). A variable acuity display for simulator applications. In L. Winner & M. Winner (Eds.), 1982 SID International Symposium Digest of Technical Papers, Volume XIII (pp. 144-145). Los Angeles, CA: Society for Information Display.

Fisher, R. W. (1984). Psychophysical problems and solutions in variable acuity displays. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 291-293). Los Angeles, CA: Society for Information Display.

Fisher, R. W. (1986). Design of an optical simulator visual system. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 64-69). Arlington, VA: National Security Industrial Association.

Fisher, R. W. (1987). Variable acuity display - Status of development. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 112-118). Tempe, AZ: IMAGE Society, Inc.

Fisher, R. W., Helmick, R., Licis, G., & Rosenfeld, A. (1977). Variable acuity display development. Volume 1: Basic program (AFAL-TR-77-156-VOL-1, AD-A059 015). Wright-Patterson AFB, OH: Air Force Avionics Laboratory.

Fisher, R. W., Helmick, R., Licis, G., & Rosenfeld, A. (1977). Variable acuity display development. Volume 2: Infrared lens feasibility study (AFAL-TR-77-156-VOL-2, AD-A058 458). Wright-Patterson AFB, OH: Air Force Avionics Laboratory.

Geri, G. A., Zeevi, Y. Y., & Porat, M. (1990). Efficient image generation using localized frequency components matched to human vision (AFHRL-TR-90-25, AD-A224 903). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Geri, G. A., Zeevi, Y. Y., & Vrana, C. A. (1994). Variable-resolution imagery for flight simulation (AL/HR-TR-1993-0180). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Zeevi, Y. Y., Porat, M., & Geri, G. A. (1990). Computer image generation for flight simulators: The Gabor approach. Visual Computer, 6(2), 93-105.

6. VISUAL SYSTEM CHARACTERISTICS

Advisory Group for Aerospace Research and Development. (1975). Approach and landing simulation (AGARD-R-632, AD-A018 179). Neuilly sur Seine, France: Author, North Atlantic Treaty Organization.

Advisory Group for Aerospace Research and Development. (1980). AGARD Advisory Report No. 159, Fidelity of Simulation for Pilot Training (AGARD-AR-159). Neuilly sur Seine, France: Author, North Atlantic Treaty Organization.

Advisory Group for Aerospace Research and Development. (1981). AGARD Advisory Report No. 164, Characteristics of flight simulator visual systems (AGARD-AR-164). Neuilly sur Seine, France: North Atlantic Treaty Organization.

Ashkenas, I. L. (1986). Collected flight and simulation comparisons and considerations. In AGARD Conference Proceedings No. 408, Flight Simulation (AGARD-CP-408, pp. 26-1 - 26-34). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Baron, S., Lancraft, R., & Zacharias, G. (1980). Pilot/vehicle model analysis of visual and motion cue requirements in flight simulation (NASA-CR-3312). Washington, DC: National Aeronautics and Space Administration.

Biberman, L. M. (1974). Fallacy and fact of sampled imagery displays. Human Factors, 16(3), 286-299.

Booth, J. M., & Farrell, R. J. (1979). Overview of human engineering considerations for electro-optical displays. In J. R. Parsons (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 199, Advances in Display Technology (pp. 78-108). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Brown, J. L. (1973). Visual elements in flight simulation (TR-73-2, AD-772 586). Rochester, NY: Rochester University.

Brown, J. L. (1976). Visual elements in flight simulation. Aviation, Space, and Environmental Medicine, 47(9), 913-924.

Bunker, W. M. (1972). Visual scene simulation with computer generated images. In K. W. Gohring, N. D. Swain, & R. L. Sauder (Eds.), Proceedings of the Fifth Annual Simulation Symposium (pp. 91-114). London, England: Gordon and Breach, Science Publishers, Inc.

Bunker, W. M. (1975). Computer generation of images - The multi-purpose tool. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 25-39). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Bunker, W. M. (1978). Training effectiveness versus simulation realism. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 291-298). Orlando, FL: Naval Training Equipment Center.

Bunker, W. M., & Ingalls, M. L. (1978). Circles, texture, etc. - Alternate approaches to CIG scene detail. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1578, pp. 49-58). New York, NY: American Institute of Aeronautics and Astronautics.

Caird, J. K., & Hancock, P. A. (1992). The perception of spatial layout in visually simulated environments. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1159-1162). New York, NY: Institute of Electrical and Electronics Engineers.

Clapp, R. E. (1985). Problems of the visual display in flight simulation. In E. M. Granger & L. R. Baker (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 549, Image Quality: An Overview (pp. 64-70). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Clapp, R. E. (1986). Simulation of passive and active visual systems. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 76-81). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1988). Image display parameters of dome systems. In A. B. Clymer & V. Amico (Eds.), Simulators V, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 19, No. 4, pp. 26-31). San Diego, CA: Society for Computer Simulation International.

Crawford, B. M., Topmiller, D. A., & Ritchie, M. L. (1977). Effects of variation in computer generated display features on the perception of distance. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 270-289). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Evans, D. C. (1978). Computer generated images for aircraft use. Aeronautical Journal, 82(10), 342-345.

Farrell, R. J., & Booth, J. M. (1975). Design handbook for imagery interpretation equipment (D180-19063-1, AD-A025 453). Seattle, WA: Boeing Aerospace Co.

Gardiner, H. D., & Hadfield, S. O. (1990). Low cost visual system challenges. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 320-328). Tempe, AZ: IMAGE Society, Inc.

Gilson, R. D., & Myler, H. R. (1991). Taxonomic transformations of visual media selections into display specification (ARI-RN-91-36, AD-A235 596). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Huff, E. M., & Nagel, D. C. (1975). Psychological aspects of aeronautical flight simulation. American Psychologist, 30(3), 426-439.

Kaiser, A. (1975). Field sequential color TV for visual simulation. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 100-107). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Psychophysical criteria for visual simulation systems (AFHRL-TR-79-30, AD 084 776). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kraft, C. L., & Shaffer, L. W. (1978). Visual criteria for out of the cockpit visual scenes. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environmental Simulation Techniques (pp. 3-1 - 3-18). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Liapis, G., & Schneider, A. (1986). Calligraphic and raster displays for simulators. Proceedings of the Society for Information Display, 27(4), 249-255.

Marr, P., & Shaffer, L. (1977). Multichannel wide-angle computer generated visual systems. In Proceedings of the 10th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-294, pp. 135-146). Orlando, FL: Naval Training Equipment Center.

McCormick, D., & Mitchell, T. (1982). Discrimination and judgement in simulator visual systems. In Proceedings of the 1982 Summer Computer Simulation Conference (pp. 559-562). La Jolla, CA: Society for Computer Simulation.

Mezrich, J. J. (1977). Image descriptors for displays (ONR-CR-213-120-3, AD-A042 492). Washington, DC: Office of Naval Research.

Norman, D., & Wooldridge, L. (1986). Simulator features: The neglected aspect of ISD. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 124-126). San Diego, CA: Society for Computer Simulation.

Riccio, G. E. (1991). Visually guided control of movement in the context of multimodal stimulation. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 157-174). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Rich, H. H. (1989). Tradeoffs in creating a low-cost visual simulator. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 214-223). Arlington, VA: American Defense Preparedness Association.

Ritchie, M. L. (1978). Object, illusion and frame of reference as design criteria for computer-generated displays. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 8-10). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Rowley, T. W. (1979). The capability of CGI in flight simulation. In 50 Years of Flight Simulation, Proceedings of the Conference (pp. 43-50). London, England: Royal Aeronautical Society.

Rue, R. J., Cyrus, M. L., Garnett, T. A., Nachbor, J. W., & Seery, J. A. (1980). Conceptual design study for an advanced cab and visual system Volume 1 (NASA-CR-166235). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Sandor, J. (1979). Computer synthesis of flight simulation visuals (ARL-SYS-NOTE-61). Melbourne, Australia: Aeronautical Research Laboratories.

Schumacker, R. A., & Rougelot, R. S. (1977). Image quality: A comparison of night/dusk and day/night CGI systems. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 242-255). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Science Applications, Inc. (1983). Synthetic flight training systems study (AD-A139 392). Orlando, FL: Author.

Semple, C. A., Hennessy, R. T., Sanders, M. S., Cross, B. K., Beith, B. H., & McCauley, M. E. (1981). Aircrew training devices: Fidelity features (AFHRL-TR-80-36, AD-A094 665). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Staples, K. J. (1978). Current problems of flight simulators for research. Aeronautical Journal, 82(1), 12-32.

Statler, I. C. (1981). Characteristics of flight simulator visual systems (NASA-TM-81278). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Statler, I. C., & Key, D. L. (1978). Simulation requirements for rotocraft. In Proceedings of the Fourth European Rotorcraft and Powered Lift Aircraft Forum (Vol. 1, pp. 32-0 - 32-23). Callarate, Italy: Costruzioni Aeronautiche Giovanni Agusta.

Stenger, A. J., Zimmerlin, T. A., Thomas, J. P., & Braunstein, M. (1981). Advanced computer image generation techniques exploiting perceptual characteristics (AFHRL-TR-80-61, AD-A103 365). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Steyer, T. R., & Goede, W. F. (1979). Challenges of advanced display technology development. In J. R. Parsons (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 199, Advances in Display Technology (pp. 48-52). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Welch, B. L. (1982). Characteristics of flight simulator visual systems. In Flight Simulation - Avionic Systems and Aero Medical Aspects, Proceedings of the International Conference. London, England: Royal Aeronautical Society.

Welch, B. L. (1982). Characteristics of flight simulator visual systems. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 523-529). Arlington, VA: National Security Industrial Association.

Wood, M. E. (1977). The fidelity issue in visual simulation. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 290-295). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Wormold, I. A. (1986). Future applications of low cost visual simulation for basic pilot training. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 25-35). London, England: Royal Aeronautical Society.

7. VISUAL CUE REQUIREMENTS

Advani, S. K., van der Vaart, J. C., Rysdyk, R. T., & Grosz, J. (1993). What optical cues do pilots use to initiate the landing flare? Results of a piloted simulator experiment. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3561, pp. 81-89). Washington, DC: American Institute of Aeronautics and Astronautics.

Advisory Group for Aerospace Research and Development. (1980). In AGARD Advisory Report No. 159, Fidelity of Simulation for Pilot Training (AGARD-AR-159). Neuilly sur Seine, France: Author, North Atlantic Treaty Organization.

Allison, W. A. (1972). Naval Air Test Center participation in development of air-to-air combat simulation. In AIAA Fourth Aircraft Design, Flight Test, and Operations Meeting (AIAA Paper No. 72-765). New York, NY: American Institute of Aeronautics and Astronautics.

Armstrong, B. D., & Musker, G. (1970). Training for low visibility landing. In Proceedings of the Two-Day Symposium on Flight Training Simulators for the '70s (pp. K.1-K.16). London, England: Royal Aeronautical Society.

Aronson, M. (1987). Validating visual cues in flight simulator visual displays. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 9-16). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Barnes, A. G. (1978). Simulating the visual approach and landing. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 2-1 - 2-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Barnes, A. G., & Yager, T. J. (1985). Simulation of aircraft behaviour on and close to the ground (AGARD-AG-285, AD-A153 320). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Battiste, V., & Delzell, S. (1991). Visual cues to geographical orientation during low-level flight. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 1, pp. 566-571). Columbus, OH: Ohio State University.

Beckett, P. (1992). Effective cueing during approach and touchdown - Comparison with flight. In AGARD Conference Proceedings 513, Piloted Simulation Effectiveness (AGARD-CP-513, pp. 30-1 - 30-11). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Bennett, C. T. (1991). The display of spatial information and visually guided behavior. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 25-37). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Berbaum, K. S., Kennedy, R. S., & Hettinger, L. J. (1991). Visual tasks in helicopter shipboard landing. Applied Ergonomics, 22(4), 231-239.

Bondzeit, F., & Edwards, R. E. (1988). Image generation for rotary wing applications. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 380-387). Arlington, VA: National Security Industrial Association.

Bray, R. S. (1985). Visual and motion cueing in helicopter simulation (NASA-TM 86818). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Bray, R. S. (1986). Visual and motion cueing in helicopter simulation. In AGARD Conference Proceedings No. 408, Flight Simulation (AGARD-CP-408, pp. 1-1 - 1-16). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Buffett, A. R. (1986). Visual cueing requirements in flight simulation. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 127-157). London, England: Royal Aeronautical Society.

Bunker, W. M. (1975). Applied optical illusions - A simulation model of eye response helps improve visual scene simulation. In Proceedings of the 8th Annual Simulation Symposium (pp. 181-195). New York, NY: Institute of Electrical and Electronics Engineers.

Bunker, W. M., & Ferris, N. E. (1977). Computer image generation imagery improvements: Circles, contours, and texture (AFHRL-TR-77-66, AD-A053 477). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Carr, P. C., & McKissick, B. T. (1988). Analysis procedures and subjective flight results of a simulator validation and cue fidelity experiment (NASA-TM-88270). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Cefoldo, G. L., Brady, C. J., & Knapp, R. K. (1981). Effects of visual and motion cues on pilot effectiveness during engine-out training. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 45-58). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Clapp, R. E. (1984). Selecting the "best" visual system for simulation. In W. D. Wade (Ed.), Proceedings of the 1984 Summer Computer Simulation Conference (Vol. 2, pp. 1078-1081). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1985). Selecting the "best" visual system: A guide for managers. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 526, Advances in Display Technology V (pp. 2-7). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Coblitz, D., Verstegen, M., & Hauck, D. (1983). Advanced training techniques using computer generated imagery (AFOSR-TR-83-0460, AD-A129 215). Bolling AFB, DC: Air Force Office of Scientific Research.

Connelly, E. M., Comeau, R. F., Holman, G. L., & Bynum, J. A. (1979). Data analysis methodology for day/night inflight tactical navigation. In C. K. Bensel (Ed.), Proceedings of the Human Factors Society 23rd Annual Meeting (pp. 563-567). Santa Monica, CA: Human Factors Society.

Coward, R. E., & Rupp, A. M. (1982). Simulator for Air-to-Air Combat versus real world: Visual cue analysis for simulated air-to-air combat training (AFHRL-TR-81-26, AD-A110 570). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Curry, R. E., Young, L. R., Hoffman, W. C., & Kugel, D. L. (1976). A pilot model with visual and motion cues. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 50-54). New York, NY: American Institute of Aeronautics and Astronautics.

Doerfel, G. (1978). Methods for the validation of synthesized images in visual flight simulation. In AGARD Conference Proceedings No. 257, The Impact of Integrated Guidance and Control Technology on Weapons Systems Design (AGARD-CP-257, pp. 15-1 - 15-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Doerfel, G. (1982). Ortswahrnehmung durch piloten bei rechner-erzeugten aussensicht darstellungen eines landeanflugs (Perception of position by the pilot in the case of computer-generated external visual scene displays for a landing approach). Wachtberg, West Germany: Forschungsinstitut fuer Anthropotechnik. (In German)

Dusterberry, J. C. (1978). Visual simulation requirements and hardware. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 10-1 - 10-7). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Eisele, J. E., Williges, R. C., & Roscoe, S. N. (1976). The isolation of minimum sets of visual image cues sufficient for spatial orientation during aircraft landing approaches (ONR-76-3, AD-A046 369). Washington, DC: Office of Naval Research.

Erkelens, L. J. J. (1987). A flight simulator evaluation of the approach path parameters for MLS curved approaches. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2574, pp. 141-151). New York, NY: American Institute of Aeronautics and Astronautics.

Farrell, R., & Barker, R. (1983). Integrated cuing requirements (ICR) study: Feasibility analysis and demonstration study (AFHRL-TP-82-25(I), AD-A131 019). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Farrell, R., & Barker, R. (1983). Integrated cuing requirements (ICR) study: Demonstration data base and users guide (AFHRL-TP-82-25(II), AD-A131 019). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Ferrarese, J. A. (1979). Criteria for the approval of flight training simulators. In 50 Years of Flight Simulation, Proceedings of the Conference (pp. 46-52). London, England: Royal Aeronautical Society.

Gardner, G. Y., & Rulon, R. S. (1984). Producing high scene content with perspective validity. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 79-94). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Gilson, R. D., Myler, H. R., & Gibbons, S. C. (1990). Taxonomic transformations of visual media selections into display specifications. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 22-29). Tempe, AZ: IMAGE Society, Inc.

Glenn, W. E., Glenn, K. G., & Bastian, C. J. (1984). Imaging system design based on psychophysical data. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 294-297). Los Angeles, CA: Society for Information Display.

Gold, T., & Perry, R. F. (1969). Research in visual perception for carrier landing (SGD-5265 0327, AD-706 036). Great Neck, NY: Sperry Rand Corp.

Gray, T. H. (1982). Manual reversion flight control system for A-10 aircraft: Pilot performance and simulator cue effects (AFHRL-TR-81-53, AD-A113 463). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Haber, R. N. (1987). Why low-flying fighter planes crash: Perceptual and attentional factors in collisions with the ground. Human Factors, 29(5), 519-532.

Hale, S. (1987). Helicopter external vision requirements and visual display characteristics: A report/bibliography, revision A (HEL-TN-6-87-REV-A, AD-A187 075). Aberdeen Proving Ground, MD: U.S. Army Human Engineering Laboratory.

Harker, G. S., & Jones, P. D. (1980). Depth perception in visual simulation (AFHRL-TR-80-19, AD-A087 828). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Hart, S. G., & Battiste, V. (1991). The use of visual cues for vehicle control and navigation. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 7-23). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Heffley, R. K., Clement, W. F., Ringland, R. F., Jewell, W. F., Jex, H. R., McRuer, D., & Carter, V. E. (1981). Determination of motion and visual system requirements for flight training simulators (ARI-TR-546, AD-A117 555). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Heintzman, R. J., Brown, J. E., & Jones, R. B. (1991). Tactical mission training, Designing the visual system to pilot perceptual requirements. In Proceedings of the 13th Interservice/Industry Training Systems Conference (pp. 549-555). Arlington, VA: American Defense Preparedness Association.

Hennessy, R. T., Sullivan, D. J., & Cooles, H. D. (1980). Critical research issues and visual systems requirements for a V/STOL training research simulator (NAVTRAEEQUIPCEN-78-C-0076-1, AD-A092 561). Orlando, FL: Naval Training Equipment Center.

Hess, R. A. (1991). Simple control-theoretic models of human steering activity in visually guided vehicle control. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 115-120). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Hess, R. A., & Beckman, A. A. (1984). An engineering approach to determining visual information requirements for flight control tasks. IEEE Transactions on Systems, Man, and Cybernetics, 14(2), 286-298.

Hess, R. A., & Chan, K. K. (1986). A model of the human's use of visual field cues in nap-of-the-earth flight. In AIAA Flight Simulation Technologies Conference. A Collection of Technical Papers (AIAA Paper No. 86-2252, pp. 875-885). Washington, DC: American Institute of Aeronautics and Astronautics.

Hoh, R. H., & Ashkenas, I. L. (1979). Effect of reduced visibility on VTOL handling quality and display requirements. In AIAA Atmospheric Flight Mechanics Conference for Future Space Systems. A Collection of Technical Papers (AIAA Paper No. 79-1680, pp. 411-418). New York, NY: American Institute of Aeronautics and Astronautics.

Hoh, R. H., & Ashkenas, I. L. (1979). Handling quality and display requirements for low speed and hover in reduced flight visibility. In Proceedings of the 35th Annual National Forum of the American Helicopter Society (Report No. AHS 79-29). Washington, DC: American Helicopter Society.

Hummel, T. L., Williges, B. H., & Roscoe, S. N. (1972). A computer-generated display to isolate essential visual cues in landing. In W. B. Knowles, M. S. Sanders, & F. A. Muckler (Eds.), Proceedings of the Human Factors Society 16th Annual Meeting (pp. 98-101). Santa Monica, CA: Human Factors Society.

Hunter, S., Gundry, A. J., & Rolfe, J. M. (1977). Human factors topics in flight simulation: An annotated bibliography (AGARD-R-656). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Isley, R. N., & Spears, W. D. (1982). Phase I pilot study: VTRS transfer of training experiment (NAVTRAEEQIPCEN-80-D-0009-17-2, AD-A120 315). Orlando, FL: Naval Training Equipment Center.

Johnson, D. (1978). Visibility modelling for a landing simulator with special reference to low visibility. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 9-1 - 9-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Johnson, W. J. (1970). Desirable improvements in future airline flight simulators and associated training equipment. In Proceedings of the Two-Day Symposium on Flight Training Simulators for the '70s (pp. A.1-A.5). London, England: Royal Aeronautical Society.

Johnson, W. W., & Phatak, A. V. (1991). Modeling the pilot in visually controlled flight. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 107-113). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Kerchner, R. M., Hughes, R. G., & Lee, A. T. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In Proceedings of the International Conference on Simulators (pp. 110-114). London, England: Institution of Electrical Engineers.

Key, D. L., Odneal, B. L., & Sinacori, J. B. (1978). Mission environment simulation for Army rotorcraft development - Requirements and capabilities. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 4-1 - 4-17). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

King, B. C., & Fowler, F. D. (1972). Relative effectiveness of two and three dimensional image storage media (NAVTRAEEQIPCEN-70-C-0238-1, AD-754 743). Orlando, FL: Naval Training Equipment Center.

Kottas, B. L., & Bessemer, D. W. (1980). Behavioral bases for determining vehicle detailing in simulation displays. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 65-70). Arlington, VA: National Security Industrial Association.

Kottas, B. L., & Bessemer, D. W. (1980). Comparison of potential critical feature sets for simulator-based target identification training (ARI-TR-510, AD-A128 344). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Peripheral cues and color in visual simulation (AFOSR-TR-80-0873, AD-A-089 837). Bolling AFB, DC: Air Force Office of Scientific Research.

Lancraft, R., Zacharias, G., & Baron, S. (1980). Pilot/vehicle model analysis of visual and motion cue requirements in flight simulation. In Proceedings of the Sixteenth Annual Conference on Manual Control (pp. 66-91). Cambridge, MA: Massachusetts Institute of Technology.

Lancraft, R., Zacharias, G., & Baron, S. (1981). Pilot/vehicle model analysis of visual and motion cue requirements in flight simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 81-0972, pp. 49-59). New York, NY: American Institute of Aeronautics and Astronautics.

Lane, N. E., Kennedy, R. S., & Jones, M. B. (1994). Determination of design criteria for flight simulators and other virtual reality systems. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 344-353). Tempe, AZ: IMAGE Society, Inc.

Lintern, G. (1983). Visual display manipulation for simulation training. In L. Winner & M. Winner (Eds.), 1983 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 190-191). Los Angeles, CA: Society for Information Display.

Lintern, G., Thomley, K., & Nelson, B. (1983). Visual display manipulations for simulation training of air-to-ground attack. In Proceedings of the International Conference on Simulators (pp. 312-316). London, England: Institution of Electrical Engineers.

Littman, D., & Boehm-Davis, D. (1993). Perceptual factors that influence use of computer enhanced visual displays (NASA-CR-192961). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Martin, E. A., & Lethert, J. F. (1993). A hypertext tool to support development of flight simulator specifications. In Proceedings of the 15th Interservice/Industry Training Systems and Education Conference (pp. 44-57). Arlington, VA: American Defense Preparedness Association.

Matthews, N. O. (1970). The relative importance of physiological and visual factors in providing realism in flight simulation. In Proceedings of the Two-Day Symposium on Flight Training Simulators for the '70s (pp. H.1-H.5). London, England: Royal Aeronautical Society.

McCormick, D. (1987). Image content: Transforming art into science (Translation of training requirements into image generator design specifications). In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 286-290). Tempe, AZ: IMAGE Society, Inc.

McCormick, D. C. (1983). Visual simulation task and cue analysis. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 607-613). Columbus, OH: Ohio State University.

Merriken, M. S., Johnson, W. V., & Riccio, G. E. (1987). Temporal fidelity in aircraft simulator visual systems. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2372, pp. 50-54). New York, NY: American Institute of Aeronautics and Astronautics.

Metze, W. (1978). Implementation alternatives for the visual simulation in military training devices. In Expo '78, Proceedings of the Military Electronics Defence Conference (pp. 68-78). Geneva, Switzerland: Interavia S.A.

Meyer, R. P., & Laveson, J. I. (1980). Investigation of an experience-judgement approach to tactical flight training (AFOSR-TR-81-0115, AD-A095 996). Bolling AFB, DC: Air Force Office of Scientific Research.

Meyer, R. P., & Laveson, J. I. (1980). Investigation of an experience-judgement approach to tactical flight training: Executive summary (AFOSR-TR-81-0158, AD-A096 433). Bolling AFB, DC: Air Force Office of Scientific Research.

Meyer, R. P., & Laveson, J. I. (1981). An experience-judgement approach to tactical flight training. In R. C. Sugarman, A. S. Baum, J. L. Ditzian, D. J. Funke, V. J. Gawron, & K. R. Laughery (Eds.), Proceedings of the Human Factors Society 25th Annual Meeting (pp. 657-660). Santa Monica, CA: Human Factors Society.

Miller, D. M. (1989). Foundations for tactical training: A challenge to industry. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3301, pp. 262-272). Washington, DC: American Institute of Aeronautics and Astronautics.

Mitchell, R. J., Stenger, A. J., & Booker, J. L. (1980). Visual and infrared ship modeling for computer image generation. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 393-402). Arlington, VA: National Security Industrial Association.

Mizumoto, K., Fujiwara, O., & Utsuki, N. (1977). Visual cues for the landing operation of aircraft and for the estimation of altitude and distance. Reports of Aeromedical Laboratory, 18(2), 71-82. (Tokyo, Japan: Aeromedical Laboratory, Japan Air Self-Defense Force). (In Japanese)

Nelson, D., & Ritchie, M. (1976). Using computer-generated displays for research on synthesized displays: Distance perception aided by aerial perspective and texture (AMRL-TR-76-34, AD-A030 589). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Nieuwboer, H. W., Way, T. C., Jahns, D. W., & Gilmour, J. D. (1975). Joint test project report of combat air support target acquisition program. SEEKVAL. Project IA2. Direct Visual imagery experiments (AD-A145 625). Washington, DC: SEEKVAL Joint Test Force.

Oswald, R. W. (1983). Technical and acquisition strategy used in the development of the combat mission simulator for the United States Army's Advanced Attack Helicopter. In Proceedings of the International Conference on Simulators (pp. 25-29). London, England: Institution of Electrical Engineers.

Ozkaptan, H. (1975). Critical visual requirements for nap-of-the-earth (NOE) flight research. In 8th NTEC/Industry Conference Proceedings (pp. 53-65). Orlando, FL: Naval Training Equipment Center.

Padmos, P., & Milders, M. V. (1992). Quality criteria for simulator images: A literature review. Human Factors, 34(6), 727-748.

Patterson, M. J., & Rinalducci, E. J. (1984). The effects of aerial perspective on altitude estimation. In M. J. Alluisi, S. De Groot, & E. A. Alluisi (Eds.), Proceedings of the Human Factors Society 28th Annual Meeting (Vol. 1, pp. 542-544). Santa Monica, CA: Human Factors Society.

Rinalducci, E. J., & Uliano, K. (1992). Visual cues and potential problems in flight simulation. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1153-1158). New York, NY: Institute of Electrical and Electronics Engineers.

Riordan, R. H. (1974). Monocular visual cues and space perception during the approach to landing. Aviation, Space, and Environmental Medicine, 45(7), 766-771.

Ritchie, M. L. (1977). Illusion, distance, and object in computer-generated displays. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 225-239). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Roberts, M. E. C. (1985). Motion and distance cueing from computer generated images. In IEE Colloquium on Computer Graphics (Digest No. 64, pp. 6-1 - 6-3). London, England: Institution of Electrical Engineers.

Roscoe, S. N. (1977). Visual cue requirements in imaging displays. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 256-269). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Roscoe, S. N., & Eisele, J. E. (1980). Visual cue requirements in contact flight simulators. In S.N. Roscoe (Ed.), Aviation Psychology (pp. 217-226). Ames, IA: Iowa State University Press.

Rue, R. J., Cyrus, M. L., Garnett, T. A., Nachbor, J. W., & Seery, J. A. (1980). Conceptual design study for an advanced cab and visual system Volume 1 (NASA-CR-166235). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Semple, C. A., Hennessy, R. T., Sanders, M. S., Cross, B. K., Beith, B. H., & McCauley, M. E. (1981). Aircrew training devices: Fidelity features (AFHRL-TR-80-36, AD-A094 665). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Sims, E. M., & Donovan, K. B. (1991). Specifying performance for a new generation of visionics simulators. In Proceedings of the IEEE 1991 National Aerospace and Electronics Conference, NAECON 1991 (Vol. 2, pp. 933-939). New York, NY: Institute of Electrical and Electronics Engineers.

Smith, L. L. (1984). Visual flight simulation - can we get there from here and will it be worth it? In V. Amico & A. B. Clymer (Eds.), All About Simulators, 1984, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 14, No. 1, pp. 40-42). La Jolla, CA: Society for Computer Simulation.

Spears, W. D., Sheppard H. J., Roush, M. D., II, & Richetti, C. L. (1981). Simulator training requirements and effectiveness study (STRES): Part I. Abstract bibliography (AFHRL-TR-80-38-PT-1, AD-B054 784). Wright-Patterson AFB, OH: Logistics and Technical Training Division, Air Force Human Resources Laboratory.

Spears, W. D., Sheppard H. J., Roush, M. D., II, & Richetti, C. L. (1981). Simulator training requirements and effectiveness study (STRES): Part II. Abstract bibliography (AFHRL-TR-80-38-PT-2, AD-B054 825). Wright-Patterson AFB, OH: Logistics and Technical Training Division, Air Force Human Resources Laboratory.

Stark, E. A., Bennett, W. S., & Borst, G. M. (1977). Designing DIG images for systematic instruction. In Proceedings of the 10th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-294, pp. 147-156). Orlando, FL: Naval Training Equipment Center.

Stark, E. A., & Wilson, J. M., Jr. (1973). Visual and motion simulation in energy maneuvering. In Visual and Motion Simulation Conference (AIAA Paper No. 73-934). New York, NY: American Institute of Aeronautics and Astronautics.

Stiff, J. (1993). Natural scene templates as cueing devices. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 302-306). Columbus, OH: Ohio State University.

Warner, H. D. (1988). Task listing: Visually assisted and visually dependent tasks for fighter aircraft (AFHRL-TP-87-55, AD-A191 041). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Warner, H. D., Serfoss, G. L., & Hubbard, D. C. (1993). Visual cue requirements for target orientation assessment in air combat simulation (AL-TR-1993-0021, AD-A262 575). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Warren, R., & Riccio, G. E. (1985). Visual cue dominance hierarchies: Implications for simulator design. In Proceedings of the SAE Aerospace Technology Conference and Exposition, Flight Simulation/Simulators (SAE Paper 851946, pp. 61-75). Warrendale, PA: Society of Automotive Engineers.

Westra, D. P., & Lintern, G. (1984). Simulator design features for helicopter landing on small ships. In M. J. Alluisi, S. De Groot, & E. A. Alluisi (Eds.), Proceedings of the Human Factors Society 28th Annual Meeting (Vol. 2, pp. 1018-1022). Santa Monica, CA: Human Factors Society.

Westra, D. P., Wightman, D. C., & Madden, J. J. (1987). Helicopter shipboard landing research at the Visual Technology Research Simulator. In Proceedings of the 9th Interservice/Industry Training Systems Conference (pp. 238-246). Arlington, VA: American Defense Preparedness Association.

Wewerinke, P. H. (1978). A theoretical and experimental analysis of the outside world perception process (NLR MP 78020 U). Amsterdam, Netherlands: National Aerospace Laboratory.

Wewerinke, P. H. (1978). Visual scene perception process involved in the manual approach (NLR TR 78130 U). Amsterdam, Netherlands: National Aerospace Laboratory.

Wewerinke, P. H. (1979). Visual scene perception. Frequency domain data and model parameter estimation procedure (NLR-MP-79009-U). Amsterdam, Netherlands: National Aerospace Laboratory.

Wewerinke, P. H. (1980). The effect of visual information on manual approach and landing. In Proceedings of the Sixteenth Annual Conference on Manual Control (pp. 49-65). Cambridge, MA: Massachusetts Institute of Technology.

Wewerinke, P. H. (1980). Visual scene perception in manual control (NLR-MP-79045-U). Amsterdam, Netherlands: National Aerospace Laboratory.

White, A. D. (1994). The impact of cue fidelity on pilot behavior and performance. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-6). Arlington, VA: National Security Industrial Association.

Woomer, C. W., & Williams, R. L. (1978). Environmental requirements for simulated helicopter/VTOL operations from small ships and carriers. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 5-1 - 5-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Young, L. R. (1976). Integration of visual and motion cues for flight simulator requirements and ride quality investigation (NASA-CR-149667). Washington, DC: National Aeronautics and Space Administration.

Young, L. R. (1976). Integration of visual and motion cues for simulator requirements and ride quality investigation (NASA-CR-148479). Washington, DC: National Aeronautics and Space Administration.

Young, L. R., Oman, C. M., & Curry, R. E. (1977). Research on integration of visual and motion cues for flight simulation and ride quality investigation (NASA-CR-153249). Washington, DC: National Aeronautics and Space Administration.

Zacharias, G. L. (1991). Pilot/vehicle model analysis of visually guided flight. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 213-235). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Zacharias, G. L., & Levison, W. H. (1981). A model-based procedure for determining visual cue requirements. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 363-384). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Zebrowski, M. (1977). Studies of perception of information on the spatial position of an aircraft (NASA-TM-75153). Washington, DC: National Aeronautics and Space Administration.

8. SCENE CONTENT

Awe, C. A., & Johnson, W. W. (1993). The effect of scene content on speed, time, and distance perception. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 281-285). Columbus, OH: Ohio State University.

Barfield, W., & Rosenberg, C. (1990). The effects of scene complexity on judgements of aimpoint during final approach. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 1, pp. 61-65). Santa Monica, CA: Human Factors Society.

Berbaum, K. S., Kennedy, R. S., & Hettinger, L. J. (1991). Visual tasks in helicopter shipboard landing. Applied Ergonomics, 22(4), 231-239.

Breul, H. T. (1981). Some effects of field of view (FOV) and target size on lateral tracking at hover. In Proceedings of the Seventeenth Annual Conference on Manual Control (JPL Publication 81-95, pp. 63-75). Pasadena, CA: Jet Propulsion Laboratory.

Buckland, G. H. (1980). Visual cue requirements for terrain flight simulation. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 92-93). Arlington, VA: National Security Industrial Association.

Buckland, G. H., Edwards, B. J., & Stephens, C. W. (1981). Flight simulator visual and instructional features for terrain flight simulation. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 350-362). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Clapp, R. E. (1985). Resolution and scene detail performance of the visual system in flight simulation. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Volume 16, No. 1, pp. 169-173). La Jolla, CA: Society for Computer Simulation.

De Maio, J., Bell, H. H., & Brunderman, J. (1985). Pilot-oriented performance measurement (AFHRL-TP-85-18, AD-A158 849). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

De Maio, J., & Brooks, R. (1982). Assessment of simulator visual cueing effectiveness by psychophysical techniques. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 379-381). Arlington, VA: National Security Industrial Association.

De Maio, J., Brooks, R., Brunderman, J., & Rinalducci, E. J. (1983). Visual cueing effectiveness - Comparison of perception and flying performance. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 2, pp. 928-932). Santa Monica, CA: Human Factors Society.

De Maio, J., Rinalducci, E. J., Brooks, R., & Brunderman, J. (1983). Visual cueing effectiveness: Comparison of perception and flying performance. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 92-96). Arlington, VA: American Defense Preparedness Association.

Dixon, K. W., & Curry, D. G. (1987). Effect of scene content and field of view on weapons delivery training. In Proceedings of the 9th Interservice/Industry Training Systems Conference (pp. 247-256). Arlington, VA: American Defense Preparedness Association.

Dixon, K. W., & Curry, D. G. (1990). Weapons delivery training: Effects of scene content and field of view (AFHRL-TP-88-29, AD-A227 968). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Doerfel, G. (1975). The influence of visual experience and degree of stylization of height and distance judgement in aircraft approach scenes. In AGARD Conference Proceedings No. 198, Flight Simulation/Guidance Systems Simulation (AGARD-CP-198, pp. 15-1 - 15-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Doerfel, G. (1977). Zwei methoden zur untersuchung der visuellen ortswahrnehmung aus syntetisch erzeugten darstellungen fuer die flugsichtsimulation (Two methods for the investigation of visual positional perception on the basis of synthetically produced representation for visual flight simulation). Meckenheim, West Germany: Forschungsinstitut fuer Anthropotechnik. (In German)

Doerfel, G. (1978). Methods for the validation of synthesized images in visual flight simulation. In AGARD Conference Proceedings No. 257, The Impact of Integrated Guidance and Control Technology on Weapons Systems Design (AGARD-CP-257, pp. 15-1 - 15-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Doerfel, G. (1982). Pilot judgements of distance, height and glide slope angle from computer generated landing scenes. In Flight Simulation - Avionic Systems and Aero Medical Aspects, Proceedings of the International Conference. London, England: Royal Aeronautical Society.

Hoh, R. H. (1985). Investigation of outside visual cues required for low speed and hover. In AIAA Atmospheric Flight Mechanics Conference, A Collection of Technical Papers (AIAA Paper No. 85-1808, pp. 337-349). New York, NY: American Institute of Aeronautics and Astronautics.

Irish, P. A., III, & Buckland, G. H. (1978). Effects of platform motion, visual and G-seat factors upon experienced pilot performance in the flight simulator (AFHRL-TR-78-9, AD-A055 691). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Kleiss, J. A. (1990). Terrain visual cue analysis for simulating low-level flight: A multidimensional scaling approach (AFHRL-TR-90-20, AD-A223 564). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kleiss, J. A. (1990). Terrain visual cue analysis for simulating low-level flight: A multidimensional scaling approach. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 60-67). Tempe, AZ: IMAGE Society, Inc.

Kleiss, J. A. (1991). Cuing and scene content requirements for low-level flight. In Visual Issues in Training and Simulation Presentation Summaries (pp. 31-32). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Kleiss, J. A. (1991). Multidimensional scaling analysis of terrain features relevant for simulating low-altitude flight. In Proceedings of the Human Factors Society 35th Annual Meeting (Vol. 2, pp. 1372-1376). Santa Monica, CA: Human Factors Society.

Kleiss, J. A. (1992). Influence of operational factors on importance of scene properties for visual low-altitude flight (AL-TR-1992-0158). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Kleiss, J. A. (1992). Perceptual dimensions of visual scenes relevant for simulating low-altitude flight (AL-TR-1992-0011, AD-A254 645). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Kleiss, J. A. (1992). Tradeoffs among types of scene detail for simulating low-altitude flight. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1141-1146). New York, NY: Institute of Electrical and Electronics Engineers.

Kleiss, J. A. (1993). Properties of computer-generated scenes important for simulating low altitude flight. In Proceedings of the Human Factors and Ergonomics Society 37th Annual Meeting (Vol. 1, pp. 98-102). Santa Monica, CA: Human Factors and Ergonomics Society.

Kleiss, J. A. (1994). Effect of terrain shape and object grouping on detection of altitude change in a flight simulator. In Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting (Vol. 1, pp. 119-123). Santa Monica, CA: Human Factors and Ergonomics Society.

Kleiss, J. A., Curry, D. G., & Hubbard, D. C. (1988). Effect of three-dimensional object type and density in simulated low-level flight. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 2, pp. 1299-1303). Santa Monica, CA: Human Factors Society.

Kleiss, J. A., Curry, D. G., & Hubbard, D. C. (1989). Effect of three-dimensional object type and density in simulated low-level flight (AFHRL-TR-88-66, AD-A209 756). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kleiss, J. A., & Hubbard, D. C. (1991). Effect of two types of scene detail on detection of altitude change in a flight simulator (AL-TR-1991-0043, AD-A242 034). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Kleiss, J. A., & Hubbard, D. C. (1993). Effects of three types of flight simulator visual scene detail on detection of altitude change. Human Factors, 35(4), 653-671.

Koonce, J. M., & Lintern, G. (1991). Visual augmentation and scene detail effects in flight training. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 2, pp. 811-816). Columbus, OH: Ohio State University.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Pilot performance as a function of peripheral cues and color in computer generated images. In Proceedings of the 1980 Summer Computer Simulation Conference (pp. 383-388). La Jolla, CA: Society for Computer Simulation.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1982). Peripheral cues and color in visual simulation. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 906-910). Santa Monica, CA: Human Factors Society.

Lewis, M. S. (1986). A piloted simulation of one-on-one helicopter air combat in low level flight. American Helicopter Society Journal, 31, 19-26.

Lewis, M. S., & Aiken, E. W. (1985). Piloted simulation of one-on-one helicopter air combat at NOE flight levels (NASA-A-85138, AD-A160 538). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Lintern, G., & Garrison, W. V. (1992). Transfer effects of scene content and crosswind in landing instruction. International Journal of Aviation Psychology, 2(3), 225-244.

Lintern, G., & Koonce, J. M. (1991). Display magnification for simulated landing approaches. International Journal of Aviation Psychology, 1(1), 59-72.

Lintern, G., & Koonce, J. M. (1992). Visual augmentation and scene detail effects in flight training. International Journal of Aviation Psychology, 2(4), 281-301.

Lintern, G., & Liu, Y-T. (1991). Explicit and implicit horizons for simulated landing approaches. Human Factors, 33(4), 401-417.

Lintern, G., Sheppard, D. J., Parker, D. L., Yates, K. E., & Nolan, M. D. (1989). Simulator design and instructional features for air-to-ground attack: A transfer study. Human Factors, 31(1), 87-99.

Lintern, G., Taylor, H. L., Koonce, J. M., & Talleur, D. A. (1993). An incremental transfer study of scene detail and field of view effects on beginning flight training. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 2, pp. 737-742). Columbus, OH: Ohio State University.

Lintern, G., Thomley, K. E., Nelson, B. E., & Roscoe, S. N. (1984). Content, variety, and augmentation of simulated visual scenes for teaching air-to-ground attack (NAVTRAEEQUIPCEN-81-C-0105-3, AD-A145 218). Orlando, FL: Naval Training Equipment Center.

Lintern, G., Thomley-Yates, K. E., Nelson, B. E., & Roscoe, S. N. (1987). Content, variety, and augmentation of simulated visual scenes for teaching air-to-ground attack. Human Factors, 29(1), 45-59.

Lintern, G., & Walker, M. (1989). Visual information for simulated landing approaches. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 1, pp. 122-127). Columbus, OH: Ohio State University.

Lintern, G., & Walker, M. B. (1991). Scene content and runway breadth effects on simulated landing approaches. International Journal of Aviation Psychology, 1(2), 117-132.

Martin, E. L., & Rinalducci, E. J. (1983). Low-level flight simulation: Vertical cues (AFHRL-TR-83-17, AD-A133 612). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

McCormick, D., Smith, T., Lewandowski, F., Preskar, W., & Martin, E. (1983). Low-Altitude Database Development Evaluation and Research (LADDER). In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 150-155). Arlington, VA: American Defense Preparedness Association.

Oshima, C. R., & Lintern, G. (1992). Effects of scene content and horizon on glideslope control. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1147-1152). New York, NY: Institute of Electrical and Electronics Engineers.

Regal, D., & Whittington, D. (1993). Synthetic vision in commercial aviation-display requirements. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 441-444). Playa del Rey, CA: Society for Information Display.

Reisweber, D. A., & Lintern, G. (1991). Visual properties for the transfer of landing skill. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 2, pp. 817-822). Columbus, OH: Ohio State University.

Rinalducci, E. J. (1983). Visual cues in the simulation of low-level flight (AFOSR-TR-83-1016, AD-A135 461). Bolling AFB, DC: Air Force Office of Scientific Research.

Rinalducci, E. J., DeMaio, J., Patterson, M. J., & Brooks, R. (1983). Psychophysical assessment of simulator visual displays. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 489-494). Columbus, OH: Ohio State University.

Rinalducci, E. J., Martin, E. L., & Longridge, T. (1982). Visual cues in the simulation of low level flight. In J. F. Swiney, Jr. (Ed.), Proceedings of the Eighth Symposium on Psychology in the Department of Defense (ASAFA-TR-82-10, pp. 32-36). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Rinalducci, E. J., Patterson, M. J., & De Maio, J. (1984). Static vs. dynamic presentation of visual cues in simulated low level flight. In Proceedings of the Ninth Symposium Psychology in the Department of Defense (USAFA-TR-84-2, AD-A141 043, pp. 667-671). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Rinalducci, E. J., Patterson, M. J., Forren, M., & Andes, R., Jr. (1985). Altitude estimation of pilot and non-pilot observers using real-world scenes. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 491-498). Columbus, OH: Ohio State University.

Robertson, C., & Megson, G. M. (1994). Scene analysis: A brief survey (TRS-480). Newcastle upon Tyne, England: Department of Computing Science, Newcastle upon Tyne University.

Rosenberg, C., & Barfield, W. (1991). Relationship between surface texture and object density on judgements of velocity, altitude, and change of altitude. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 1, pp. 601-606). Columbus, OH: Ohio State University.

Sheppard, D. J., Jones, S. A., Madden, J., & Westra, D. P. (1988). Simulator design features for precision helicopter hover over small ships. In F. E. McIntire (Ed.), Proceedings of the Eleventh Symposium on Psychology in the Department of Defense (ASAFA-TR-88-1, pp. 340-344). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Sheppard, D. J., Madden, J., & Jones, S. A. (1987). Simulator design features for helicopter shipboard landings. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 1, pp. 233-237). Santa Monica, CA: Human Factors Society.

Sheppard, D., Westra, D., & Lintern, G. (1986). Simulator design and instructional features for air-to-ground attack: Transfer study. In Proceedings of the Human Factors Society 30th Annual Meeting (Vol. 2, pp. 1038-1042). Santa Monica, CA: Human Factors Society.

Taylor, H. L., Lintern, G., Koonce, J. M., Kaiser, R. H. & Morrison, G. A. (1991). Incremental transfer study of scene detail and visual augmentation guidance in landing training. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 2, pp. 805-810). Columbus, OH: Ohio State University.

Taylor, H. L., Lintern, G., Koonce, J. M., Kunde, D. R., Tschopp, J. M., & Talleur, D. A. (1993). Scene content, field of view and amount of training in first officer training. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 2, pp. 753-757). Columbus, OH: Ohio State University.

Westra, D. P. (1982). Simulation and training for aircraft carrier landings - An economical multifactor approach. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 830-834). Santa Monica, CA: Human Factors Society.

Westra, D. P. (1982). Simulation and training for aircraft carrier landings. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 397-404). Arlington, VA: National Security Industrial Association.

Westra, D. P. (1982). Simulator design features for carrier landing: Part 2. In-simulator transfer of training (NAVTRAEEQIPCEN-81-0105-1, AD-A124 024). Orlando, FL: Naval Training Equipment Center.

Westra, D. P. (1983). Simulator design features for air-to-ground bombing: Part 1. Performance experiment 1 (NAVTRAEEQIPCEN-81-C-0105-4, AD-A141 190). Orlando, FL: Naval Training Equipment Center.

Westra, D. P., & Lintern, G. (1985). Simulator design features for helicopter landing on small ships: I. A performance study (NAVTRASYSSEN-81-C-0105-13, AD-A169 514). Orlando, FL: Naval Training System Center.

Westra, D. P., Lintern, G., Sheppard, D. J., Thomley, K. E., & Mauk, R. (1986). Simulator design and instructional features for carrier landing: A field transfer study (NAVTRASYSSEN-85-C-0044-2, AD-A169 962). Orlando, FL: Naval Training Systems Center.

Westra, D. P., Sheppard, D. J., Jones, S. A., & Hettinger, L. J. (1987). Simulator design features for helicopter shipboard landings: II. Performance experiments (TR-87-041). Orlando, FL: Essex Corp.

Westra, D. P., Simon, C. W., Collyer, S. C., & Chambers, W. S. (1981). Investigation of simulator design features for the carrier landing task. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 448-462). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Wightman, D. C., Westra, D. P., & Lintern, G. (1985). Transfer of training of simulator visual and training features for the carrier landing task with undergraduate pilots. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 251-259). Arlington, VA: American Defense Preparedness Association.

9. VISUAL DATABASE DEVELOPMENT

Abascal, R., Jr., & Alm, R. A. (1986). An application in simplicity: The building block technique of terrain database generation. In R. Crosbie & P. Luker (Eds.), Proceedings of the 1986 Summer Computer Simulation Conference (pp. 591-595). San Diego, CA: Society for Computer Simulation.

Allsopp, W. J. (1978). Proposed advancements in simulation of atmospheric phenomena for improved training. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 6-1 - 6-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Barnes, C. T. (1994). The relationship between the IATA data base interchange format and Project 2851 simulator data bases. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 152-158). Tempe, AZ: IMAGE Society, Inc.

Barsamian, S. (1990). Data base concept for a photo based image generator. In Proceedings of the IEEE 1990 National Aerospace and Electronics Conference, NAECON 1990 (Vol. 2, pp. 859-900). New York, NY: Institute of Electrical and Electronics Engineers.

Basinger, J. D., & Ingle, S. D. (1977). Data base requirements for full mission simulation. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 24-33). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Beck, R. W., & Nicol, M. R. (1980). CIG data bases; Where are we headed? In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 1-6). Arlington, VA: National Security Industrial Association.

Biesel, H. D. P. (1990). From source materials to data bases: Higher fidelity at lower cost. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 163-171). Arlington, VA: National Security Industrial Association.

Bishop, G., & Weimer, D. M. (1986). Fast Phong shading. Computer Graphics, 20(4), 103-106.

Blake, E. H., Disselkoen, V. C. J., & Kuijk, A. A. M. (1992). Faster Phong shading (CWI-CS-R9228, ETN-93-93826). Amsterdam, Netherlands: Mathematisch Centrum.

Blinn, J. F. (1978). Realism in computer graphics. In 1978 WESCON Technical Papers, Volume 22, Western Electronic Show and Convention (Part 2, Paper No. 2, pp. 1-4). El Segundo, CA: Electronic Conventions, Inc.

Booker, J., Collery, M., Csuri, C., & Marshall, R. (1983). Norfolk data base enhancement. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 2, pp. 760-768). New York, NY: Institute of Electrical and Electronics Engineers.

Booker, J., Collery, M., Csuri, C., & Zeltzer, D. (1982). Exploding techniques for CIG objects. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 31-34). Arlington, VA: National Security Industrial Association.

Booker, J. L., Csuri, C., Marshall, R., & Wilson, R. (1981). Terrain model animation (NAVTRAEEQUIPCEN-80-C-0008-1, AD-A107 911). Orlando, FL: Naval Training Equipment Center.

Bookout, G., & Sinacori, J. (1993). Texture as a visual cueing element in computer image generation. I - Representation of the sea surface. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Paper (AIAA Paper No. 93-3560, pp. 341-347). Washington, DC: American Institute of Aeronautics and Astronautics.

Bromley, M. (1990). Selecting a remote sensing support system for training simulation and mission rehearsal applications. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3167, pp. 304-310). Washington, DC: American Institute of Aeronautics and Astronautics.

Brown, R. M. (1973). Hidden-line removal at 20 pictures/second through hybrid techniques. In Proceedings of the 1973 Summer Computer Simulation Conference (pp. 192-204). La Jolla, CA: Simulation Councils, Inc.

Brunderman, J. A. (1991). Design and application of an object oriented graphical database management system for synthetic environments (AFIT/GA/ENG/91D-01, AD-A243 788). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Brune, G., & Metze, W. (1990). Simulation of distance-dependent functions in visual systems for training simulators using the Z-buffer-technique. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 36-39). Warminster, Wiltshire, UK: ITEC Ltd.

Bunker, W. M. (1979). CIG translucent face simulation provides multiple benefits. In Proceedings of the 1st Interservice/Industry Training Equipment Conference (NAVTRAEEQUIPCEN-IH-316, pp. 229-238). Orlando, FL: Naval Training Equipment Center.

Bunker, W. M., & Heartz, R. A. (1976). Perspective display simulation of terrain (AFHRL-TR-76-39, AD-A030 405). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Bunker, W. M., & Pester, R. F. (1979). Computer image generation: Improved edge utilization study (AFHRL-TR-78-81, AD-A065 640). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Chase, W. D. (1981). Low-visibility visual simulation with real fog. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (Paper No. 81-0982, pp. 116-128). New York, NY: American Institute of Aeronautics and Astronautics.

Chauvin, J. C. (1994). An advanced Z-buffer real time image computer. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 557-562). Warminster, Wiltshire, UK: ITEC Ltd.

Chauvin, J. C. (1994). An advanced Z-buffer technology. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 76-85). Tempe, AZ: IMAGE Society, Inc.

Chirieleison, T. (1990). Who's zooming who? In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 352-362). Tempe, AZ: IMAGE Society, Inc.

Clapp, R. E. (1986). Detail in the visual display - the data base problem. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 97-102). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1987). Aerial image display systems in simulation. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 223-228). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1987). Aerial image systems. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 34-40). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Clark, L. C., & Cosman, M. A. (1990). Terrain independent feature modeling. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 7-17). Arlington, VA: National Security Industrial Association.

Clark, L. C., & Pafford, M. R. (1984). Geographic subdivision and top level data structures: Columbus, Magellan, and expanding CIG horizons. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 129-149). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Cosman, M. A. (1989). A system approach for marrying features to terrain. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 224-231). Arlington, VA: American Defense Preparedness Association.

Cosman, M., & Schumacker, R. (1981). System strategies to optimize CIG image content. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 463-480). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Costenbader, J. L. (1984). CIG data bases in an instance: Bits and pieces. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 151-163). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Cunningham, T. B., & Picasso, G. O. (1980). Automation of data base development in computer image generators. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 17-21). Arlington, VA: National Security Industrial Association.

DalSasso, A. J., Dwyer, T. M., & Kalinyak, R. G. (1984). Synthetic enhancement of Defense Mapping Agency data. In Proceedings of the IEEE 1984 National Aerospace and Electronics Conference, NAECON 1984 (Vol. 2, pp. 1057-1064). New York, NY: Institute of Electrical and Electronics Engineers.

Daugherty, K. I., Shand, C. K., Jr., & Jones, D. T. (1992). MC&G synergism: The trend of the future. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 396-403). Tempe, AZ: IMAGE Society, Inc.

De Maio, J., & Ludwig, P. (1990). Visual database requirements to support A-6E mission training. In H. M. Assenheim & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 130-139). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Devich, R. N., & Weinhaus, F. M. (1981). Image perspective transformations - Urban scenes. Optical Engineering, 20(6), 912-921.

Devich, R. N., & Weinhaus, F. M. (1981). Rural scene perspective transformations. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 54-66). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Dietz, A. E. (1990). Threat databases - Are we repeating ourselves? In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 334-337). Arlington, VA: National Security Industrial Association.

Dillard, D. E., Zvolanek, B., & Eckelmann, F. D., Jr. (1993). Cost-reduction from simulator data base reuse: Feasibility of reformatting A-6/F-14 simulator data bases for the DoD Standard Simulator Data Base Project 2851. In Proceedings of the 15th Interservice/Industry Training Systems and Education Conference (pp. 847-854). Arlington, VA: American Defense Preparedness Association.

Disselkoen, V. C. J. (1991). Real-time quadratic shading (CWI-CS-R9123, ETN-92-91551). Amsterdam, Netherlands: Mathematisch Centrum.

Donovan, K. B. (1990). Mission rehearsal database requirements and technologies. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 157-162). Arlington, VA: National Security Industrial Association.

Duckett, D. P., Jr. (1991). The application of statistical estimation techniques to terrain modeling (AFIT/GCE/ENG/91D-02, AD-A243 799). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Ellis, J., & Vellinga, R. (1991). Terrain modeling for high performance visual simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2982, pp. 139-147). Washington, DC: American Institute of Aeronautics and Astronautics.

Entwistle, R., & Mohon, N. (1976). Perspective error in visual displays. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 127-130). Orlando, FL: Naval Training Equipment Center.

Faintich, M. B. (1983). Interactive analysis of digital terrain elevation and surface feature data bases (AD-A126 310). Saint Louis, MO: Defense Mapping Agency Aerospace Center.

Ferguson, R. L. (1990). High performance computer image generation - A marriage of computer graphics and image processing. In H. M. Assenheim & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 140-154). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Ferguson, R. L. (1991). High fidelity, low cost data bases for visual simulation. In Proceedings of the IEEE 1991 National Aerospace and Electronics Conference, NAECON 1991 (Vol. 2, pp. 899-906). New York, NY: Institute of Electrical and Electronics Engineers.

Ferguson, R. L., Brasch, R., Lisle, C. R., & Goldiez, B. (1992). Interoperability of visual simulation systems. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 516-526). Tempe, AZ: IMAGE Society, Inc.

Ferguson, R. L., Economy, R., Kelly, W. A., & Ramos, P. P. (1990). Continuous terrain level of detail for visual simulation. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 144-151). Tempe, AZ: IMAGE Society, Inc.

Finlayson, I. (1991). Creating a scene. Aerospace America, 29(7), 30-32.

Fussell, D., & Rathi, B. D. (1982). A VLSI-oriented architecture for real-time raster display of shaded polygons. In Proceedings of Graphics Interface '82 (pp. 373-380). Toronto, Ontario, Canada: Canadian Man-Computer Communication Society.

Gardner, G. Y. (1978). Computer image generation of curved objects for simulator displays. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 43-48). Orlando, FL: Naval Training Equipment Center.

Gardner, G. Y. (1985). Visual simulation of clouds. Computer Graphics, 19(3), 297-303.

Gardner, G. Y. (1992). Representing dynamic cloud volumes with fractal ellipsoids. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 474-483). Tempe, AZ: IMAGE Society, Inc.

Gardner, G. Y., & Gelman, B. (1982). Simplified scene modeling using curved surfaces and texturing. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 23-29). Arlington, VA: National Security Industrial Association.

Gardner, G. Y., & Gershowitz, M. N. (1982). Computer image generation: Advanced visual/sensor simulation (AVSS) (AFHRL-TR-81-29, AD-B062 680). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Goldiez, B., & Nelson, R. S. (1994). Terrain database correlation. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 337-346). Warminster, Wiltshire, UK: ITEC Ltd.

Gonsalves, P. G., Kneller, E. W., & Zacharias, G. L. (1989). Model-based terrain-following display design. In AIAA Flight Simulation Technologies Conference and Exhibition, A Collection of Technical Papers (AIAA Paper No. 89-3290, pp. 213-220). Washington, DC: American Institute of Aeronautics and Astronautics.

Goss, M. E. (1990). A real time particle system for display of ship wakes. IEEE Computer Graphics and Applications, 10(3), 30-35.

Gouraud, H. (1971). Computer display of curved surfaces (UTEC-CSC-71-113, AD-762 018). Salt Lake City, UT: Utah University.

Graf, C. P., & Baldwin, D. M. (1982). Computer generated/synthesized imagery (CGSI). In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 549-558). Arlington, VA: National Security Industrial Association.

Gutowski, G. A., Stys, A., & Petry, D. M. (1985). Evaluation of Defense Mapping Agency Level 1 Second Edition digital data for training simulator applications. In Proceedings of the IEEE 1985 National Aerospace and Electronics Conference, NAECON 1985 (Vol. 2, pp. 1096-1102). New York, NY: Institute of Electrical and Electronics Engineers.

Haas, M., Elflein, D., & Gueldenpfennig, P. (1982). Data base generation system for computer generated images and digital radar landmass simulation systems. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 231-235). Arlington, VA: National Security Industrial Association.

Haas, M., Elflein, D., & Guldenpfennig, P. (1984). Data base generation system for computer generated images and digital radar landmass simulation systems. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 177-189). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Haeger, S. D. (1994). Modeling the littoral ocean for military applications. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-12). Arlington, VA: National Security Industrial Association.

Henke, K. R. (1987). A programmable gaming area. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2637, pp. 152-154). New York, NY: American Institute of Aeronautics and Astronautics.

Hess, J., & Lotspeich, S. (1986). Acceptance test procedures for very large data bases. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 185-189). Arlington, VA: National Security Industrial Association.

Hoog, T. W. (1978). Correlated data bases for the present and future. In Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1583, pp. 73-78). New York, NY: American Institute of Aeronautics and Astronautics.

Hoog, T. W., & Stengel, J. D. (1977). Computer image generation using the Defense Mapping Agency digital data base. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 202-218). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Hoog, T. W., Stengel, J. D., Jr., & Nicol, M. R. (1983). An approach to a standardized simulator data base. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 156-163). Arlington, VA: American Defense Preparedness Association.

Hovey, S. T. (1987). The maintenance of 3-D scene databases using the analytical imagery matching system (AIMS). In D. F. McAllister & W. E. Robbins (Eds.), SPIE-The International Society for Optical Engineering, Volume 761, True Three-Dimensional Imaging Techniques and Display Technologies (pp. 138-145). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Hrabar, M., Joosten, J., & Widder, P. A. (1989). Data base conversion/correlation issues. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 343-348). Arlington, VA: American Defense Preparedness Association.

Hughett, P. (1980). Automatic transformation of the DMA DDB for real-time visual simulation. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 7-16). Arlington, VA: National Security Industrial Association.

Hugli, H., & Frei, W. (1981). Real-time simulation of the seasonal and diurnal aspect changes in real three-dimensional scenes. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 67-70). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Kelley, D. E. (1987). Computer image generation visual and sensor correlation. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 186-190). Tempe, AZ: IMAGE Society, Inc.

Kellogg, R. S., Prather, D. C., & Castore, C. H. (1980). Simulated A-10 combat environment. In G. E. Corrick, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 573-577). Santa Monica, CA: Human Factors Society.

Kellogg, R. S., Prather, D. C., & Castore, C. N. (1981). Simulated A-10 combat environment. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 35-44). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Knox, W. J., Jr. (1989). Shading models for realistic image synthesis. In Proceedings of the IEEE 1989 National Aerospace and Electronics Conference, NAECON 1989 (Vol. 2, pp. 596-603). New York, NY: Institute of Electrical and Electronics Engineers.

Knox, W. J., Jr. (1990). Terrain visualization through progressive refinement. In Proceedings of the IEEE 1990 National Aerospace and Electronics Conference, NAECON 1990 (Vol. 2, pp. 702-704). New York, NY: Institute of Electrical and Electronics Engineers.

Kraemer, W., & Moberg, T. (1988). Visual simulation utilizing computer-reconstructed images from scene photographs. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 295-304). Arlington, VA: National Security Industrial Association.

Krames, E. (1980). Influences of geophysical factors (meteorological and topographical) on the pilot-aircraft-system in high speed low level flight (HSLLF). In AGARD Conference Proceedings No. 267, High-Speed, Low-Level Flight: Aircrew Factors (AGARD-CP-267, pp. 2-1 - 2-46). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Kull, F. G., Jr., & Fought, D. E. (1993). Line-of-sight determination in real-time simulations. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3567, pp. 123-132). Washington, DC: American Institute of Aeronautics and Astronautics.

Latham, R., & Wells, S. (1993). Low cost visual simulation of tactical smoke using variable density spheres. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 31-36). Warminster, Wiltshire, UK: ITEC Ltd.

Lenczowski, R. E. (1994). The global geospatial information and services initiative. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 186-198). Tempe, AZ: IMAGE Society, Inc.

Lenzen, T. (1994). Automatic multi-sensor, multi-image geopositioning & mosaicking for large area simulation data bases. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 178-185). Tempe, AZ: IMAGE Society, Inc.

Lester, L. N. (1990). Perspective transformation for wide-view sky scenes (ARL-SYS-TM-128, AD-A222 694). Melbourne, Australia: Aeronautical Research Laboratories.

Lewandowski, F. (1981). Nap of the earth (NOE) maneuvering with computer generated imagery (CGI). In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 172-180). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Lewandowski, F. P., Hinkle, D., & Tucker, W. (1980). Digital visual special effects. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 84-91). Arlington, VA: National Security Industrial Association.

Li, J., & Manry, M. T. (1987). Some analyses of flight simulation systems employing real imagery. In J. Marshall (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 757, Methods of Handling and Processing Imagery (pp. 76-83). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Li, X., Miller, D. D., Illing, M., Kenworthy, M., & Heinen, M. (1994). Dynamic terrain database design for real time image generation. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-3). Arlington, VA: National Security Industrial Association.

Lickenbrock, J. A., Spuhl, K. A., & Brown, R. E. (1990). A rapid database configuration system using multispectral imagery. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3169, pp. 316-319). Washington, DC: American Institute of Aeronautics and Astronautics.

Lombardi, J. J., & Reed, E. T. (1994). Visionics data base generation: An integral part of training, planning and mission rehearsal. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-8). Arlington, VA: National Security Industrial Association.

Marsh, S. C., & Grimsdale, R. L. (1987). Using abstract data types to define large-scale world models for image generation systems. Computer Graphics Forum, 6(2), 77-85.

Matusof, R. (1994). Methods for determining environmental feedback during networked and stand-alone simulation. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 282-288). Tempe, AZ: IMAGE Society, Inc.

Matusof, R., Schwalm, S., & Hicks, B. A. (1990). Correlating visual imagery with the simulated mission. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3147, pp. 188-194). Washington, DC: American Institute of Aeronautics and Astronautics.

Mayer, N. L., & Cosman, M. A. (1982). Enhancing the computer generated illusion. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 13-22). Arlington, VA: National Security Industrial Association.

McCarty, W. D. (1993). Rendering the out-the-window view for the AFIT virtual cockpit (AFIT/GCS/ENG/93M-04, AD-A262 599). Wright-Patterson AFB, OH: Air Force Institute of Technology.

McCormick, D. (1981). Pilot task profiles, human factors, and image realism. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 48-52). Bellingham, WA: SPIE-The International Society for Optical Engineering.

McCormick, D. C. (1981). The importance of being square. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 286-294). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

McGrew, J. F. (1983). Exaggerated vertical scale in CGI terrain perspectives. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 1, pp. 33-35). Santa Monica, CA: Human Factors Society.

McWhorter, L., & Clayton, E. W. (1994). P2851 applications, lessons learned, and implementation. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 160-171). Tempe, AZ: IMAGE Society, Inc.

Meade, A. C. (1985). Applications for three-dimensional computer graphic cloud representations produced from satellite imagery (AFIT/CI/NR-85-50T, AD-A156 903). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Merchant, K. L., & Willis, L. R. (1994). Implementation of a high performance database generation system architecture. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-2). Arlington, VA: National Security Industrial Association.

MIL-STD-1821. (1993). Standard simulator data base (SSDB) interchange format (SIF) design standard (AD-A281 516). Washington, DC: Department of Defense.

Miller, R. H. (1978). Advanced Simulator for Pilot Training (ASPT): Refinement of environmental database generation system (AFHRL-TR-78-55, AD-A059 857). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Molnar, J. (1993). The terrain preparation system. In J. Schoen (Ed.), Proceedings of the 1993 Summer Computer Simulation Conference (pp. 882-886). San Diego, CA: Society for Computer Simulation.

Monroe, E. G. (1975). Environmental data base development process for the ASUPT CIG system (AFHRL-TR-75-24, AD-A017 845). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Monroe, E. G. (1976). Air-to-surface full mission simulation by the ASUPT system. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 41-48). Orlando, FL: Naval Training Equipment Center.

Monroe, E. G., Rife, R. W., Cyrus, M. L., & Thompson, L. C. (1976). ASUPT visual simulation of air-to-surface weapons delivery (AFHRL-TR-76-40, AD-A034 319). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Montag, B. (1990). Adverse weather simulation concepts for safety of flight training. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3132, pp. 86-96). Washington, DC: American Institute of Aeronautics and Astronautics.

Montag, B. (1990). Visual adversary logic for close-in air combat simulation. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3175, pp. 352-358). Washington, DC: American Institute of Aeronautics and Astronautics.

Montag, B. (1993). Visual weather simulation using meteorological databases. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3566, pp. 114-122). Washington, DC: American Institute of Aeronautics and Astronautics.

Montag, B. C. (1993). Weather environment simulation technology. In Proceedings of the 15th Interservice/Industry Training Systems and Education Conference (pp. 245-255). Arlington, VA: American Defense Preparedness Association.

Moshell, M. (1991). Dynamic terrain (IST-TR-92-11, AD-A250 779). Orlando, FL: Institute for Simulation and Training, University of Central Florida.

Mudunuri, K., & Hooks, J. T., Jr. (1986). Super wide field of view perspective image transformation by pixel to pixel mapping. In American Congress on Surveying and Mapping and American Society for Photogrammetry and Remote Sensing, Annual Convention Technical Papers (Vol. 4, pp. 26-33). Falls Church, VA: American Congress on Surveying and Mapping and American Society for Photogrammetry and Remote Sensing

Nack, M. L., Battaglia, M. P., & Nathan, A. (1989). Real time perspective image generation. In Y-w. Lin & R. Srinivasan (Eds.). Proceedings of SPIE-The International Society for Optical Engineering, Volume 1075, Digital Image Processing Applications (pp. 244-249). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Nakamae, E. (1992). Rendering of outdoor scenes. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 47-50). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Newhard, J. W., & Nicol, M. R. (1984). Selective scene management in flight simulator visual systems. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 11-21). Arlington, VA: National Security Industrial Association.

Nicol, M. R. (1982). Improving the useability of the Defense Mapping Agency Digital Feature Analysis Data for training simulator applications (AFIT/GCS/EE-82S-9, AD-A124 893). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Nicol, M. R. (1983). Improving the data base generation process for flight simulator data bases. In AIAA 21st Aerospace Sciences Meeting (AIAA Paper No. 83-0138). New York, NY: American Institute of Aeronautics and Astronautics.

Nicol, M. R., Gutowski, G. A., & Wright, C. E. (1984). Evaluation of Defense Mapping Agency Level V high resolution data for training simulator applications. In Proceedings of the IEEE 1984 National Aerospace and Electronics Conference, NAECON 1984 (Vol. 2, pp. 1048-1056). New York, NY: Institute of Electrical and Electronics Engineers.

Oda, K. (1990). Project 2851 data base strategies for simulator correlation. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3168, pp. 311-315). Washington, DC: American Institute of Aeronautics and Astronautics.

Oda, K. (1992). Preliminary findings from development of the SSDB interchange format. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 510-515). Tempe, AZ: IMAGE Society, Inc.

Ohmann, B., & Fowler, B. (1984). Automated and interactive data base generation. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 109-124). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Olsen, G. L. (1987). The do-it-yourself database: Training CIG users in visual data base design. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 196-206). Tempe, AZ: IMAGE Society, Inc.

Pester, R. F. (1979). Laboratory development of computer generated image displays for evaluation in terrain flight training (ARI-RN-79-8, AD-A070 065). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Phong, B. T. (1973). Illumination for computer-generated images (UTEC-CSc-73-129, AD-A008 786). Salt Lake City, UT: Department of Computer Science, Utah University.

Quinn, E. W., & DeLozier, G. S. (1994). Rapid simulation database build using hardcopy input. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-15). Arlington, VA: National Security Industrial Association.

Rich, H. H. (1992). The active database: Using software to save CIG hardware. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 858-866). Arlington, VA: National Security Industrial Association.

Richards, W., & Stevens, K. A. (1979). Efficient computations and representations of visible surfaces (AFOSR-TR-80-0966, AD-A089 832). Bolling AFB, DC: Air Force Office of Scientific Research.

Rife, R. W. (1977). Level-of-detail control considerations for CIG systems. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 142-159). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Robinson, J., & Cosman, M. (1986). Specifying large CIG data bases. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 171-176). Arlington, VA: National Security Industrial Association.

Ross, H. D. (1981). Analysis and preparation of digital terrain data base for flight simulator use (AFIT/GEO/MA/81D-1, AD-A115 547). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Sansom, R., & Darling, D. (1993). A radar altitude and line of sight attachment. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3587, pp. 243-250). Washington, DC: American Institute of Aeronautics and Astronautics.

Scarlato, L. L. (1990). A refined triangulation hierarchy for multiple levels of terrain detail. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 114-122). Tempe, AZ: IMAGE Society, Inc.

Schnitzer, A. P. (1976). A data base generation system for digital image generation. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 103-114). Orlando, FL: Naval Training Equipment Center.

Schuetz, G. (1992). Advanced visual database generation for airline flight simulators. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 192-201). Tempe, AZ: IMAGE Society, Inc.

Schweitzer, D. L. (1983). Interactive surface visualization using raster graphics (AFIT/CI/NR 83-31D, AD-A132 548). Wright-Patterson AFB, OH: Air Force Institute of Technology.

Shelkin, B. D. (1984). Defense Mapping Agency (DMA) policy for digital mapping, charting and geodesy (MC&G) support of advanced systems. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 99-102). Arlington, VA: National Security Industrial Association.

Shepard, T., & Laporte, S. (1991). Real-time hidden surface removal in a flight simulator. In Proceedings of the 1991 IEEE Pacific Rim Conference on Communications, Computers and Signal Processing (Vol. 2, pp. 607-610). New York, NY: Institute of Electrical and Electronics Engineers.

Sieverding, M. J. (1994). DoD training system digital data base requirements. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 200-209). Tempe, AZ: IMAGE Society, Inc.

Simley, J. D. (1984). Color visual simulation applications at the Defense Mapping Agency. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 95-107). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Simpson, M., & Wilson, I. (1990). Can't see the ground for the cues! In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 7-13). Warminster, Wiltshire, UK: ITEC Ltd.

Sinacori, J. B. (1983). Research and analysis of head-directed area-of-interest visual system concepts (NASA-CR-166480). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Smart, D. D., Teichgraeber, R. D., & Chirieleison, A. C. (1984). The generation of three dimensional data bases using a building block approach. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 165-176). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Smith, T. L. (1983). Tradeoffs in the implementation of local illumination sources in the real time display of a visual scene. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 2, pp. 754-759). New York, NY: Institute of Electrical and Electronics Engineers.

Spooner, A. M., Breglia, D. R., & Patz, B. W. (1980). REALSCAN - A CIG system with greatly increased image detail. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 110-116). Arlington, VA: National Security Industrial Association.

Stephens, C. W., Dickens, T. M., Widder, P. A., & Sheen, R. L. (1982). Red Flag simulation: Development of an interactive, high threat combat environment. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 459-465). Arlington, VA: National Security Industrial Association.

Stickel, R. (1982). CSI, A new way to realistic visual simulation. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 35-40). Arlington, VA: National Security Industrial Association.

Sundaram, R., McArthur, D., & Devarajan, V. (1994). Incremental real time delauney triangulation for terrain skin generation. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 6-4). Arlington, VA: National Security Industrial Association.

Sykes, D. J., di Franco, R., & Curran, W. J. (1986). Organization of a photographic data base. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 177-184). Arlington, VA: National Security Industrial Association.

Voorhies, B. J., & Cosman, M. A. (1984). Dodging the trees and bushes: Current NOE simulation. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 1-10). Arlington, VA: National Security Industrial Association.

Wakairo, K., Kawahara, H., Watanabe, A., & Okabe, M. (1988). Function and performance of visual simulation unit of flight simulation test facility (NAL-TM-581). Tokyo, Japan: National Aerospace Laboratory. (In Japanese)

Walbridge, E. (1987). More with less. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 220-229). Tempe, AZ: IMAGE Society, Inc.

Wald, J. K., & Patterson, C. J. (1992). Variable resolution terrain model for combat simulation (BRL-TR-3374, AD-A253 141). Aberdeen Proving Ground, MD: Army Ballistic Research Laboratory.

Wales, C. E., & Cosman, M. A. (1983). DMA and CIG: A shotgun wedding. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 97-104). Arlington, VA: American Defense Preparedness Association.

Wang, R. T. P. (1975). A grid-based variable resolution data base for real-time visual training systems. In 8th NTEC/Industry Conference Proceedings (pp. 15-22). Orlando, FL: Naval Training Equipment Center.

Whiteside, A. E. (1989). Preparing data bases for perspective scene generation. In Y-w. Lin & R. Srinivasan (Eds.). Proceedings of SPIE-The International Society for Optical Engineering, Volume 1075, Digital Image Processing Applications (pp. 230-237). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Widder, P. A. (1987). Generation of model coordinates from photographs. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 192-195). Tempe, AZ: IMAGE Society, Inc.

Widder, P. A., & Flackbert, A. C. (1989). Cost effective CIG data bases: Job aids for faster turn-around time. In Proceedings of the IEEE 1989 National Aerospace and Electronics Conference, NAECON 1989 (Vol. 2, pp. 848-854). New York, NY: Institute of Electrical and Electronics Engineers.

Widder, P. A., Phillips, D., & Hrabar, M. (1989). Data base correlation issues. In Proceedings of the IEEE 1989 National Aerospace and Electronics Conference, NAECON 1989 (Vol. 2, pp. 855-862). New York, NY: Institute of Electrical and Electronics Engineers.

Widder, P. A., & Richard, J. L. (1989). CIG data base design issues. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3285, pp. 176-182). Washington, DC: American Institute of Aeronautics and Astronautics.

Widder, P. A., & Stephens, C. W. (1983). Data base generation: Improving the state-of-the-art. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 164-170). Arlington, VA: American Defense Preparedness Association.

Wilkerson, H., & Brown, T. C. (1988). Scene realism: The synergy of data base technology and CIG hardware. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 288-294). Arlington, VA: National Security Industrial Association.

Willis, P. J. (1987). Visual simulation of atmospheric haze. Computer Graphics Forum, 6(1), 35-41.

Yan, J. K. (1979). Real-time generation and smooth shading of quadric surfaces. In Proceedings of the 1st Interservice/Industry Training Equipment Conference (NAVTRAEEQUIPCEN-IH-316, pp. 247-260). Orlando, FL: Naval Training Equipment Center.

Yan, J. K. (1980). Computer generation of curvilinear objects. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 37-45). Arlington, VA: National Security Industrial Association.

Zvolanek, B., & Dillard, D. E. (1992). Database correlation testing for simulation environments. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 867-875). Arlington, VA: National Security Industrial Association.

10. NETWORKED VISUAL SIMULATION

Bess, R. D. (1992). Image generation implications for networked tactical training systems. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 76-86). Tempe, AZ: IMAGE Society, Inc.

Bryant, R. B., Douglass, D. S., Ewart, R., & Slutz, J. (1994). Dynamic latency measurement using the simulator network analysis project (SNAP). In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-2). Arlington, VA: National Security Industrial Association.

Burnett, J., George, G. R., & Knight, S. (1990). Navigational and environmental simulation issues for large-scale networks. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3137, pp. 128-131). Washington, DC: American Institute of Aeronautics and Astronautics.

Butler, B. E. (1994). The layered architecture model for distributed interactive simulation (DIS): Developing the layers for simulation system interoperability. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 650-664). Warminster, Wiltshire, UK: ITEC Ltd.

Cianciolo, M. E., & Soderberg, B. (1994). Modeling the cloud environment in distributed interactive simulations. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-10). Arlington, VA: National Security Industrial Association.

Cleveland, J. I., II, Sudik, S. J., & Grove, R. D. (1992). High performance flight simulation at NASA Langley. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4179, pp. 313-319). Washington, DC: American Institute of Aeronautics and Astronautics.

Dickens, A. R. (1993). Distributed representation issues for distributed virtual environments. In J. Schoen (Ed.), Proceedings of the 1993 Summer Computer Simulation Conference (pp. 894-899). San Diego, CA: Society for Computer Simulation.

Economy, R., Ferguson, R., & Pollak, E. (1994). Geographic position accuracy in a distributed simulation environment. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 258-271). Tempe, AZ: IMAGE Society, Inc.

Ferguson, R. L., Brasch, R., Lisle, C. R., & Goldiez, B. (1992). Interoperability of visual simulation systems. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 516-526). Tempe, AZ: IMAGE Society, Inc.

Kilby, M., Lisle, C., Altman, M., & Sartor, M. (1994). Dynamic environment simulation with DIS technology. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-18). Arlington, VA: National Security Industrial Association.

Lin, K-C., Goldiez, B., & NG, H. (1993). Representation of vehicle location in networked simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3582, pp. 222-226). Washington, DC: American Institute of Aeronautics and Astronautics.

Lindberg, K. (1993). The communication and management of database modifications during networked simulation. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 25-30). Warminster, Wiltshire, UK: ITEC Ltd.

Malone, H. L., III, Horowitz, S., Brunderman, J. A., & Eulenbach, H. (1987). The impact of network delay on two-ship air-to-air combat simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2373, pp. 55-58). New York, NY: American Institute of Aeronautics and Astronautics.

Matusof, R. (1994). Methods for determining environmental feedback during networked and stand-alone simulation. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 282-288). Tempe, AZ: IMAGE Society, Inc.

McCarter, S. M. (1992). An approach to designing interoperable visual data bases for networked environments utilizing computer image generators of varying fidelities. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 725-731). Arlington, VA: National Security Industrial Association.

McCarty, W. D. (1993). Rendering the out-the-window view for the AFIT virtual cockpit (AFIT/GCS/ENG/93M-04, AD-A262 599). Wright-Patterson AFB, OH: Air Force Institute of Technology.

McCollough-Howard, C. (1993). Device-independent color rendering for multiple display devices and networked simulator displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 569-572). Playa del Rey, CA: Society for Information Display.

Moran, S. I., & Kornovich, W. M., Jr. (1992). Advanced network technologies for visual research. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 114-121). Tempe, AZ: IMAGE Society, Inc.

Moshell, J. M., Blau, B., Li, X., & Lisle, C. (1994). Dynamic terrain. Simulation, 62(1), 29-40.

Moshell, J. M., Li, X., Hughes, C. E., Blau, B., & Goldiez, B. (1990). Nap-of-earth flight and the realtime simulation of dynamic terrain. In H. M. Assenhein & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 118-129). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Moshell, J. M., Lisle, C., Blau, B., & Li, X. (1992). Dynamic terrain databases for networked visual simulators. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 98-112). Tempe, AZ: IMAGE Society, Inc.

Oda, K. (1990). Project 2851 data base strategies for simulator correlation. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3168, pp. 311-315). Washington, DC: American Institute of Aeronautics and Astronautics.

Panzitta, M. J., & Moore, R. G. (1994). Visual system interoperability between CCTT and SIMNET. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 272-281). Tempe, AZ: IMAGE Society, Inc.

Sawler, R. J., & Matusof, R. (1991). Issues concerning cue correlation and synchronization of networked simulators. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2967, pp. 427-435). Washington, DC: American Institute of Aeronautics and Astronautics.

Schiavone, G. A., Nelson, R. S., & Goldiez, B. (1994). Statistical certification of terrain databases. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-9). Arlington, VA: National Security Industrial Association.

Soderberg, B. (1993). Image generation design for ground-based network training environments. In J. Schoen (Ed.), Proceedings of the 1993 Summer Computer Simulation Conference (pp. 910-918). San Diego, CA: Society for Computer Simulation.

Soderberg, B., & Miller, D. (1993). Image generation design for ground-based network training environments. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 320-329). Warminster, Wiltshire, UK: ITEC Ltd.

Spuhl, K. A., & Findley, D. A. (1994). Correlation considerations in the simulation environment. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 300-306). Tempe, AZ: IMAGE Society, Inc.

Stoch, G. G., & Smith, B. R., Jr. (1990). One synchronization solution to multi-ship simulation. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 364-368). Tempe, AZ: IMAGE Society, Inc.

Thomas, M. L., Martin, E., & Serfoss, G. (1992). Low cost portable display development and evaluation for distributed interactive tactical simulators. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 669-672). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Wilkins, D. A., & Roach, C. C. (1993). A high fidelity video delivery system for real-time flight simulation research. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3558, pp. 68-73). Washington, DC: American Institute of Aeronautics and Astronautics.

Woodard, P. W. (1994). Requirements for interoperable environments. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 172-177). Tempe, AZ: IMAGE Society, Inc.

Zvolanek, B., Dillard, D. E., Stewart, J. R., & Baumann, E. W. (1993). Quantitative correlation testing from DoD Project 2851 Standard Simulator Data Bases. In Proceedings of the 15th Interservice/Industry Training Systems and Education Conference (pp. 829-836). Arlington, VA: American Defense Preparedness Association.

11. DISPLAY FIELD-OF-VIEW

Batson, V. M., Harris, R. L., Sr., & Houck, J. A. (1992). Effect of display parameters on pilots' ability to approach, flare and land. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4139, pp. 322-332). Washington, DC: American Institute of Aeronautics and Astronautics.

Bloomfield, J. R., & McAleese, K. J. (1975). Effect of changes in visual parameters of helmet mounted displays on target acquisition performance. In L. Winner & B. K. Winner (Eds.), 1975 SID International Symposium Digest of Technical Papers, Volume VI (pp. 102-103). Los Angeles, CA: Society for Information Display.

Breul, H. T. (1981). Some effects of field of view (FOV) and target size on lateral tracking at hover. In Proceedings of the Seventeenth Annual Conference on Manual Control (JPL Publication 81-95, pp. 63-75). Pasadena, CA: Jet Propulsion Laboratory.

Carico, D., & Corliss, L. D. (1981). Effect of field of view on performing a low altitude maneuvering task. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 62-72). Arlington, VA: American Defense Preparedness Association.

Clapp, R. E. (1987). Field of view, resolution and brightness parameters for eye limited displays. In C. F. Freeman (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 765, Imaging Sensors and Displays (pp. 10-18). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Collyer, S. C., Ricard, G. L., Anderson, M., Westra, D. P., & Perry, R. A. (1980). Field of view requirements for carrier landing training (NAVTRAEEQIPCEN-IH-319/AFHRL-TR-80-10, AD-A088 701). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory; Orlando, FL: Naval Training Equipment Center.

Denz, E. A., Palmer, E. A., & Ellis, S. R. (1980). Effect of field of view and monocular viewing on angular size judgements in an outdoor scene (NASA-TM-81176). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Dixon, K. W., & Curry, D. G. (1987). Effect of scene content and field of view on weapons delivery training. In Proceedings of the 9th Interservice/Industry Training Systems Conference (pp. 247-256). Arlington, VA: American Defense Preparedness Association.

Dixon, K. W., & Curry, D. G. (1990). Weapons delivery training: Effects of scene content and field of view (AFHRL-TP-88-29, AD-A227 968). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Krueger, G. M., Rojas, V. A., & Hubbard, D. C. (1989). The effect of instantaneous field of view size on the acquisition of low level flight and 30-degree manual dive bombing tasks. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 110-121). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Dixon, K. W., Krueger, G. M., Rojas, V. A., & Martin, E. L. (1990). Visual behavior in the F-15 Simulator for Air-to-Air Combat (AFHRL-TP-89-75, AD-A218 648). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Martin, E. L., & Krueger, G. M. (1989). The effect of stationary and head-driven field-of-view sizes on pop-up weapons delivery. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 137-141). Arlington, VA: American Defense Preparedness Association.

Dixon, K. W., Martin, E. L., & Krueger, G. M. (1990). Effects of field-of-view sizes on pop-up weapons delivery (AFHRL-TR-89-51, AD-A223 018). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Martin, E. L., Krueger, G. M., & Rojas, V. A. (1989). Eye movement in air-to-air combat tasks. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3323, pp. 422-425). Washington, DC: American Institute of Aeronautics and Astronautics.

Dixon, K. W., Martin, E. L., Rojas, V. A., & Hubbard, D. C. (1988). The effects of field-of-view on pilot performance in the C-130 WST. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 362-371). Arlington, VA: National Security Industrial Association.

Dixon, K. W., Martin, E. L., Rojas, V. A., & Hubbard, D. C. (1990). Field-of-view assessment of low-level flight and an airdrop in the C-130 Weapon System Trainer (WST) (AFHRL-TR-89-9, AD-A218 504). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Hennessy, R. T., Lintern, G., & Collyer, S. C. (1981). Unconventional visual displays for flight training (NAVTRAEEQUIPCEN-TR-81-014, AD-A111 392). Orlando, FL: Naval Training Equipment Center.

Hoh, R. H. (1985). Investigation of outside visual cues required for low speed and hover. In AIAA Atmospheric Flight Mechanics Conference, A Collection of Technical Papers (AIAA Paper No. 85-1808, pp. 337-349). New York, NY: American Institute of Aeronautics and Astronautics.

Irish, P. A., III, & Buckland, G. H. (1978). Effects of platform motion, visual and G-seat factors upon experienced pilot performance in the flight simulator (AFHRL-TR-78-9, AD-A055 691). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Irish, P. A., III, Grunzke, P. M., Gray, T. H., & Waters, B. K. (1977). The effects of system and environmental factors upon experienced pilot performance in the Advanced Simulator for Pilot Training (AFHRL-TR-77-13, AD-A043 195). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Kellogg, R. S., Hubbard, D. C., & Sieverding, M. J. (1989). Field-of-view variations and stripe-texturing effects on assault landing performance in the C-130 Weapon System Trainer (AFHRL-TR-89-3, AD-A212 763). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kenyon, R. V., & Kneller, E. W. (1992). Human performance and field of view. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 290-293). Playa del Rey, CA: Society for Information Display.

Kerchner, R. M., Hughes, R. G., & Lee, A. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 599-606). Columbus, OH: Ohio State University.

Kerchner, R., Lee, A., & Hughes, R. G. (1983). Air combat simulation visual display requirements: An application of engagement simulation modeling (AFHRL-TR-82-39, AD-B072 581). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Pilot performance as a function of peripheral cues and color in computer generated images. In Proceedings of the 1980 Summer Computer Simulation Conference (pp. 383-388). La Jolla, CA: Society for Computer Simulation.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1982). Peripheral cues and color in visual simulation. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 906-910). Santa Monica, CA: Human Factors Society.

Lintern, G., Sheppard, D. J., Parker, D. L., Yates, K. E., & Nolan, M. D. (1989). Simulator design and instructional features for air-to-ground attack: A transfer study. Human Factors, 31(1), 87-99.

Lintern, G., Taylor, H. L., Koonce, J. M., & Talleur, D. A. (1993). An incremental transfer study of scene detail and field of view effects on beginning flight training. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 2, pp. 737-742). Columbus, OH: Ohio State University.

McMillan, G. R., Cress, J. D., & Middendorf, M. S. (1990). Dynamic seat cuing with wide versus narrow field-of-view visual displays. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3128, pp. 53-62). Washington, DC: American Institute of Aeronautics and Astronautics.

Nataupsky, M., Waag, W. L., Weyer, D. C., McFadden, R. W., & McDowell, E. (1979). Platform motion contributions to simulator training effectiveness: Study III - Interaction of motion with field-of-view (AFHRL-TR-79-25, AD-A078 426). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Osgood, R. K., & Wells, M. J. (1991). The effect of field-of-view size on performance of a simulated air-to-ground night attack. In AGARD Conference Proceedings 517, Helmet Mounted Displays and Night Vision Goggles (AGARD-CP-517, pp. 10-1 - 10-7). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Sheppard, D. J., Jones, S. A., Madden, J., & Westra, D. P. (1988). Simulator design features for precision helicopter hover over small ships. In F. E. McIntire (Ed.), Proceedings of the Eleventh Symposium on Psychology in the Department of Defense (ASAFA-TR-88-1, pp. 340-344). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Sheppard, D. J., Jones, S. A., Westra, D. P., & Madden, J. J. (1988). Simulator evaluation of instructional and design features for training helicopter shipboard landing. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 2, pp. 1261-1265). Santa Monica, CA: Human Factors Society.

Sheppard, D. J., Madden, J., & Jones, S. A. (1987). Simulator design features for helicopter shipboard landings. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 1, pp. 233-237). Santa Monica, CA: Human Factors Society.

Sheppard, D., Westra, D., & Lintern, G. (1986). Simulator design and instructional features for air-to-ground attack: Transfer study. In Proceedings of the Human Factors Society 30th Annual Meeting (Vol. 2, pp. 1038-1042). Santa Monica, CA: Human Factors Society.

Taylor, H. L., Lintern, G., Koonce, J. M., Kunde, D. R., Tschopp, J. M., & Talleur, D. A. (1993). Scene content, field of view and amount of training in first officer training. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 2, pp. 753-757). Columbus, OH: Ohio State University.

Venturino, M., & Wells, M. J. (1990). Head movements as a function of field-of-view size on a helmet-mounted display. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 2, pp. 1572-1576). Santa Monica, CA: Human Factors Society.

Waters, B. K., Grunzke, P. M., Irish, P. A., III, & Fuller, J. H., Jr. (1976). Preliminary investigation of motion, visual and G-seat effects in the Advanced Simulator for Undergraduate Pilot Training (ASUPT). In AIAA Visual and Motion Simulation Conference. Washington, DC: American Institute of Aeronautics and Astronautics.

Wells, M. J., & Venturino, M. (1989). The effect of increasing task complexity on the field-of-view requirements for a visually coupled system. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 1, pp. 91-95). Santa Monica, CA: Human Factors Society.

Westra, D. P. (1982). Simulation and training for aircraft carrier landings - An economical multifactor approach. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 830-834). Santa Monica, CA: Human Factors Society.

Westra, D. P. (1982). Simulation and training for aircraft carrier landings. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 397-404). Arlington, VA: National Security Industrial Association.

Westra, D. P. (1982). Simulator design features for carrier landing: Part 2. In-simulator transfer of training (NAVTRAEEQIPCEN-81-0105-1, AD-A124 024). Orlando, FL: Naval Training Equipment Center.

Westra, D. P., & Lintern, G. (1985). Simulator design features for helicopter landing on small ships: I. A performance study (NAVTRASYSCEN-81-C-0105-13, AD-A169 514). Orlando, FL: Naval Training System Center.

Westra, D. P., Lintern, G., Sheppard, D. J., Thomley, K. E., & Mauk, R. (1986). Simulator design and instructional features for carrier landing: A field transfer study (NAVTRASYSCEN-85-C-0044-2, AD-A169 962). Orlando, FL: Naval Training Systems Center.

Westra, D. P., Lintern, G., & Wightman, D. C. (1986). Aircraft carrier landing research at the visual technology research simulator: Implications for simulator design. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 118-123). San Diego, CA: Society of Computer Simulation.

Westra, D. P., Sheppard, D. J., Jones, S. A., & Hettinger, L. J. (1987). Simulator design features for helicopter shipboard landings: II. Performance experiments (TR-87-041). Orlando, FL: Essex Corp.

Westra, D. P., Simon, C. W., Collyer, S. C., & Chambers, W. S. (1981). Investigation of simulator design features for the carrier landing task. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 448-462). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Westra, D. P., Simon, C. W., Collyer, S. C., & Chambers, W. S. (1982). Simulator design features for carrier landings: I. Performance experiments (NAVTRAEEQIPCEN-78-C-0060-7). Orlando, FL: Naval Training Equipment Center.

Wiekhorst, L. A., & Vaccaro, F. T. (1988). Flight simulator: Field of view utilized in performing tactical maneuvers (AFHRL-TP-87-50, AD-A192 412). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Wightman, D. C., Westra, D. P., & Lintern, G. (1985). Transfer of training of simulator visual and training features for the carrier landing task with undergraduate pilots. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 251-259). Arlington, VA: American Defense Preparedness Association.

Wolpert, L. (1987). Field of view versus retinal field in the detection of loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 223-230). Columbus, OH: Ohio State University.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1985). Advanced Simulator for Pilot Training and helmet-mounted visual display configuration comparisons (AFHRL-TR-84-65, AD-A155 326). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1986). Comparison of helmet-mounted visual displays for flight simulation. Displays Technology and Applications, 7(4), 179-185.

Woodruff, R. R., Longridge, T. M., Jr., Irish, P. A., III, & Jeffreys, R. T. (1979). Pilot performance in simulated aerial refueling as a function of tanker model complexity and visual display field-of-view (AFHRL-TR-78-98, AD-A070 231). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Yeend, R., & Carico, D. (1978). A program for determining flight simulator field-of-view requirements (NATC-TM-78-1-RW, AD-A058 932). Patuxent River, MD: Naval Air Test Center.

Yeend, R., & Carico, D. (1978). A program for determining flight simulator field of view requirements. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAQ EQUIPCEN-IH-306, pp. 33-42). Orlando, FL: Naval Training Equipment Center.

12. SCENE TEXTURE

Barfield, W., Rosenberg, C., & Kraft, C. (1989). The effects of visual cues to realism and perceived impact point during final approach. In Proceedings of the Human Factors Society 33rd Annual Meeting (Vol. 1, pp. 115-119). Santa Monica, CA: Human Factors Society.

Bethke, R. J. (1980). Stochastic surfaces for flight simulator displays. In Proceedings of the IEEE 1980 National Aerospace and Electronics Conference, NAECON 1980 (Vol. 1, pp. 1030-1033). New York, NY: Institute of Electrical and Electronics Engineers.

Blanton, K. (1988). Image extrapolation for flight simulator visual systems. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4577, pp. 17-22). Washington, DC: American Institute of Aeronautics and Astronautics.

Bookout, G., & Sinacori, J. (1993). Texture as a visual cueing element in computer image generation. I - Representation of the sea surface. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Paper (AIAA Paper No. 93-3560, pp. 341-347). Washington, DC: American Institute of Aeronautics and Astronautics.

Buckland, G. H. (1980). Flight simulator runway visual textural cues for landing. In G. E. Corrick, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 286-287). Santa Monica, CA: Human Factors Society.

Buckland, G. H. (1980). Visual cue requirements for terrain flight simulation. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 92-93). Arlington, VA: National Security Industrial Association.

Buckland, G. H., Edwards, B. J., & Stephens, C. W. (1981). Flight simulator visual and instructional features for terrain flight simulation. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 350-362). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Buckland, G. H., Monroe, E. G., & Mehrer, K. I. (1977). Simulator runway touchdown zone visual requirements; textural visual cue considerations. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 174-184). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Buckland, G. H., Monroe, E. G., & Mehrer, K. I. (1980). Flight simulator runway visual textural cues for landing (AFHRL-TR-79-81, AD-A089 434). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Bunker, M., Economy, R., & Harvey, J. (1984). Cell texture - Its impact on computer image generation. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 149-155). Arlington, VA: National Security Industrial Association.

Butler, T. (1989). Three approaches to terrain rendering. In Y-w. Lin & R. Srinivasan (Eds.). Proceedings of SPIE-The International Society for Optical Engineering, Volume 1075, Digital Image Processing Applications (pp. 217-225). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Butler, T. (1991). Three approaches to terrain rendering. In Proceedings of the IEEE 1991 National Aerospace and Electronics Conference, NAECON 1991 (Vol. 2, pp. 926-932). New York, NY: Institute of Electrical and Electronics Engineers.

Chappelow, J. W., & Smart, J. A. (1982). Putting texture in perspective. In Flight Simulation-Avionic Systems and Aero Medical Aspects, Proceedings of the International Conference (pp. 1-7). London, England: Royal Aeronautical Society.

Cheng, P-Y., & Szabo, N. (1984). Building digital image generator objects with multiple textured planes. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 23-28). Arlington, VA: National Security Industrial Association.

Clark, L. C., & Brown, T. C. (1987). Photographic texture and CIG: Modeling strategies for production data bases. In Proceedings of the 9th Interservice/Industry Training Systems Conference (pp. 274-283). Arlington, VA: American Defense Preparedness Association.

Cosman, M. A. (1994). Global terrain texture: Lowering the cost. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 52-64). Tempe, AZ: IMAGE Society, Inc.

De Maio, J., & Brooks, R. (1985). Perception of altitude in the low and medium altitude ranges. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 505-512). Columbus, OH: Ohio State University.

deSpautz, J. F., Bender, M. B., & McNamara, V. M. (1980). Flight training simulator: Surface texturing via pseudo random noise codes (AFHRL-TR-80-13, AD-A093 734). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Devarajan, V., & McArthur, D. E. (1993). Terrain modeling for real-time photo-texture based visual simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3607, pp. 133-139). Washington, DC: American Institute of Aeronautics and Astronautics.

Economy, R., & Bunker, M. (1984). Advanced video object simulation. In Proceedings of the IEEE National Aerospace and Electronics Conference, NAECON 1984 (Vol. 2, pp. 1065-1071). New York, NY: Institute of Electrical and Electronics Engineers.

Economy, R., Ellis, J. R., & Ferguson, R. L. (1988). The application of aerial photography and satellite imagery to flight simulation. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 280-287). Arlington, VA: National Security Industrial Association.

Flach, J. M. (1994). Perception and control of locomotion (AFOSR-TR-94-0648, AD-A285 605). Bolling AFB, DC: Air Force Office of Scientific Research.

Flach, J. M. (1992). Perception/action: An holistic approach (AFOSR-TR-92-1019). Bolling AFB, DC: Air Force Office of Scientific Research.

Flach, J. M., Hagen, B. A., & Larish, J. F. (1992). Active regulation of altitude as a function of optical texture. Perception & Psychophysics, 51(6), 557-568.

Fujino, M., & Ogata, M. (1988). Dynamic texture in visual system. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4578, pp. 23-25). Washington, DC: American Institute of Aeronautics and Astronautics.

Gardner, G. Y. (1979). Computer-generated texturing to model real-world features. In Proceedings of the 1st Interservice/Industry Training Equipment Conference (NAVTRAEEQUIPCEN-IH-316, pp. 239-246). Orlando, FL: Naval Training Equipment Center.

Gardner, G. Y., Berlin, E. P., Jr., & Gelman, B. (1981). A real-time computer image generation system using textured curved surfaces. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 59-76). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Gardner, G. Y., & Gelman, B. (1982). Simplified scene modeling using curved surfaces and texturing. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 23-29). Arlington, VA: National Security Industrial Association.

Garness, S. A., Flach, J. M., Stanard, T., & Warren, R. (1994). The basis for the perception and control of altitude: Splay & depression angle components of optical flow. In Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting (Vol. 2, pp. 1275-1279). Santa Monica, CA: Human Factors and Ergonomics Society.

Geri, G. A., Lyon, D. R., & Zeevi, Y. Y. (1994). Visual evaluation of computer-generated textures (AL/HR-TR-1993-0189, AD-A277 201). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Heckbert, P. S. (1986). Survey of texture mapping. IEEE Computer Graphics and Applications, 6(11), 56-67.

Heckbert, P. S. (1986). Survey of texture mapping. In Proceedings of Graphics Interface '86 and Vision Interface '86 (pp. 207-212). Toronto, Ontario, Canada: Canadian Information Processing Society.

Hettinger, L. J., Owen, D. H., & Warren, R. (1983). The functional utility of optical flow acceleration as information for detecting loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 503-511). Columbus, OH: Ohio State University.

Hettinger, L. J., Warren, R., & Owen, D. H. (1982). Optical information for descent in flight simulation. In Proceedings of the IEEE 1982 National Aerospace and Electronics Conference, NAECON 1982 (Vol. 1, pp. 435-439). New York, NY: Institute of Electrical and Electronics Engineers.

Hinz, S. J., & Bennett, C. T. (1989). Heading control and the effects of display characteristics. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 1, pp. 263-268). Columbus, OH: Ohio State University.

Hooks, J. T., Martinsen, G. J., & Devarajan, V. (1990). On 3-D perspective generation from a multi-resolution photo mosaic data base. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 132-142). Tempe, AZ: IMAGE Society, Inc.

Jarvis, K. M. (1990). Photomap texture for the medium cost/performance visual system. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 24-28). Warminster, Wiltshire, UK: ITEC Ltd.

Johnson, W. W., & Awe, C. A. (1994). Selective use of functional optical variables in the control of forward speed (NASA-TM-108849). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Johnson, W. W., Bennett, C. T., Tsang, P. S., & Phatak, A. V. (1987). The visual control of simulated altitude. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 216-222). Columbus, OH: Ohio State University.

Johnson, W. W., & Phatak, A. V. (1989). Optical variables and control strategy used in a visual hover task. In Proceedings of the 1989 IEEE International Conference on Systems, Man, and Cybernetics (Vol. II, pp. 719-724). New York, NY: Institute of Electrical and Electronics Engineers.

Johnson, W. W., Tsang, P. S., Bennett, C. T., & Phatak, A. V. (1989). The visually guided control of simulated altitude. Aviation, Space, and Environmental Medicine, 60(2), 152-156.

Kasparis, T., Tzannes, N. S., Bassiouni, M., & Chen, Q. (1991). Fractal-based multi-feature texture description. In H. N. Nasr (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1521, Image Understanding for Aerospace Applications (pp. 46-54). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Kellogg, R. S., Hubbard, D. C., & Sieverding, M. J. (1989). Field-of-view variations and stripe-texturing effects on assault landing performance in the C-130 Weapon System Trainer (AFHRL-TR-89-3, AD-A212 763). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kelly, L., Flach, J. M., Garness, S., & Warren, R. (1993). Altitude control: Effects of texture and global optical flow. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 292-295). Columbus, OH: Ohio State University.

Kleiss, J. A. (1994). Effect of terrain shape and object grouping on detection of altitude change in a flight simulator. In Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting (Vol. 1, pp. 119-123). Santa Monica, CA: Human Factors and Ergonomics Society.

Larish, J. F., & Flach, J. M. (1987). Judgment of speed with computer generated motion displays. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 244-250). Columbus, OH: Ohio State University.

Latham, R. (1994). Achieving consistent colors and textures in visual simulations. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-7). Arlington, VA: National Security Industrial Association.

Levison, W. H., & Warren, R. (1984). Use of linear perspective scene cues in a simulated height regulation task. In Proceedings of the Twentieth Annual Conference on Manual Control (NASA Conference Publication 2341, Vol. 1, pp. 467-490). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Lintern, G., & Liu, Y-T. (1991). Explicit and implicit horizons for simulated landing approaches. Human Factors, 33(4), 401-417.

McCormick, D., Smith, T., Lewandowski, F., Preskar, W., & Martin, E. (1983). Low-Altitude Database Development Evaluation and Research (LADDER). In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 150-155). Arlington, VA: American Defense Preparedness Association.

Mitchell, N. B. (1985). The impact of scene digitization on distance judgments. In R. W. Swezey (Ed.), Proceedings of the Human Factors Society 29th Annual Meeting (Vol. 1, pp. 297-299). Santa Monica, CA: Human Factors Society.

Nelson, D., & Ritchie, M. (1976). Using computer-generated displays for research on synthesized displays: Distance perception aided by aerial perspective and texture (AMRL-TR-76-34, AD-A030 589). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

O'Donnell, K. A., Johnson, W. W., & Bennett, C. T. (1988). The effect of perspective displays on altitude and stability control in simulated rotary wing flight. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4634, pp. 325-331). Washington, DC: American Institute of Aeronautics and Astronautics.

Owen, D. H. (1982). Optical flow and texture variables useful in simulating self motion (AFOSR-TR-82-0545, AD-A117 016). Bolling AFB, DC: Air Force Office of Scientific Research.

Owen, D. H. (1983). Optical flow and texture variables useful in simulating self motion (II) (AFOSR-TR-83-0807, AD-A133 597). Bolling AFB, DC: Air Force Office of Scientific Research.

Owen, D. H. (1985). Optical and event-duration variables affecting self-motion perception (AFHRL-TP-85-23, AD-A161 836). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H. (1986). Optical information for flight simulation. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 170-190). London, England: Royal Aeronautical Society.

Owen, D. H., Freeman, S. J., Zaff, B. F., & Wolpert, L. (1987). Perception and control of simulated self motion (AFHRL-TR-87-16). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H., Hettinger, L. J., Wolpert, L., Tobias, S. B., & Warren, R. (1983). Optical flow and texture variables useful for detecting changes in simulated self motion. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 2, pp. 996-1000). Santa Monica, CA: Human Factors Society.

Paterson, D. N. (1993). Fractal analysis and reconstruction of textures for visual simulation. In ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 16-24). Warminster, Wiltshire, UK: ITEC Ltd.

Phelps, M. (1984). Low altitude texture comparison data base and smooth shaded texture (AFHRL-TP-84-33, AD-A150 342). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Picard, R. W. (1992). Random-field texture coding. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 685-688). Playa del Rey, CA: Society for Information Display.

Rao, A. R., & Lohse, J. (1992). Identifying high level features of texture perception. In B. E. Rogowitz (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1666, Human Vision, Visual Processing, and Digital Display III (pp. 424-435). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Rao, A. R., & Lohse, G. L. (1993). Towards a texture naming system: Identifying relevant dimensions of texture. In Visualization '93, Proceedings of the Fourth Annual IEEE Conference on Visualization (pp. 220-227). Los Alamitos, CA: IEEE Computer Society Press.

Reardon, K. A. (1988). The effects of nested texture on a landing-judgment task. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 1, pp. 10-14). Santa Monica, CA: Human Factors Society.

Reardon, K. A., Oliver, C. G., & Warren, R. (1987). Flight simulation training using standard and non-standard tasks. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1291-1295). Santa Monica, CA: Human Factors Society.

Reardon, K. A., & Warren, R. (1989). Effect of emergent detail on descent-rate estimations in flight simulators. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 714-719). Columbus, OH: Ohio State University.

Reynolds, R. V., Dungan, W. O., Jr., & Sutty, G. J. (1978). Depth perception and motion cues via textured scenes. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1577, pp. 46-48). New York, NY: American Institute of Aeronautics and Astronautics.

Richards, W. A. (1976). Experiments in texture perception (AFOSR-TR-76-1312, AD-A033 834). Bolling AFB, DC: Air Force Office of Scientific Research.

Richards, W. A. (1977). Experiments in texture perception (AFOSR-TR-77-0910, AD-A043 402). Bolling AFB, DC: Air Force Office of Scientific Research.

Robinson, J., & Zimmerman, S. (1985). Exploiting texture in an integrated training environment. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 113-121). Arlington, VA: American Defense Preparedness Association.

Roscoe, S. N. (1978). When day is done and shadows fall, we miss the airport most of all. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 63-70). Orlando, FL: Naval Training Equipment Center.

Rosenberg, C., & Barfield, W. (1991). Relationship between surface texture and object density on judgements of velocity, altitude, and change of altitude. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 1, pp. 601-606). Columbus, OH: Ohio State University.

Schachter, B. (1979). Computer generation of full colored textured terrain images. In Proceedings of the 1st Interservice/Industry Training Equipment Conference (NAVTRAEEQUIPCEN-IH-316, pp. 367-374). Orlando, FL: Naval Training Equipment Center.

Serreyn, D., & Duncan, D. (1981). Computer image generation: Advanced visual/sensor simulation (AFHRL-TP-81-23, AD-A107 098). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Skolmoski, P. T., & Fortin, M. (1982). Texture in a low cost visual system. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 541-547). Arlington, VA: National Security Industrial Association.

Soland, D., Voth, M., & Narendra, P. M. (1981). Real-time feasibility for generation of nonlinear textured terrain (AFHRL-TR-79-27, AD-A095 070). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Stark, E. A. (1976). Motion perception and terrain visual cues in air combat simulation. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 39-49). New York, NY: American Institute of Aeronautics and Astronautics.

Stenger, T., Dungan, W., & Reynold, R. (1979). Computer image generation texture study (AFHRL-TR-79-2). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

Stevens, K. A. (1981). Computational analysis: A technique for improving the visual simulation of terrain: (as applied to low level flight). In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 5-24). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Tobias, S. B., & Owen, D. H. (1983). Useful optical variables for detecting decelerating self motion. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 495-501). Columbus, OH: Ohio State University.

Warner, H. D., Serfoss, G. L., & Hubbard, D. C. (1994). Altitude cuing effectiveness of terrain texture characteristics in simulated low-altitude flight (AL/HR-TR-1994-0168). Mesa, AZ: AircREW Training Research Division, Armstrong Laboratory.

Weinstein, L. F. (1989). Ground-texture information for aimpoint estimation. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 737-742). Columbus, OH: Ohio State University.

Wolpert, L. (1987). Field of view versus retinal field in the detection of loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 223-230). Columbus, OH: Ohio State University.

Wolpert, L. (1988). The active control of altitude over differing texture. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 1, pp. 15-19). Santa Monica, CA: Human Factors Society.

Wolpert, L., Owen, D. H., & Warren, R. (1983). Eyeheight-scaled versus ground-texture-unit scaled metrics for the detection of loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 513-521). Columbus, OH: Ohio State University.

Woodruff, C. J. (1986). A proposed methodology for the spatial characterisation of foliage backgrounds (MRL-TN-510, AD-A178 747). Melbourne, Australia: Materials Research Laboratories, Defence Science and Technology Organization, Department of Defence.

Yang, S., Wood, S., & Wallner, D. (1986). Generation of texture patterns for realistic visual simulation. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 78-85). Arlington, VA: National Security Industrial Association.

Zimmerman, S. A. (1987). Applying frequency domain constructs to a broad spectrum of visual simulation problems. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 208-216). Tempe, AZ: IMAGE Society, Inc.

13. DISPLAY COLOR

Chase, W. D. (1977). Effect of display color on pilot performance and describing functions. Journal of Aircraft, 14(4), 333-342.

Clapp, R. E. (1985). Importance of color displays in visual flight simulation. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Vol. 16, No. 1, pp. 179-182). La Jolla, CA: Society for Computer Simulation.

Demars, S. A. (1975). Human factors considerations for the use of color in display systems (NASA-TM-X-72196). Cocoa Beach, FL: John F. Kennedy Space Center, National Aeronautics and Space Administration.

Doucette, A. R. (1977). Color discrimination in digital displays. In L. Winner (Ed.), 1977 SID International Symposium Digest of Technical Papers, Volume VIII (pp. 48-49). Los Angeles, CA: Society for Information Display.

Fairchild, M. D. (1994). Some hidden requirements for device-independent color imaging. In J. Morreale (Ed.), 1994 SID International Symposium Digest of Technical Papers, Volume XXV (pp. 865-868). Santa Ana, CA: Society for Information Display.

Farley, W. W. (1987). Design and testing of a luminance and chrominance stabilization system for a computer-controlled color display (AAMRL-TR-87-027, AD-A191 922). Wright-Patterson AFB, OH: Harry G. Armstrong Aerospace Medical Research Laboratory.

Farley, W. W., & Gutmann, J. C. (1980). Digital image processing systems and an approach to the display of colors of specified chrominance (VPI-HFL-80-2/ONR-80-2, AD-A089 587). Arlington, VA: Engineering Psychology Programs, Office of Naval Research.

Garrett, J. L., Hepner, J. W., & Howard, C. M. (1993). Color control for flight simulation at Armstrong Laboratory. In R. J. Motta & H. A. Berberian (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1909, Device-Independent Color Imaging and Imaging Systems Integration (pp. 206-211). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Gutmann, J. C., & Rogers, S. P. (1982). Displaying colors of specified chrominance on a color graphics display (AS-TR-459-4, AD-A133 591). Santa Barbara, CA: Anacapa Sciences, Inc.

Hilgendorf, R. L., & Milenski, J. (1974). SEEKVAL Project IA1: Effects of brightness contrast on target acquisition (AMRL-TR-74-55). Wright-Patterson AFB, OH: Aerospace Medical Division, Aerospace Medical Research Laboratory.

Howard, C. M. (1990). An automated method of device-independent color rendering. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 270-273). Tempe, AZ: IMAGE Society, Inc.

Howard, C. M. (1994). Color control in a multichannel simulator display: The Display for Advanced Research and Training (AL/HR-TR-1994-0024, AD-A279 717). Mesa, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Howard, C. M., & Burnidge, J. (1994). Colors in natural landscapes (AL/HR-TR-1993-0172, AD-A277 204). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Howard, C. M., & Burnidge, J. A. (1994). Colors in natural landscapes. Journal of the Society for Information Display, 2(1), 47-55.

Inoue, M., & Kosugi, M. (1992). Enhancement of natural color reproduction on CRTs. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 198-201). Playa del Rey, CA: Society for Information Display.

Kellogg, R. S., Kennedy, R. S., & Woodruff, R. R. (1983). Comparison of colour and black-and-white visual displays as indicated by bombing performance in the 2B35 TA-4J flight simulator. Displays Technology and Applications, 4(2), 106-107.

Kellogg, R. S., Kennedy, R. S., & Woodruff, R. R. (1984). Comparison of color versus black-and-white visual displays as indicated by bombing and landing performance in the 2B35 TA-4J flight simulator (AFHRL-TR-84-22, AD-A144 674). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Koebel, A., & Schmidt, T. (1991). A versatile automatic convergence system for a three-lens CRT projector. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 159-162). Playa del Rey, CA: Society for Information Display.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Pilot performance as a function of peripheral cues and color in computer generated images. In Proceedings of the 1980 Summer Computer Simulation Conference (pp. 383-388). La Jolla, CA: Society for Computer Simulation.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1982). Peripheral cues and color in visual simulation. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 906-910). Santa Monica, CA: Human Factors Society.

Latham, R. (1994). Achieving consistent colors and textures in visual simulations. In Proceedings of the 16th Interservice/Industry Training Systems and Education Conference (Paper No. 4-7). Arlington, VA: National Security Industrial Association.

Laycock, J. (1982). Evaluation of the perceptual attributes of emissive and non-emissive display designs using computer simulation. Displays, 3, 193-196.

Lippert, T. M., Farley, W. W., Post, D. L., & Snyder, H. L. (1983). Color contrast effects on visual performance. In L. Winner & M. Winner (Eds.), 1983 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 170-171). Los Angeles, CA: Society for Information Display.

Lloyd, C. J. C., & Beaton, R. J. (1990). Design of a spatial-chromatic human vision model for evaluating full-color display systems. In B. E. Rogowitz & J. P. Allebach (Eds.), Proceeding SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications (pp. 23-37). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Lucassen, M. P., & Walraven, J. (1990). Evaluation of a simple method for color monitor recalibration (ETN-91-98316). Soesterberg, Netherlands: Institute for Perception RVO-TNO.

McCollough-Howard, C. (1992). Color control in digital displays. In M. A. Karim (Ed.), Electro-Optical Displays (pp. 711-742). New York, NY: Marcel Dekker, Inc.

McCollough-Howard, C. (1993). Device-independent color rendering for multiple display devices and networked simulator displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 569-572). Playa del Rey, CA: Society for Information Display.

Motta, R. J. (1993). Visual characterization of color CRTs. In R. J. Motta & H. A. Berberian (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1909, Device-Independent Color Imaging and Imaging Systems Integration (pp. 212-221). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Mulligan, J. B. (1990). Digital halftoning methods for selectively partitioning error into achromatic and chromatic channels. In B. E. Rogowitz & J. P. Allebach (Eds.), Proceeding SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications (pp. 261-270). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Nagy, A. L., Sanchez, R. R., & Hughes, T. C. (1990). Visual search for color differences with foveal and peripheral vision. Journal of the Optical Society of America A: Optics and Image Science, 7(10), 1995-2001.

Neil, D. E. (1979). Design parameters and color CRT display design (NPS55-79-005, AD-A068 584). Monterey, CA: Naval Postgraduate School.

Phillips, P. L. (1985). Minimum colour differences required to recognise small objects on a colour CRT. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 526, Advances in Display Technology V (pp. 21-34). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Post, D. L., & Calhoun, C. S. (1987). An evaluation of methods for producing specific colors on CRTs. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1276-1280). Santa Monica, CA: Human Factors Society.

Post, D. L., Costanza, E. B., & Lippert, T. M. (1982). Expressions of color contrast as equivalent achromatic contrast. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 581-585). Santa Monica, CA: Human Factors Society.

Post, D. L., Lippert, T. M., & Snyder, H. L. (1983). Quantifying color contrast. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 386, Advances in Display Technology III (pp. 12-19). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Puig, J. A. (1976). Requirements for color in television displays (NAVTRAEOUIPCEN-TN-50, AD-A026 747). Orlando, FL: Naval Training Equipment Center.

Sanchez, R. R., & Nagy, A. L. (1989). Interaction of color and luminance differences for optimal visual search. In J. Morreale (Ed.), 1989 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 296-299). Playa del Rey, CA: Society for Information Display.

Shaowei, F. (1992). Psychophysical method of color reproduction. In F. A. Sadjadi (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1700, Automatic Object Recognition II (pp. 517-521). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Silverstein, L. D., Lepkowski, J. S., Carter, R. C., & Carter, E. C. (1986). Modeling of display color parameters and algorithmic color selection. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 624, Advances in Display Technology VI (pp. 26-35). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Tajima, J. (1983). Uniform color scale applications to computer graphics. Computer Vision, Graphics, and Image Processing, 21(3), 305-325.

Thorell, L. G. (1983). Introduction to color vision. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 386, Advances in Display Technology III (pp. 2-5). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Virgin, L., Murch, G., TenKate, B., & McManus, P. (1986). Colorimetric calibration and specification of CRT systems. In J. Morreale (Ed.), 1986 SID International Symposium Digest of Technical Papers, Volume XVII (pp. 334-337). Playa del Rey, CA: Society for Information Display.

Wagner, D. W. (1976). Target acquisition performance with color versus black and white television. In L. Winner & B. K. Winner (Eds.), 1976 SID International Symposium Digest of Technical Papers, Volume VII (pp. 114-115). Los Angeles, CA: Society for Information Display.

Woodruff, R. R. (1979). Effects of varying visual display characteristics of the T-4G, a T-37 flight simulator (AFHRL-TR-79-17, AD-A071 410). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

14. DISPLAY LUMINANCE

Benson, A. J., Gilson, R. D., & Guedry, F. E., Jr. (1970). Influence of vestibular stimulation and display luminance on the performance of a compensatory tracking task (NAMI-1097, AD-704 859). Pensacola, FL: Naval Aerospace Medical Institute.

Briggs, S. J. (1979). Photometric techniques for deriving a "best gamma" for displays. In J. R. Parsons (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 199, Advances in Display Technology (pp. 134-145). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Clapp, R. E. (1987). Field of view, resolution and brightness parameters for eye limited displays. In C. F. Freeman (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 765, Imaging Sensors and Displays (pp. 10-18). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Evans, R. J. (1994). Empirical approach to visual display preference based upon modulation transfer function and luminance (AL/HR-TR-1994-0107, AD-A285 450). Mesa, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Gallimore, J. J., & Farley, W. W. (1992). Effects of spatial luminance nonuniformities on visual-task performance and subjective uniformity (HEL-TM-5-92, AD-A255 989). Aberdeen Proving Ground, MD: U.S. Army Human Engineering Laboratory.

Hone, G. N., & Davies, I. R. L. (1993). Brightness and depth on the flat screen: cue conflict in simulator displays. In J. P. Allebach & B. E. Rogowitz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1913, Human Vision, Visual Processing, and Digital Display IV (pp. 518-528). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Howard, C. M. (1990). Measurement of apparent brightness in the mesopic luminance range. In M. H. Brill (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1250, Perceiving, Measuring, and Using Color (pp. 19-25). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Hyman, A., Johnson, R. M., & Gade, P. A. (1980). Helicopter electro-optical system display requirements: 1. The effects of CRT display size, system gamma function, and terrain type on pilots required display luminance (ARI-TR-441, AD-A089 755). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1984). Visual simulation requirements for aircraft aspect recognition at real world distances (NAVTRAEEQUIPCEN-81-C-0105-5, AD-A151 040). Orlando, FL: Naval Training Equipment Center.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1988). Spatial requirements for visual simulation of aircraft at real-world distances. Human Factors, 30(2), 153-161.

Kennedy, R. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1982). Visual simulation requirements for aircraft aspect recognition at real world distances. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 901-905). Santa Monica, CA: Human Factors Society.

Owen, J. R. (1980). Distribution of monochrome screen luminance in the CTOL Visual Technology Research Simulator (NAVTRAEEQUIPCEN-IH-328, AD-A111 799). Orlando, FL: Naval Training Equipment Center.

Roufs, J. A. J. (1989). Brightness contrast and sharpness, interactive factors in perceptual image quality. In B. E. Rogowitz (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1077, Human Vision, Visual Processing, and Digital Display (pp. 66-72). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Sanchez, R. R., & Nagy, A. L. (1989). Interaction of color and luminance differences for optimal visual search. In J. Morreale (Ed.), 1989 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 296-299). Playa del Rey, CA: Society for Information Display.

Skolnick, L., & Callahan, J. W. (1994). Luminance calculation on a spherical projection surface with varying screen gain characteristics. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 22-32). Tempe, AZ: IMAGE Society, Inc.

Tumblin, J. (1988). Matching pilot perceptions of real world and simulated light sources in visual flight simulators. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4623, pp. 282-287). Washington, DC: American Institute of Aeronautics and Astronautics.

Westra, D. P., Simon, C. W., Collyer, S. C., & Chambers, W. S. (1982). Simulator design features for carrier landings: I. Performance experiments (NAVTRAEEQUIPCEN-78-C-0060-7). Orlando, FL: Naval Training Equipment Center.

15. IMAGE CONTRAST AND SHARPNESS

Carlson, C. R., Cohen, R. W., Gorog, I., & Heyman, P. M. (1977). Subjective sharpness of displayed images as a function of the display modulation transfer function. In L. Winner (Ed.), 1977 SID International Symposium Digest of Technical Papers, Volume VIII (pp. 46-47). Los Angeles, CA: Society for Information Display.

Glenn, W. E., Glenn, K. G., Bastian, C. J. (1985). Apparent sharpness of televised moving objects. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 104-107). Playa del Rey, CA: Society for Information Display.

Heising, H. (1981). Einfluss des Kontrastes auf die Raumwahrnehmung bei TV-flugaussensichtsdarstellungen (Effect of contrast on space perception in TV displays of the external scene observed by the pilot). Wachtberg-Werthhoven, West Germany: Forschungsinstitut fuer Anthropotechnik. (In German)

Hilgendorf, R. L., & Milenski, J. (1974). SEEKVAL Project IA1: Effects of brightness contrast on target acquisition (AMRL-TR-74-55). Wright-Patterson AFB, OH: Aerospace Medical Division, Aerospace Medical Research Laboratory.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1984). Visual simulation requirements for aircraft aspect recognition at real world distances (NAVTRAEEQUIPCEN-81-C-0105-5, AD-A151 040). Orlando, FL: Naval Training Equipment Center.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1988). Spatial requirements for visual simulation of aircraft at real-world distances. Human Factors, 30(2), 153-161.

Kennedy, R. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1982). Visual simulation requirements for aircraft aspect recognition at real world distances. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 901-905). Santa Monica, CA: Human Factors Society.

Kerchner, R. M., Hughes, R. G., & Lee, A. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 599-606). Columbus, OH: Ohio State University.

Kerchner, R., Lee, A., & Hughes, R. G. (1983). Air combat simulation visual display requirements: An application of engagement simulation modeling (AFHRL-TR-82-39, AD-B072 581). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kosnik, W. (1992). Controlling contrast in target acquisition simulations involving complex backgrounds. In Proceedings of the Human Factors Society 36th Annual Meeting (Vol. 2, pp. 1435-1439). Santa Monica, CA: Human Factors Society.

Lee, A. T., & Hughes, R. G. (1981). Visual display resolution and contrast requirements for air combat simulation: An application of computer modeling. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 33-40). Arlington, VA: American Defense Preparedness Association.

Mizusawa, K., & Kubo, S. (1981). Relationship between human evaluation of the sharpness of an image and modulation transfer function. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 44-47). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Petersen, H. E., & Dugas, D. J. (1972). The relative importance of contrast and motion in visual detection. Human Factors, 14(3), 207-216.

Roufs, J. A. J. (1989). Brightness contrast and sharpness, interactive factors in perceptual image quality. In B. E. Rogowitz (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1077, Human Vision, Visual Processing, and Digital Display (pp. 66-72). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Sekuler, R. (1985). Enhancing sensitivity to visual motion and enhancing visual sensitivity (AFOSR-TR-85-0668, AD-A158 800). Bolling AFB, DC: Air Force Office of Scientific Research.

Westerink, J. H. D. M., & Teunissen, C. (1990). Perceived sharpness in moving images. In B. E. Rogowitz & J. P. Allebach (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications (pp. 78-87). Bellingham, WA: SPIE-The International Society for Optical Engineering.

16. DISPLAY RESOLUTION

Barbarasch, J., & Buhler, F. T. (1983). Characterization of CRT resolution. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 1, pp. 327-334). New York, NY: Institute of Electrical and Electronics Engineers.

Barten, P. G. J. (1986). Resolution of projection TV systems. In J. Morreale (Ed.), 1986 SID International Symposium Digest of Technical Papers, Volume XVII (pp. 455-458). Playa del Rey, CA: Society for Information Display.

Batson, V. M., Harris, R. L., Sr., & Houck, J. A. (1992). Effect of display parameters on pilots' ability to approach, flare and land. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4139, pp. 322-332). Washington, DC: American Institute of Aeronautics and Astronautics.

Bloomfield, J. R., & McAleese, K. J. (1975). Effect of changes in visual parameters of helmet-mounted displays on target acquisition performance. In L. Winner & B. K. Winner (Eds.), 1975 SID International Symposium Digest of Technical Papers, Volume VI (pp. 102-103). Los Angeles, CA: Society for Information Display.

Booth, K. S., Bryden, M. P., Cowan, W. B., Morgan, M. F., & Plante, B. L. (1987). On the parameters of human visual performance: An investigation of the benefits of antialiasing. IEEE Computer Graphics and Applications, 7(9), 34-41.

Clapp, R. E. (1984). Baffled eye and confounded brain or Using visual illusions to train blind pilots. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 391-404). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Clapp, R. (1985). Limiting resolution requirements for visual displays in simulation. In Proceedings of the 1985 Summer Computer Simulation Conference (pp. 738-743). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1985). The rastered eye; vision in television. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 526, Advances in Display Technology V (pp. 36-42). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Clapp, R. E. (1985). Resolution and scene detail performance of the visual system in flight simulation. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Volume 16, No. 1, pp. 169-173). La Jolla, CA: Society for Computer Simulation.

Clapp, R. E. (1987). Field of view, resolution and brightness parameters for eye limited displays. In C. F. Freeman (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 765, Imaging Sensors and Displays (pp. 10-18). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1984). Visual simulation requirements for aircraft aspect recognition at real world distances (NAVTRAEEQUIPCEN-81-C-0105-5, AD-A151 040). Orlando, FL: Naval Training Equipment Center.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1988). Spatial requirements for visual simulation of aircraft at real-world distances. Human Factors, 30(2), 153-161.

Kennedy, R. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1982). Visual simulation requirements for aircraft aspect recognition at real world distances. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 901-905). Santa Monica, CA: Human Factors Society.

Kerchner, R. M., Hughes, R. G., & Lee, A. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 599-606). Columbus, OH: Ohio State University.

Kerchner, R., Lee, A., & Hughes, R. G. (1983). Air combat simulation visual display requirements: An application of engagement simulation modeling (AFHRL-TR-82-39, AD-B072 581). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Knox, S. T. (1987). Resolution and addressability requirements for digital CRTs. In J. Morreale (Ed.), 1987 SID International Symposium Digest of Technical Papers, Volume XVIII (pp. 26-29). Playa del Rey, CA: Society for Information Display.

Kraiss, K. F., & Schubert, E. (1977). Matching image resolution to the eye resolution. In L. Winner (Ed.), 1977 SID International Symposium Digest of Technical Papers, Volume VIII (pp. 44-45). Los Angeles, CA: Society for Information Display.

Lee, A. T., & Hughes, R. G. (1981). Visual display resolution and contrast requirements for air combat simulation: An application of computer modeling. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 33-40). Arlington, VA: American Defense Preparedness Association.

Mitchell, T. (1982). Dynamic perception of computer generated visual information in an altitude control task. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 890-894). Santa Monica, CA: Human Factors Society.

Moulden, B., & Kingdom, F. (1987). Effect of pixel height, display height, and vertical resolution on the detection of a simple vertical line signal in visual noise. Human Factors, 29(4), 433-445.

Murch, G., & Virgin, L. (1985). Resolution and addressability: How much is enough? In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 101-103). Playa del Rey, CA: Society for Information Display.

Murch, G., Virgin, L., & Beaton, R. (1985). Resolution and addressability: How much is enough? Proceedings of the Society for Information Display, 26(4), 305-308.

Schmieder, D. E., & Weathersby, M. R. (1983). Detection performance in clutter with variable resolution. IEEE Transactions on Aerospace and Electronic Systems, AES-19(7), 622-630.

Setty, K. S. L. (1980). The ultimate resolution criterion for out-of-the-cockpit visual scene generation in real time. In T. F. Tao (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 241, Real-Time Signal Processing III (pp. 61-69). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Veron, H. (1989). A resolution measurement technique for large screen displays. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1081, Projection Display Technology, Systems, and Applications (pp. 21-28). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Westerink, J. H. D. M., & Roufs, A. J. (1988). A local basis for perceptually relevant resolution measures. In J. Morreale (Ed.), 1988 SID International Symposium Digest of Technical Papers, Volume XIX (pp. 360-363). Playa del Rey, CA: Society for Information Display.

17. DISPLAY INTERLACING AND ANTIALIASING

Allen, C. (1980). Anti-aliasing considerations in computer-generated imagery. In Proceedings of the 1980 Summer Computer Simulation Conference (pp. 282-285). La Jolla, CA: Society for Computer Simulation.

Beeteson, J. S., & Strain, C. G. (1984). Line pairing and flicker reduction in interlaced cathode ray tube displays. IBM Technical Disclosure Bulletin, 26(9), 4813-4815.

Biberman, L. M., Legault, R., Milton, A. F., Rosell, F. A., Schade, O. H., Sr., Schnitzler, A. D., & Snyder, H. L. (1971). Image quality in sampled data systems (IDA/HQ-71-13139, AD-733 663). Arlington, VA: Science and Technology Division, Institute for Defense Analyses.

Booth, K. S., Bryden, M. P., Cowan, W. B., Morgan, M. F., & Plante, B. L. (1987). On the parameters of human visual performance: An investigation of the benefits of antialiasing. IEEE Computer Graphics and Applications, 7(9), 34-41.

Gardner, G. Y., & Berlin, E. P., Jr. (1980). Effective antialiasing of computer generated images. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 22-28). Arlington, VA: National Security Industrial Association.

Gish, W., & Tanner, A. (1991). Antialiasing without supersampling. In Proceedings of the 13th Interservice/Industry Training Systems Conference (pp. 262-270). Arlington, VA: American Defense Preparedness Association.

Harshbarger, J. H. (1984). Structure of the interlaced television raster. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 457, Advances in Display Technology IV (pp. 80-87). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Ketcham, R. L. (1985). A high-speed algorithm for generating anti-aliased lines. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 308-311). Playa del Rey, CA: Society for Information Display.

Oakley, D. (1986). Dejagging raster graphics by Pixel Phasing™. In J. Morreale (Ed.), 1986 SID International Symposium Digest of Technical Papers, Volume XVII (pp. 344-347). Playa del Rey, CA: Society for Information Display.

Szabo, N. S. (1978). Digital image anomalies: Static and dynamic. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 11-15). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Trueblood, J., & Mizuno, M. (1986). An efficient anti-aliasing software algorithm. In J. Morreale (Ed.), 1986 SID International Symposium Digest of Technical Papers, Volume XVII (pp. 348-351). Playa del Rey, CA: Society for Information Display.

Trueblood, J. W. (1987). Theory and measurement of anti-aliased line performance. In J. Morreale (Ed.), 1987 SID International Symposium Digest of Technical Papers, Volume XVIII (pp. 123-126). Playa del Rey, CA: Society for Information Display.

18. COLLIMATION AND ACCOMMODATION

Bell, H. H., & Cuiffreda, K. J. (1985). Effects of collimation on accommodation and vergence in the Advanced Simulator for Pilot Training (AFHRL-TP-85-27, AD-A159 545). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Benel, R. A. (1980). Eyes and glass curtains: Visual accommodation, the Mandelbaum effect, and apparent size. In G. E. Corrck, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 616-620). Santa Monica, CA: Human Factors Society.

Benel, R. A., & Amerson, T. L., Jr. (1981). The dark focus of accommodation and pilot performance. In R. S. Jensen (Ed.), Proceedings of the First Symposium on Aviation Psychology (pp. 182-191). Columbus, OH: Ohio State University.

Chisum, G. T., & Morway, P. E. (1977). Effect of virtual image projection distance on the accommodative response of the eye. Aviation, Space, and Environmental Medicine, 48(9), 819-823.

Chisum, G. T., & Morway, P. E. (1979). Visual accommodation responses in a virtual image environment (NADC-79213-60, AD-A074 415). Warminster, PA: Naval Air Development Center.

Hull, J. C., Gill, R. T., & Roscoe, S. N. (1982). Locus of the stimulus to visual accommodation: Where in the world, or where in the eye? Human Factors, 24(3), 311-319.

Menu, J. -P., Seigneur, J. -M., Batejat, D., Predella, S., & Barrault, B. (1985). La collimation intermediaire: Description - Buts - Premiers resultats (Intermediate collimation: Description - goals - first results). Medecine Aeronautique et Spatiale, 24, 3rd Quarter, 158-161. (In French)

Moffitt, K. (1983). Accommodation and the acquisition of distant targets by observers with superior vision. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 1, pp. 259-263). Santa Monica, CA: Human Factors Society.

Moffitt, K. (1989). Ocular responses to monocular and binocular helmet-mounted display configurations. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 142-148). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Morey, W. A., Bory, A., Grissett, J. D., & Houk, W. M. (1984). Dark focus, accommodative flexibility and flight performance. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 66-73). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Murch, G. M. (1983). Laser optometric assessment of visual display viewability. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 386, Advances in Display Technology III (pp. 6-11). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Owens, D. A., & Leibowitz, H. W. (1980). Accommodation, convergence, and distance perception in low illumination. American Journal of Optometry and Physiological Optics, 57(9), 540-550.

Palmer, E., & Petitt, J. (1976). Visual space perception on a computer graphics night visual attachment. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 88-95). New York, NY: American Institute of Aeronautics and Astronautics.

Randle, R. J., Roscoe, S. N., & Petitt, J. C. (1980). Effects of magnification and visual accommodation on aimpoint estimation in simulated landings with real and virtual image displays (NASA-TP-1635). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Roscoe, S. N. (1978). When day is done and shadows fall, we miss the airport most of all. In Proceedings of the 11th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-306, pp. 63-70). Orlando, FL: Naval Training Equipment Center.

Roscoe, S. N. (1979). Ground-referenced visual orientation with imaging displays (AFOSR-TR-79-4, AD-A081 882). Bolling AFB, DC: Air Force Office of Scientific Research.

Roscoe, S. N. (1980). Ground-referenced visual orientation with imaging displays: Final report (AFOSR-TR-81-0080, AD-A094 662). Bolling AFB, DC: Air Force Office of Scientific Research.

Roscoe, S. N. (1981). Landing airplanes, detecting traffic, and the dark focus. In R. S. Jensen (Ed.), Proceedings of the First Symposium on Aviation Psychology (pp. 172-181). Columbus, OH: Ohio State University.

Roscoe, S. N. (1985). Bigness is in the eye of the beholder. Human Factors, 27(6), 615-636.

Roscoe, S. N., Olzak, L. A., & Randle, R. J. (1976). Monocular versus binocular accommodation and judgments of relative size. In G. Perdriel (Ed.), AGARD Conference Proceedings No. 201, Visual Presentation of Cockpit Information Including Special Devices Used for Particular Conditions of Flying (AGARD-CP-201, pp. A5-1 - A5-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Spooner, A. M. (1975). Collimated displays for flight simulation. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 108-116). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Spooner, A. M. (1976). Collimated displays for flight simulation. Optical Engineering, 15(3), 215-219.

Wise, J. A., & Sherwin, G. W. (1989). An empirical investigation of the effect of virtual collimated displays on visual performance. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 743-748). Columbus, OH: Ohio State University.

Woodruff, R. R. (1979). Effects of varying visual display characteristics of the T-4G, a T-37 flight simulator (AFHRL-TR-79-17, AD-A071 410). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

19. CRT AND PHOSPHOR CHARACTERISTICS

Banks, W. W., Gertman, D. I., & Petersen, R. J. (1982). Human-engineering design considerations for cathode-ray-tube-generated displays (DE82-015231). Washington, DC: U.S. Department of Energy.

Chase, W. D. (1970). Evaluation of several TV display configurations for visual simulation of the landing approach. IEEE Transactions on Man-Machine Systems, MMS-11(3), 140-149.

Chase, W. D. (1971). Evaluation of several TV display systems for visual simulation of the landing approach (NASA-TN-D-6274). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Cherri, A. K., Awwal, A. A. S., Karim, M. A., & Moon, D. L. (1991). Restoration of moving binary images degraded owing to phosphor persistence. Applied Optics, 30(26), 3734-3739.

Gaertner, K. -P. (1972). The airborne visual simulation as an electronic display. In Proceedings of the Advanced Study Institute on Displays and Controls (pp. 115-132). Amsterdam, Netherlands: Swets & Zeitlinger.

Lehrer, N. H. (1985). The challenge of the cathode-ray tube. In L. E. Tannas, Jr. (Ed.), Flat-panel displays and CRTs (pp. 138-176). New York, NY: Van Nostrand Reinhold Company Inc.

Rash, C. E., & Becher, J. (1982). Analysis of image smear in CRT displays due to scan rate and phosphor persistence (USAARL-83-5, AD-A221 095). Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory.

20. DISPLAY UPDATE RATE

Batson, V. M., Harris, R. L., Sr., & Houck, J. A. (1992). Effect of display parameters on pilots' ability to approach, flare and land. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4139, pp. 322-332). Washington, DC: American Institute of Aeronautics and Astronautics.

Bunker, W. M. (1982). Filtering simulated visual scenes - Spatial and temporal effects. In Proceedings of the 4th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 531-540). Arlington, VA: National Security Industrial Association.

Chen, J. -S. (1993). A study of the effects of low update rate on visual displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 510-513). Playa del Rey, CA: Society for Information Display.

Kellogg, G. V., & Wagner, C. A. (1988). Effects of update and refresh rates on flight simulation visual displays (NASA-TM-100415). Edwards, CA: Hugh L. Dryden Flight Research Center, National Aeronautics and Space Administration.

Kruk, R. V., Welch, B., Komoda, M. K., Brussell, E. M., Masson, A., & April, P. (1986). Multiple images in simulator visual displays: Smooth apparent motion is not sufficient. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 158-169). London, England: Royal Aeronautical Society.

Lindholm, J. M. (1991). Determinants and consequences of smooth pursuit. In Visual Issues in Training and Simulation Presentation Summaries (pp. 105-109). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Lindholm, J. M. (1992). Perceptual effects of spatiotemporal sampling. In M. A. Karim (Ed.), Electro-optical displays (pp. 787-808). New York, NY: Marcel Dekker, Inc.

Lindholm, J. M. (1992). Temporal and spatial factors affecting the perception of computer-generated imagery (AL-TR-1991-0140, AD-A249 242). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Lindholm, J. M., Askins, T. M., & Krasnicka, K. (1993). Image update rate and apparent self-motion speed. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 506-509). Playa del Rey, CA: Society for Information Display.

Lindholm J. M., & Martin, E. L. (1993). Effect of image update rate on moving target identification range (AL-TR-1992-0172, AD-A261 562). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Martin, E. L., & Lindholm, J. M. (1992). Effects of image update rate on target identification range. In Proceedings of the Thirteenth Symposium Psychology in the Department of Defense (USAFA TR 92-2, pp. 178-182). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Rash, C. E., & Becher, J. (1982). Analysis of image smear in CRT displays due to scan rate and phosphor persistence (USAARL-83-5, AD-A221 095). Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory.

Tam, W. J., Stelmach, L. B., & Hearty, P. J. (1993). Temporal frequency discrimination of moving stimuli. In J. P. Allebach & B. E. Rogowitz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1913, Human Vision, Visual Processing, and Digital Display IV (pp. 146-153). Bellingham, WA: SPIE-The International Society for Optical Engineering.

21. DISPLAY FLICKER AND JITTER

Ahumada, A. J., Jr., Nagel, D. C., Watson, A. B., & Yellot, J. I., Jr. (1983). Reduction of display artifacts by random sampling. In A. G. Tescher (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 432, Applications of Digital Image Processing VI (pp. 216-221). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Bauer, D. (1990). Detection of display flicker by a cortical correlation mechanism - a refinement of classical flicker theory. In B. E. Rogowitz & J. P. Allebach (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications (pp. 54-64). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Beaton, R. J., DeHoff, R. J., & Knox, S. T. (1986). Revisiting the display flicker problem: Refresh rate requirements for field-sequential stereoscopic display systems. In J. Morreale (Ed.), 1986 SID International Symposium Digest of Technical Papers, Volume XVII (pp. 150-152). Playa del Rey, CA: Society for Information Display.

Beaton, R. J., & DeVilbiss, C. A. (1989). Assessment method for the ANSI/HFS 100-1988 Guideline on Display Jitter. In J. Morreale (Ed.), 1989 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 216-219). Playa del Rey, CA: Society for Information Display.

Chen, J. -S. (1993). A study of the effects of low update rate on visual displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 510-513). Playa del Rey, CA: Society for Information Display.

Farrell, J. E. (1987). Predicting flicker thresholds for visual displays. In J. Morreale (Ed.), 1987 SID International Symposium Digest of Technical Papers, Volume XVIII (pp. 18-21). Playa del Rey, CA: Society for Information Display.

Rogowitz, B. E. (1983). Flicker matching: A technique for measuring the perceived flicker on a VDT. In L. Winner & M. Winner (Eds.), 1983 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 172-173). Los Angeles, CA: Society for Information Display.

Sigel, C. (1989). CRT refresh rate and perceived flicker. In J. Morreale (Ed.), 1989 SID International Symposium Digest of Technical Papers, Volume XIV (pp. 300-302). Playa del Rey, CA: Society for Information Display.

Welde, W. L., & Cream, B. W. (1972). Variables influencing the perception of flicker in wide angle CRT displays (AFHRL-TR-72-4, AD-766 443). Wright-Patterson AFB, OH: Advanced Systems Division, Air Force Human Resources Laboratory.

22. DISPLAY DISTORTION AND SCREEN CHARACTERISTICS

- Carollo, J. T., & Reynolds, N. D. (1980). Distortion correction in computer-image generation-based wide angle visual display systems. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 29-36). Arlington, VA: National Security Industrial Association.
- Clapp, R. E. (1987). Image display parameters of dome systems. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 760, Large Screen Projection Displays (pp. 22-28). Bellingham, WA: SPIE-The International Society for Optical Engineering.
- Clapp, R. E. (1988). Image display parameters of dome systems. In A. B. Clymer & V. Amico (Eds.), Simulators V, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 19, No. 4, pp. 26-31). San Diego, CA: Society for Computer Simulation International.
- Hebb, R. C. (1981). Computer program for distortion analysis in spherical screen displays. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 19-27). Arlington, VA: American Defense Preparedness Association.
- Hebb, R. C. (1982). Computer program for analysis of spherical screen distortion (NAVTRAEOUIPCEN-IH-332, AD-A113 136). Orlando, FL: Naval Training Equipment Center.
- Hebb, R. C. (1985). Visual display parameters (NAVTRAEOUIPCEN-IH-356, AD-A158 773). Orlando, FL: Naval Training Equipment Center.
- Ing, S. D., Browder, G. B., Driskel, M. M., & Steyer, K. J. (1992). High gain screen technology. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 40-50). Tempe, AZ: IMAGE Society, Inc.
- Mariani, M. E. (1990). Considerations for a systematic approach to specify and test high gain spherical screens. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 258-268). Tempe, AZ: IMAGE Society, Inc.

Martin, E. A. (1991). An evaluation of dome display suitability for side-by-side crewmember viewing. In Proceedings of the 13th Interservice/Industry Training Systems Conference (pp. 271-277). Arlington, VA: American Defense Preparedness Association.

Maxson, T., & Martinez, E., Jr. (1993). New high-contrast high-resolution optical-quality rear-projection screen. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 662-664). Playa del Rey, CA: Society for Information Display.

Quick, J. R. (1990). System requirements for a high gain dome display surface. In H. M. Assenheim & H. H. Bell (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1289, Cockpit Displays and Visual Simulation (pp. 183-191). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Skolnick, L., & Callahan, J. W. (1994). Luminance calculation on a spherical projection surface with varying screen gain characteristics. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 22-32). Tempe, AZ: IMAGE Society, Inc.

Tsou, B. H., Allen, D. M., & Walker, J. L. (1987). Dynamic distortion correction for dome display. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 128-139). Tempe, AZ: IMAGE Society, Inc.

23. DISPLAY SEAMS, DISPLAY JOINTS, AND WINDSCREEN QUALITY

Bentz, J. L. (1980). Joining techniques for optically combined visual display systems. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 46-59). Arlington, VA: National Security Industrial Association.

Holmes, R. E. (1987). Digital remote control for matrixed simulator visual displays. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 152-160). Tempe, AZ: IMAGE Society, Inc.

Kraft, C. L., & Anderson, C. D. (1980). Psychophysical criteria for visual simulations systems: Phase II - Experimental investigations of display joints and scene inserts (AFHRL-TR-80-18, AD-A088 316). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Kraft, C. L., Elworth, C. L., & Anderson, C. D. (1978). Windshield quality and pilot performance measurement utilizing computer-generated imagery. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 63-73). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

24. IMAGE PROCESSING, BANDWIDTH, AND SPATIAL FREQUENCY

Jewell, W. F., Clement, W. F., & Hogue, J. R. (1987). Frequency response identification of a computer-generated image visual simulator with and without a delay compensation scheme. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2435, pp. 71-76). New York, NY: American Institute of Aeronautics and Astronautics.

Latham, R. (1983). Image generator architectures and features. In Proceedings of the 5th Interservice/Industry Training Equipment Conference (Vol. 1, pp. 19-26). Arlington, VA: American Defense Preparedness Association.

Lewis, D. E. (1984). Two-dimensional fast Fourier transforms in image processing (AMRL-TR-84-006, AD-A139 997). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Pantle, A. J. (1977). Research on visual perception of complex and dynamic imagery (AMRL-TR-77-83, AD-A049 127). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Shulman, H. G., & Isaac, P. D. (1981). Assessment of scene complexity and cue validity in visual flight simulation (AFOSR-TR-81-0480, AD-A100 200). Bolling AFB, DC: Air Force Office of Scientific Research.

25. DISPLAY MAGNIFICATION AND GRAY SCALE

Batson, V. M., Harris, R. L., Sr., & Houck, J. A. (1992). Effect of display parameters on pilots' ability to approach, flare and land. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4139, pp. 322-332). Washington, DC: American Institute of Aeronautics and Astronautics.

Bloomfield, J. R., & McAleese, K. J. (1975). Effect of changes in visual parameters of helmet-mounted displays on target acquisition performance. In L. Winner & B. K. Winner (Eds.), 1975 SID International Symposium Digest of Technical Papers, Volume VI (pp. 102-103). Los Angeles, CA: Society for Information Display.

Gao, M. L., Zheng, S. H., Karim, M. A., & Moon, D. L. (1990). Restoration of dynamically degraded gray level images in phosphor based display devices. Optical Engineering, 29(8), 878-882.

Jacobsen, A. R. (1990). Determination of the optimum gray-scale luminance ramp function for anti-aliasing. In B. E. Rogowitz & J. P. Allebach (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications (pp. 202-213). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Klein, S. A., & Carney, T. (1991). How the number of required gray levels depends on the Gamma of the display. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 623-626). Playa del Rey, CA: Society for Information Display.

Lintern, G., & Koonce, J. M. (1991). Display magnification for simulated landing approaches. International Journal of Aviation Psychology, 1(1), 59-72.

Lintern, G., & Walker, M. (1989). Visual information for simulated landing approaches. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 1, pp. 122-127). Columbus, OH: Ohio State University.

Meehan, J. W., & Triggs, T. J. (1988). Magnification effects with imaging displays depend on scene content and viewing condition. *Human Factors*, 30(4), 487-494.

Murch, G., & Weiman, N. (1990). Assessing visual grey scale sensitivity on a CRT. In B. E. Rogowitz & J. P. Allebach (Eds.), *Proceedings of SPIE-The International Society for Optical Engineering, Volume 1249, Human Vision and Electronic Imaging: Models, Methods, and Applications* (pp. 214-223). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Parrish, R. V., & Steinmetz, G. G. (1983). Evaluation of g-seat augmentation of fixed-based/moving-base simulation for transport landings under visually imposed runway width conditions (NASA-TP-2135). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Randle, R. J., Roscoe, S. N., & Petitt, J. C. (1980). Effects of magnification and visual accommodation on aimpoint estimation in simulated landings with real and virtual image displays (NASA-TP-1635). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Roscoe, S. N. (1975). Ground-referenced visual orientation in flight control tasks: Judgements of size and distance (ARL-75-7, AD-A012 869). Urbana-Champaign, IL: Aviation Research Laboratory, Illinois University.

Roscoe, S. N. (1984). Judgments of size and distance with imaging displays. *Human Factors*, 26(6), 617-629.

Rosinski, R. R. (1979). Effect of optical magnification on the perception of displayed orientation (AD-A065 949). Pittsburgh, PA: Pittsburgh University.

26. VISUAL AND MOTION SYSTEM INTEGRATION

Barnes, A. G. (1986). The integration of a six axis motion system and a wide angle visual system inside a dome. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 204-211). London, England: Royal Aeronautical Society.

Butrimas, S. K., & Browder, G. B. (1983). Simulator performance definition by cue synchronization analysis. In Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 83-1092, pp. 114-122). New York, NY: American Institute of Aeronautics and Astronautics.

Clapp, R. E. (1987). Cue coordination in training simulators. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 217-222). San Diego, CA: Society for Computer Simulation.

Gum, D. R., & Albery, W. B. (1976). Integration of an advanced CIG visual and simulator system. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 32-38). New York, NY: American Institute of Aeronautics and Astronautics.

Gum, D. R., & Albery, W. B. (1977). Time-delay problems encountered in integrating the Advanced Simulator for Undergraduate Pilot Training. Journal of Aircraft, 14(4), 327-332.

Matheny, W. G. (1974). Studies of motion and visual interaction in simulator design and application (AFOSR-TR-74-1936, AD-A003 700). Bolling AFB, DC: Air Force Office of Scientific Research.

Matheny, W. G. (1976). Studies of motion and visual interaction in simulator design and application (AFOSR-TR-77-0965, AD-A043 245). Bolling AFB, DC: Air Force Office of Scientific Research.

McKinnon, G. M., Kruk, R. V., Stober, S., Brussell, E. M., Komoda, M., Reid, L. D., Frigon, J., & Delorme, A. (1986). Coordination of vestibular and visual perceptual cues in real-time simulation. In R. Crosbie & P. Luker (Eds.), Proceedings of the 1986 Summer Computer Simulation Conference (pp. 531-533). San Diego, CA: Society for Computer Simulation.

Rapson, R. C., Jr. (1975). Factors surrounding motion platform: Visual system coupling in flight simulators (NAVTRAEEQUIPCEN-TN-42, AD-A006 462). Orlando, FL: Naval Training Equipment Center.

Sawler, R. J., & Matusof, R. (1991). Issues concerning cue correlation and synchronization of networked simulators. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2967, pp. 427-435). Washington, DC: American Institute of Aeronautics and Astronautics.

Shirachi, D. K. (1980). Visual/motion cue mismatch during a coordinated roll maneuver. In Proceedings of the Sixteenth Annual Conference on Manual Control (pp. 285-291). Cambridge, MA: Massachusetts Institute of Technology.

Shirachi, D. K., & Shirley, R. S. (1977). The effect of a visual/motion display mismatch in a single axis compensatory tracking task (NASA-CR-2921). Washington, DC: National Aeronautics and Space Administration.

Young, L. R. (1976). Integration of visual and motion cues for flight simulator requirements and ride quality investigation (NASA-CR-149667). Washington, DC: National Aeronautics and Space Administration.

Young, L. R., Oman, C. M., & Curry, R. E. (1977). Research on integration of visual and motion cues for flight simulation and ride quality investigation (NASA-CR-153249). Washington, DC: National Aeronautics and Space Administration.

27. TRANSPORT DELAY

Allen, R. W., & DiMarco, R. J. (1984). Effects of transport delays on manual control system performance. In Proceedings of the Twentieth Annual Conference on Manual Control (NASA Conference Publication 2341, Vol. 1, pp. 185-201). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Baron, S. (1982). An optimal control model analysis of data from a simulated hover task. In Proceedings of the Eighteenth Annual Conference on Manual Control (AFWAL-TR-83-3021, pp. 186-206). Wright-Patterson AFB, OH: Wright Aeronautical Laboratories.

Bezdek, W. J., & Moody, L. A. (1993). Dynamic simulation fidelity improvement using transfer function state extrapolation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3552, pp. 44-52). Washington, DC: American Institute of Aeronautics and Astronautics.

Browder, G. B., & Butrimas, S. K. (1981). Visual Technology Research Simulator: Visual and motion system dynamics (NAVTRAEEQUIPCEN-IH-326, AD-A111 801). Orlando, FL: Naval Training Equipment Center.

Bryson, S., & Fisher, S. S. (1990). Defining, modeling, and measuring system lag in virtual environments. In J. O. Merritt & S. S. Fisher (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1256, Stereoscopic Displays and Applications (pp. 98-109). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Cardullo, F. M., & Brown, Y. J. (1990). Visual system lags: The problem, the cause, the cure. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 30-42). Tempe, AZ: IMAGE Society, Inc.

Cardullo, F. M., & George, G. (1993). Transport delay compensation - An inexpensive alternative to increasing image generator update rate. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3563, pp. 95-102). Washington, DC: American Institute of Aeronautics and Astronautics.

Carey, M. S., Densmore, J. E., Jr., Kerchner, R. M., Lee, A. T., & Hughes, R. (1983). Effects of transport delay on simulator air-to-air engagements (AFHRL-TR-83-8, AD-A133 707). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Cooper, F. R., Harris, W. T., & Sharkey, V. J. (1975). The effect of delay in the presentation of visual information on pilot performance (NAVTRAEEQUIPCEN-IH-250, AD-A021 418). Orlando, FL: Naval Training Equipment Center.

Cooper, F. R., Harris, W. T., & Sharkey, V. J. (1975). Effects of visual system time delay on pilot performance. In 8th NTEC/Industry Conference Proceedings (pp. 35-51). Orlando, FL: Naval Training Equipment Center.

Crane, D. F. (1980). Time delays in flight simulator visual displays. In Proceedings of the 1980 Summer Computer Simulation Conference (pp. 552-557). La Jolla, CA: Society for Computer Simulation.

Crane, D. F. (1983). Compensation for time delay in flight simulator visual-display systems. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 83-1080, pp. 163-171). New York, NY: American Institute of Aeronautics and Astronautics.

Crane, D. F. (1984). The effects of time delay in man-machine control systems: Implications for design of flight simulator visual-display-delay compensation. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 331-343). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Cyrus, M. L. (1977). Method for compensating transport lags in computer image generation visual displays for flight simulation (AFHRL-TR-77-6, AD-A040 551). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Ewart, R. B. (1977). Time delay measurements for flight simulators. In Proceedings of the 1977 Summer Computer Simulation Conference (pp. 727-730). La Jolla, CA: Simulation Councils, Inc.

Fischer, T. J., Riccio, G. E., & McMillan, G. R. (1986). The effects of simulator delays on the acquisition of flight control skills. In G. E. Lee (Ed.), Proceedings of the Tenth Symposium on Psychology in the Department of Defense (USAFA-TR-86-1, pp. 224-228). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Gum, D. R., & Albery, W. B. (1977). Time-delay problems encountered in integrating the Advanced Simulator for Undergraduate Pilot Training. Journal of Aircraft, 14(4), 327-332.

Horowitz, S. J. (1986). Measurements and effects of transport delays in a state-of-the-art F-16C flight simulator. In Proceedings of the 8th Interservice/Industry Training Systems Conference (Vol. 1, pp. 316-321). Arlington, VA: National Security Industrial Association.

Horowitz, S. J. (1987). Measurement and effects of transport delays in a state-of-the-art F-16C flight simulator (AFHRL-TP-87-11, AD-A187 367). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Jewell, W. F., & Clement, W. F. (1984). A method for measuring the effective throughput time delay in simulated displays involving manual control. In Proceedings of the Twentieth Annual Conference on Manual Control (NASA Conference Publication 2341, Vol. 1, pp. 173-183). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Johnson, W. V., & Middendorf, M. S. (1988). Simulator transport delay measurement using steady-state techniques. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4619, pp. 250-254). Washington, DC: American Institute of Aeronautics and Astronautics.

Kerchner, R. M., Hughes, R. G., & Lee, A. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 599-606). Columbus, OH: Ohio State University.

Leinenwever, R. W., & Moran, S. I. (1992). Transport delay measurements: Methodology and analysis for the F-16C Combat Engagement Trainer, the Display for Advanced Research and Training, and the F-16A Limited Field of View (AL-TP-1992-0009, AD-A248 519). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Lusk, S. L., Martin, C. D., Whiteley, J. D., & Johnson, W. V. (1990). Time delay compensation using peripheral visual cues in an aircraft simulator. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3129, pp. 63-70). Washington, DC: American Institute of Aeronautics and Astronautics.

Malone, H. L., III, Horowitz, S., Brunderman, J. A., & Eulenbach, H. (1987). The impact of network delay on two-ship air-to-air combat simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2373, pp. 55-58). New York, NY: American Institute of Aeronautics and Astronautics.

Martin, E. A., McMillan, G. R., Warren, R., & Riccio, G. E. (1986). A program to investigate requirements for effective flight simulator displays. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 101-126). London, England: Royal Aeronautical Society.

McFarland, R. E. (1986). CGI delay compensation. In M. Ung (Ed.), Aerospace Simulation II, Proceedings of the Conference Aerospace Simulation II (Simulation Series, Vol. 16, No. 2, pp. 231-262). San Diego, CA: Society for Computer Simulation.

McFarland, R. E. (1986). CGI delay compensation (NASA-TM-86703). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

McFarland, R. E. (1988). Transport delay compensation for computer-generated imagery systems. In Flight Simulation: Recent Developments in Technology and Use, International Conference Proceedings (pp. 177-202). London, England: Royal Aeronautical Society.

McFarland, R. E. (1988). Transport delay compensation for computer-generated imagery system (NASA-TM-100084). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

McFarland, R. E., & Bunnell, J. W. (1990). Analyzing time delays in a flight simulation environment. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3174, pp. 341-351). Washington, DC: American Institute of Aeronautics and Astronautics.

McMillan, G. R. (1991). Effects of visual system transport delay on pilot performance. In Visual Issues in Training and Simulation Presentation Summaries (pp. 1-10). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Merriken, M. S., Johnson, W. V., Cress, J. D., & Riccio, G. E. (1988). Time delay compensation using supplementary cues in aircraft simulator systems. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4626, pp. 295-303). Washington, DC: American Institute of Aeronautics and Astronautics.

Middendorf, M. S., Fiorita, A. I., & McMillan, G. R. (1991). The effects of simulator transport delay on performance, workload, and control activity during low-level flight. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2965, pp. 412-426). Washington, DC: American Institute of Aeronautics and Astronautics.

Middendorf, M. S., Lusk, S. L., & Whiteley, J. D. (1990). Power spectral analysis to investigate the effects of simulator time delay on flight control activity. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3127, pp. 46-52). Washington, DC: American Institute of Aeronautics and Astronautics.

Miller, G. K., Jr., & Riley, D. R. (1976). The effect of visual-motion time delays on pilot performance in a pursuit tracking task. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 55-62). New York, NY: American Institute of Aeronautics and Astronautics.

Miller, G. K., Jr., & Riley, D. R. (1977). The effect of visual-motion time-delays on pilot performance in a simulated pursuit tracking task (NASA-TN-D-8364). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Miller, G. K., Jr., & Riley, D. R. (1978). Evaluation of several secondary tasks in the determination of permissible time delays in simulator visual and motion cues (NASA-TP-1214). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Parrish, R. V., & Bowles, R. L. (1983). Motion/visual cueing requirements for vortex encounters during simulated transport visual approach and landing (NASA-TP-2136). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Parrish, R. V., McKissick, B. T., & Ashworth, B. R. (1983). Comparison of simulator fidelity model predictions with in-simulator evaluation data (NASA-TP-2106). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Peters, D. L., & Turner, J. (1992). Temporal perception versus reality in an eye-tracked display: The impact of lag. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 332-341). Arlington, VA: National Security Industrial Association.

Queijo, M. J., & Riley, D. R. (1975). Fixed-base simulator study of the effect of time delays in visual cues on pilot tracking performance (NASA-TN-D-8001). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Ricard, G. L., Cyrus, M. L., Cox, D. C., Templeton, T. K., & Thompson, L. C. (1978). Compensation for transport delays produced by computer image generation systems (NAVTRAEEQUIPCEN-IH-297, AFHRL-TR-78-46, AD-A056 720). Orlando, FL: Naval Training Equipment Center; Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Ricard, G. L., & Harris, W. T. (1978). Time delays in flight simulators - Behavioral and engineering analyses. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1596, pp. 169-175). New York, NY: American Institute of Aeronautics and Astronautics.

Ricard, G. L., Norman, D. A., & Collyer, S. C. (1976). Compensating for flight simulator CGI system delays. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQUIPCEN-IH-276, pp. 131-140). Orlando, FL: Naval Training Equipment Center.

Ricard, G. L., & Parrish, R. V. (1984). Pilot differences and motion cuing effects on simulated helicopter hover. Human Factors, 26(3), 249-256.

Ricard, G. L., Parrish, R. V., Ashworth, B. R., & Wells, M. D. (1981). The effects of various fidelity factors on simulated helicopter hover (NAVTRAEEQUIPCEN-IH-321, AD-A102 028). Orlando, FL: Naval Training Equipment Center.

Ricard, G. L., & Puig, J. A. (1977). Delay of visual feedback in aircraft simulators (NAVTRAEEQUIPCEN-1977-56). Orlando, FL: Naval Training Equipment Center.

Riccio, G. E., Cress, J. D., & Johnson, W. V. (1987). The effects of simulator delays on the acquisition of flight control skills: Control of heading and altitude. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1286-1290). Santa Monica, CA: Human Factors Society.

Riley, D. R., & Miller, G. K., Jr. (1978). Simulator study of the effect of visual-motion time delays on pilot tracking performance with an audio side task (NASA-TP-1216). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Sheppard, D. J., Jones, S. A., Madden, J., & Westra, D. P. (1988). Simulator design features for precision helicopter hover over small ships. In F. E. McIntire (Ed.), Proceedings of the Eleventh Symposium on Psychology in the Department of Defense (ASAFA-TR-88-1, pp. 340-344). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Slutz, G. J., & Ewart, R. B. (1992). An Electronic Visual Display Attitude Sensor (EVDAS) for analysis of flight simulator delays. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4167, pp. 253-260). Washington, DC: American Institute of Aeronautics and Astronautics.

Smith, R. M. (1991). A method for determining transport delays in the flight simulation environment. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2964, pp. 404-411). Washington, DC: American Institute of Aeronautics and Astronautics.

So, R. H. Y., & Griffin, M. J. (1991). Effects of time delays on head tracking performance and the benefits of lag compensation by image deflection. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2926, pp. 124-130). Washington, DC: American Institute of Aeronautics and Astronautics.

Sobiski, D. J., & Cardullo, F. M. (1987). Predictive compensation of visual system time delays. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 87-2434, pp. 59-70). New York, NY: American Institute of Aeronautics and Astronautics.

Westra, D. P. (1983). Simulator design features for air-to-ground bombing: Part 1. Performance experiment 1 (NAVTRAEEQUIPCEN-81-C-0105-4, AD-A141 190). Orlando, FL: Naval Training Equipment Center.

Westra, D. P., & Lintern, G. (1985). Simulator design features for helicopter landing on small ships: I. A performance study (NAVTRASYSSEN-81-C-0105-13, AD-A169 514). Orlando, FL: Naval Training System Center.

Westra, D. P., Sheppard, D. J., Jones, S. A., & Hettinger, L. J. (1987). Simulator design features for helicopter shipboard landings: II. Performance experiments (TR-87-041). Orlando, FL: Essex Corp.

Westra, D. P., Simon, C. W., Collyer, S. C., & Chambers, W. S. (1981). Investigation of simulator design features for the carrier landing task. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 448-462). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Whiteley, J. D., Lusk, S. L., & Middendorf, M. S. (1990). The effects of simulator time delays on a sidestep landing maneuver - A preliminary investigation. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 2, pp. 1538-1541). Santa Monica, CA: Human Factors Society.

Woycechowsky, B. J. (1983). Flight simulation cue synchronization. In Proceedings of the IEEE 1983 National Aerospace and Electronics Conference, NAECON 1983 (Vol. 2, pp. 740-746). New York, NY: Institute of Electrical and Electronics Engineers.

Zacharias, G. L. (1991). Pilot/vehicle model analysis of visually guided flight. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 213-235). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

28. VIDEO PROJECTION

Ansley, D. A. (1993). Area-of-interest and target laser projector for F/A-18 Weapons Tactics Trainer. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 813-816). Playa del Rey, CA: Society for Information Display.

Baron, P. C., Efron, U., & Grinberg, J. (1981). Project 2363: Liquid crystal light valve projector investigations. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 198-219). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Baron, P. C., & Sprotberry, D. E. (1978). Liquid crystal light valve projectors for simulation applications. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 138-145). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Bleha, W. P. (1992). Large screen projection displays. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 105-108). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Candry, P., & Derijcke, C. (1994). Light-valve and CRT projection systems. In J. Morreale (Ed.), 1994 SID International Symposium Digest of Technical Papers, Volume XXV (pp. 737-744). Santa Ana, CA: Society for Information Display.

Chase, W. D. (1975). Computer-generated, calligraphic, full-spectrum color system for visual simulation landing approach maneuvers. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 48-54). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Chevalier, J., & Deon, J. M. (1985). Projection CRTs for advanced display systems. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 54-57). Playa del Rey, CA: Society for Information Display.

Couturier, A. (1987). Multipurpose high-resolution projector for flight simulator. In E. G. Monroe (Ed.), Proceedings of the 1987 IMAGE IV Conference (pp. 102-111). Tempe, AZ: IMAGE Society, Inc.

Couturier, A. (1988). Projection d'images - Tubes a haute brillance projecteurs lasers (Projection of images - tubes and high brightness projection lasers). L'Onde Electrique, 68(5), 67-72. (In French)

Crane, P. M., Gerlicher, J. P., & Bell, H. H. (1986). Flight simulator: Comparison of resolution thresholds for two light valve video projectors (AFHRL-TP-85-43, AD-A164 577). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Desvignes, F., & Huriet, J. R. (1980). High output - high speed video images projector adapted to the simulation needs. In Proceedings of the 2nd Interservice/Industry Training Equipment Conference and Exhibition (pp. 60-64). Arlington, VA: National Security Industrial Association.

Desvignes, F., & Huriet, J. R. (1981). Titus light valve projection system. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 233-240). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Doittau, F. X., Huriet, J. R., & Tissot, M. (1984). SODERN Visualization System (SVS) for flight simulation. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 193-203). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Doittau, F. X., Huriet, J. R., & Tissot, M. (1985). Fast motion simulation. In Proceedings of the 1985 Summer Computer Simulation Conference (pp. 727-731). San Diego, CA: Society for Computer Simulation.

Efron, U., Grinberg, J., Reif, P. G., & Braatz, P. (1981). Silicon liquid crystal light valve for flight simulation applications (AFHRL-TR-81-35, AD-A110 928). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Elmer, S. J. (1982). A color calligraphic CRT projector for flight simulation. Proceedings of the Society for Information Display, Selected Papers from the 1981 SID International Symposium, Volume II, 23(3), 151-157.

Elmer, S. J. (1982). A flight simulation color calligraphic CRT projector. In L. Winner & M. Winner (Eds.), 1982 SID International Symposium Digest of Technical Papers, Volume XIII (pp. 146-147). Los Angeles, CA: Society for Information Display.

Farrayre, A., Gossett, P., Huriet, J. R., Tissot, M., & Polaert, R. (1985). Geometrical resolution improvement of Sodern Visualization System. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 266-269). Playa del Rey, CA: Society for Information Display.

Fisher, R. W. (1989). A universal projector for simulator displays. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3317, pp. 395-399). Washington, DC: American Institute of Aeronautics and Astronautics.

Genaw, E. F. (1985). Development of a raster/stroke full-color TV projector for simulation. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 526, Advances in Display Technology V (pp. 59-66). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Gerlicher, J. P. (1985). Flight simulator: Evaluation of SODERN Visualization System SVS-14 (AFHRL-TP-85-11, AD-A161 794). Williams AFB, AZ: Operation Training Division, Air Force Human Resources Laboratory.

Good, W. E. (1975). Recent advances in the single-gun color television light-valve projector. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 96-99). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Green, M., & Lyon, P. (1988). A new computer-human interface for aligning and edge-matching multichannel projector systems. In J. Morreale (Ed.), 1988 SID International Symposium Digest of Technical Papers, Volume XIX (pp. 109-112). Playa del Rey, CA: Society for Information Display.

Hendrickson, H. C., & Stafford, J. D. (1975). Television projectors. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 88-95). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Henke, K. R. (1989). Incorporation of target projectors for within visual range simulation. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3318, pp. 400-402). Washington, DC: American Institute of Aeronautics and Astronautics.

Holmes, R. E. (1981). Target TV projector with dynamic raster shaping for use in dome simulators. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 29-33). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Holmes, R. E. (1981). Target TV projector with dynamic raster shaping for use in dome simulators. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 28-32). Arlington, VA: American Defense Preparedness Association.

Holmes, R. E. (1983). Dual mode calligraphic/raster color cathode ray tube (CRT) projector. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 386, Advances in Display Technology III (pp. 150-154). Bellingham, WA: SPIE - The International Society for Optical Engineering.

Holmes, R. E. (1987). Large screen color CRT projection system with digital correction. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 760, Large Screen Projection Displays (pp. 16-21). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Holmes, R. E. (1990). Common projector and display modules for aircraft simulator visual systems. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 80-88). Tempe, AZ: IMAGE Society, Inc.

Howard, C. M. (1989). Color performance of light-valve projectors. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1081, Projection Display Technology, Systems, and Applications (pp. 107-114). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Howard, C. M. (1989). Display characteristics of example light-valve projectors (AFHRL-TR-88-44, AD-A209 580). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Jachimowicz, K. E. (1992). Projection display technologies. In M. A. Karim (Ed.), Electro-optical displays (pp. 211-289). New York, NY: Marcel Dekker, Inc.

Jacobson, A. D., Boswell, D. D., Grinberg, J., Bleha, W. P., Reif, P. G., Hong, B., Lundquist, S. G., & Colks, J. H. (1977). A new color-TV projector. In L. Winner (Ed.), 1977 SID International Symposium Digest of Technical Papers, Volume VIII (pp. 106-107). Los Angeles, CA: Society for Information Display.

Koebel, A., & Schmidt, T. (1991). A versatile automatic convergence system for a three-lens CRT projector. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 159-162). Playa del Rey, CA: Society for Information Display.

Lacroix, M. (1992). A HDTV projector for wide field of view flight simulators. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 492-500). Tempe, AZ: IMAGE Society, Inc.

Lacroix, M. (1993). A HDTV projector for wide field of view flight simulators. In Proceedings of the 13th International Display Research Conference, Euro Display '93 (pp. 549-552). Brive, France: Le Club Visu.

Larsen, M., & Gruendell, F. (1994). A visual system display for full-mission flight simulator training. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 10-20). Tempe, AZ: IMAGE Society, Inc.

Lindenberg, K. W. (1982). Color television projection system using three cathode ray tubes (AFHRL-TP-82-5, AD-A114 828). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Lipton, L. (1989). Field-sequential electronic stereoscopic projector. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1081, Projection Display Technology, Systems, and Applications (pp. 94-100). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Lyon, P. (1985). Edge-blending multiple projection displays on a dome surface to form continuous side angle fields-of-view. In Proceedings of the 7th Interservice/Industry Training Equipment Conference (pp. 203-209). Arlington, VA: American Defense Preparedness Association.

Lyon, P. (1991). A new CRT projector with isotropic edge-blending and digital convergence. In Proceedings of the 13th Interservice/Industry Training Systems Conference (pp. 278-283). Arlington, VA: American Defense Preparedness Association.

Lyon, P., & Black, S. (1984). A self-aligning CRT projection system with digital correction. In J. Morreale & J. Hammond (Eds.), 1984 SID International Symposium Digest of Technical Papers, Volume XV (pp. 108-111). Los Angeles, CA: Society for Information Display.

Martzall, T. L. (1991). Collimated projection systems: More realistic flight simulation. Photonics Spectra, 25(9), 114-116.

McCollough-Howard, C. (1993). Device-independent color rendering for multiple display devices and networked simulator displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 569-572). Playa del Rey, CA: Society for Information Display.

Nadalsky, M., Allen, D., & Bien, J. (1987). Design considerations for a Servo Optical Projection System. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 760, Large Screen Projection Displays (pp. 12-15). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Neves, F. B., Carollo, J. T., Richeson, W. E., & Whisenhunt, J. A. (1981). Light valve projection systems as an alternate to CRT displays. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 220-232). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Page, J., Sims, E., & McCormack, M. (1990). Advanced raster/calligraphic CRT projector. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 286-294). Arlington, VA: National Security Industrial Association.

Peppler, P. W., & Gainer, J. C. (1993). A full-color, high-resolution laser projector for a flight simulator visual display (AL-TR-1993-0120, AD-A270 578). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Peppler, P. W., & Gainer, J. C. (1994). A full-color, high-resolution laser projector for a flight simulator visual display. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 112-129). Warminster, Wiltshire, UK: ITEC Ltd.

Rapp, P. (1987). MARS: A target projection system for air combat simulators. In Proceedings of the 9th Interservice/Industry Training Systems Conference (pp. 233-237). Arlington, VA: American Defense Preparedness Association.

Ross, J. A. (1987). Control of raster positional movement in high resolution multicolor projectors. In Proceedings of the IEEE 1987 National Aerospace and Electronics Conference, NAECON 1987 (Vol. 1, pp. 255-260). New York, NY: Institute of Electrical and Electronics Engineers.

Sawyer, K. A. (1990). Development of a wide field of view projector for use on the NASA/AMES vertical motion simulator. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 90-96). Tempe, AZ: IMAGE Society, Inc.

Schmidt, T. C. (1985). A single-lens three-CRT crossed dichroic color projector for data and video. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 270-273). Playa del Rey, CA: Society for Information Display.

Sisson, N., Howard, C., & Pierce, B. (1993). Prediction of light-valve color output. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 137-140). Playa del Rey, CA: Society for Information Display.

Todd, L. T., Jr. (1988). Projection displays for flight simulators. In Flight Simulation: Recent Developments in Technology and Use, Proceedings of the Conference (pp. 164-176). London, England: Royal Aeronautical Society.

Um, G. (1992). A new display projection system. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 455-459). Playa del Rey, CA: Society for Information Display.

Walker, J. L. (1977). An Opaque Target Optical Projection System (OTOPS). In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 72-82). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Yamazaki, E., & Ando, K. (1989). CRT projection. In F. J. Kahn (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1081, Projection Display Technology, Systems, and Applications (pp. 30-37). Bellingham, WA: SPIE-The International Society for Optical Engineering.

29. STEREOSCOPIC DISPLAYS

Andre, A. D., & Johnson, W. W. (1992). Stereo effectiveness evaluation for precision hover tasks in a helmet-mounted display simulator. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1136-1140). New York, NY: Institute of Electrical and Electronics Engineers.

Armstrong, W. P., & Burton, R. P. (1990). Perspective and stereo for projection from and display of four dimensions. In J. O. Merritt & S. S. Fisher (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1256, Stereoscopic Displays and Applications (pp. 54-61). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Bruns, R. A. (1976). Terrain following using stereo television. In G. Perdriel (Ed.), AGARD Conference Proceedings No. 201, Visual Presentation of Cockpit Information Including Special Devices Used for Particular Conditions of Flying (AGARD-CP-201, pp. A6-1 - A6-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Clapp, R. (1985). The importance of stereoscopic imagery in flight simulation. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Vol. 16, No. 1, pp. 174-178). La Jolla, CA: Society for Computer Simulation.

Clapp, R. E. (1986). Stereoscopic displays and the human dual visual system. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 624, Advances in Display Technology VI (pp. 41-52). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Clapp, R. E. (1986). There is only one world: stereo visual displays. In R. Crosbie & P. Luker (Eds.), Proceedings of the 1986 Summer Computer Simulation Conference (pp. 571-577). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1987). Aerial image display systems in simulation. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 223-228). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1987). Aerial image systems. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 34-40). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Denz, E. A., Palmer, E. A., & Ellis, S. R. (1980). Effect of field of view and monocular viewing on angular size judgements in an outdoor scene (NASA-TM-81176). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Ellis, S. R., Tyler, M. E., Hannaford, B., Stark, L. W., & Kim, W. S. (1987). Quantitative evaluation of perspective and stereoscopic displays in three-axis manual tracking tasks. IEEE Transactions on Systems, Man, and Cybernetics, SMC-17(1), 61-72.

Erwin, D. E. (1978). The importance of providing stereoscopic vision in training for nap-of-the-earth. In E. J. Baise & J. M. Miller (Eds.), Proceedings of the Human Factors Society 22nd Annual Meeting (pp. 81-86). Santa Monica, CA: Human Factors Society.

Lippert, T. M., Post, D. L., & Beaton, R. J. (1982). A study of direct distance estimations to familiar objects in real-space, two-dimensional, and stereographic displays. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 324-328). Santa Monica, CA: Human Factors Society.

Parrish, R. V., Holden, A., & Williams, S. P. (1992). Correction techniques for depth errors with stereo three-dimensional graphic displays (NASA-TP-3244). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Patterson, R., Becker, S., & Boucek, G. S. (1993). Depth perception in visual displays. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 499-501). Playa del Rey, CA: Society for Information Display.

Patterson, R., & Martin, W. L. (1992). Human stereopsis. Human Factors, 34(6), 669-692.

Patterson, R., Moe, L., & Hewitt, T. (1992). Factors that affect depth perception in stereoscopic displays. Human Factors, 34(6), 655-667.

Rebo, R. K., & Amburn, P. (1989). A helmet-mounted virtual environment display system. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 80-84). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Tidwell, R. P. (1989). Stereopsis as a visual cue in flight simulation. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3288, pp. 188-194). Washington, DC: American Institute of Aeronautics and Astronautics.

Tidwell, R. P. (1990). Stereopsis as a visual cue in flight simulation. Journal of Aircraft, 27(8), 731-732.

Veron, H., Southard, D. A., Leger, J. R., & Conway, J. L. (1990). Stereoscopic displays for terrain database visualization. In J. O. Merritt & S. S. Fisher (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1256, Stereoscopic Displays and Applications (pp. 124-135). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Williams, S. P., & Parrish, R. V. (1989). Stereopsis cueing effects on a simulated precision rotorcraft "hover-in-turbulence" task. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3289, pp. 195-212). Washington, DC: American Institute of Aeronautics and Astronautics.

Williams, S. P., & Parrish, R. V. (1990). New computational control techniques and increased understanding for stereo 3-D displays. In J. O. Merritt & S. S. Fisher (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1256, Stereoscopic Displays and Applications (pp. 73-82). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1985). Advanced Simulator for Pilot Training and helmet-mounted visual display configuration comparisons (AFHRL-TR-84-65, AD-A155 326). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Yeh, Y-Y. (1991). Human factors for stereoscopic color displays. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 826-829). Playa del Rey, CA: Society for Information Display.

30. HOLOGRAPHIC DISPLAYS

Breglia, D. R., Mulson, J. F., & Rodemann, A. H. (1977). Holographic terrain simulation (NAVTRAEEQUIPCEN-IH-295, AD-A053 472). Orlando, FL: Naval Training Equipment Center.

Rodemann, A. H., & Breglia, D. R. (1975). Holographic carrier landing simulator. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 55-57). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

31. LOW-ALTITUDE FLIGHT SIMULATION

Barnes, A. G., & Yager, T. J. (1985). Simulation of aircraft behaviour on and close to the ground (AGARD-AG-285, AD-A153 320). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Connelly, E. M., & Comeau, R. F. (1979). Data analysis methodology for day/night inflight tactical navigation (ARI-TR-411, AD-A082 731). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Edwards, B. J., Pohlman, D. L., Buckland, G. H., & Stephens, C. W. (1981). Training low level terrain flight in a simulator. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 56-61). Arlington, VA: American Defense Preparedness Association.

Kellogg, R. S., & Miller, M. (1984). Visual perceptual aspects of low level high speed flight and flight simulation. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 21-35). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Mercier, A., Perdriel, G., & Whiteside, T. C. D. (1967). Problems of vision in low level flight (AGARDograph 107, AD-661 164). Paris, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Miller, J. W. (Ed.). (1964). Visual, display, and control problems related to flight at low altitude (ONR Symposium Report ACR-93). Washington, DC: Office of Naval Research.

Miller, M. (1984). Using a limited field of view simulator to instruct high speed, low altitude flying skills. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 7-20). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Milligan, J. R. (1970). Simulation of low altitude high speed mission performance. In AIAA Visual and Motion Simulation Technology Conference (AIAA Paper No. 70-343). New York, NY: American Institute of Aeronautics and Astronautics.

Singha, J. N. (1980). Visual problems in high speed low level flying. Aviation Medicine, 24, 40-43.

Soliday, S. M. (1970). Navigation in terrain-following flight. Human Factors, 12(5), 425-433.

Warren, R. (1988). Visual perception in high-speed low-altitude flight (AAMRL-TR-88-066, AD-A205 853). Wright-Patterson AFB, OH: Harry G. Armstrong Aerospace Medical Research Laboratory.

Warren, R. (1988). Visual perception in high-speed low-altitude flight. Aviation, Space, and Environmental Medicine, 59(11, Suppl.), A116-A124.

Zacharias, G. L., Caglayan, A. K., & Sinacori, J. B. (1983). A visual cueing model for terrain-following applications. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 83-1081, pp. 35-43). New York, NY: American Institute of Aeronautics and Astronautics.

32. AERIAL REFUELING SIMULATION

Bolton, M. J. P. (1978). A high resolution visual system for the simulation of in-flight refueling. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 14-1 - 14-14). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Clapp, R. (1984). Visual system requirements for aerial refueling simulation. In V. Amico & A. B. Clymer (Eds.), All About Simulators, 1984, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 14, No. 1, pp. 43-48). La Jolla, CA: Society for Computer Simulation.

Clapp, R. E. (1985). Visual display requirements for boom operator training in aerial refueling. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Vol. 16, No. 1, pp. 188-192). La Jolla, CA: Society for Computer Simulation.

Clapp, R. E. (1985). Visual display requirements for pilot training in aerial refueling. In AIAA 23rd Aerospace Sciences Meeting (AIAA Paper No. 85-0310). Washington, DC: American Institute of Aeronautics and Astronautics.

Ewart, R. B. (1978). Visual system for the Boom Operator Part Task Trainer. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 43-50). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Gomes, G. G. (1986). Visual simulation the old way. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 624, Advances in Display Technology VI (pp. 102-106). Bellingham, WA: SPIE-The International Society for Optical Engineering.

LaRussa, J., Albers, F. G., Rosengarten, S. J., Schneider, A. J., & Heintzman, R. J. (1978). A unique approach to aerial refueling simulation for training boom operators. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 78-1591, pp. 124-137). New York, NY: American Institute of Aeronautics and Astronautics.

Lee, A. T., & Lidderdale, I. G. (1983). Visual scene simulation requirements for C-5A/C-141B Aerial Refueling Part Task Trainer (AFHRL-TP-82-34, AD-A128 769). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

McKinney, S. C., & La Russa, J. (1981). Two years of training with the first true three-dimensional simulator. In K. S. L. Setty (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 303, Visual Simulation and Image Realism II (pp. 23-28). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Monroe, E. G., Mehrer, K. I., Engel, R. L., Hannan, S., McHugh, J., Turnage, G., & Lee, D. R. (1978). Advanced Simulator for Pilot Training (ASPT): Aerial refueling visual simulation - engineering development (AFHRL-TR-78-51, AD-A063 283). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Prothero, R. M. (1986). Air-to-air refueling simulation - Rapid progress reveals novel problems. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 3-7). London, England: Royal Aeronautical Society.

Sitterley, T. E. (1981). C-5A/C-141B aerial refueling simulator training effectiveness - Conclusions from practical experience. In Proceedings of the 3rd Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 428-436). Arlington, VA: American Defense Preparedness Association.

Wild, M. J., & Hartstein, F. C. (1986). Effectiveness of flight simulation in training KC-10 pilots in receiver refuelling. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 8-24). London, England: Royal Aeronautical Society.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1985). Advanced Simulator for Pilot Training and helmet-mounted visual display configuration comparisons (AFHRL-TR-84-65, AD-A155 326). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Woodruff, R. R., Hubbard, D. C., & Shaw, A. (1986). Comparison of helmet-mounted visual displays for flight simulation. Displays Technology and Applications, 7(4), 179-185.

Woodruff, R. R., Longridge, T. M., Jr., Irish, P. A., III, & Jeffreys, R. T. (1979). Pilot performance in simulated aerial refueling as a function of tanker model complexity and visual display field-of-view (AFHRL-TR-78-98, AD-A070 231). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

33. NIGHT SIMULATION

Armstrong, R. N., Hofman, M. A., Sanders, M. G., Stone, L. W., & Bowen, C. A. (1975). Perceived velocity and altitude judgments during rotary wing aircraft flight (USAARL-76-3, AD-A016 870). Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory.

Aronson, M. (1987). Validating visual cues in flight simulator visual displays. In A. Cox & R. Hartmann (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 778, Display System Optics (pp. 9-16). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Berbaum, K. S., Kennedy, R. S., & Hettinger, L. J. (1991). Visual tasks in helicopter shipboard landing. Applied Ergonomics, 22(4), 231-239.

Buckland, G. H. (1980). Flight simulator runway visual textural cues for landing. In G. E. Corrick, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 286-287). Santa Monica, CA: Human Factors Society.

Buckland, G. H., Edwards, B. J., & Stephens, C. W. (1981). Flight simulator visual and instructional features for terrain flight simulation. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 350-362). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Buckland, G. H., Monroe, E. G., & Mehrer, K. I. (1980). Flight simulator runway visual textural cues for landing (AFHRL-TR-79-81, AD-A089 434). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Fineberg, M. L., & Dressel, J. D. (1977). The effects of ambient illumination, aircraft velocity and feedback on absolute distance judgments during simulated night nap-of-the-earth flight. In A. S. Neal & R. F. Palasek (Eds.), Proceedings of the Human Factors Society 21st Annual Meeting (pp. 254-258). Santa Monica, CA: Human Factors Society.

Foyle, D. C., & Kaiser, M. K. (1991). Pilot distance estimation with unaided vision, night-vision goggles and infrared imagery. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 314-317). Playa del Rey, CA: Society for Information Display.

Hyman, A., Johnson, R. M., & Gade, P. A. (1980). Helicopter electro-optical system display requirements: 1. The effects of CRT display size, system gamma function, and terrain type on pilots required display luminance (ARI-TR-441, AD-A089 755). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Johnson, D. (1978). Visibility modelling for a landing simulator with special reference to low visibility. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 9-1 - 9-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Kraft, C. L. (1969). Measurement of height and distance information provided pilots by the extra-cockpit visual scene. In Y. T. Li (Ed.), Education in Creative Engineering (pp. 258-264). Cambridge, MA: M.I.T. Press.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1977). Light size and perception of glide slope in computer generated visual scenes. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 50-69). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Kraft, C. L., Elworth, C. L., & Anderson, C. D. (1978). Windshield quality and pilot performance measurement utilizing computer-generated imagery. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 63-73). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Leibowitz, H. W. (1992). Perception in flight: Shape and motion perception, space perception, spatial orientation and visual vestibular interaction. In AGARD Lecture Series 187, Visual Problems in Night Operations (AGARD-LS-187, pp. 3-1 - 3-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Martin, E. L., & Cataneo, D. F. (1980). Computer generated image: Relative training effectiveness of day versus night visual scenes (AFHRL-TR-79-56, AD-A088 313). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Mertens, H. W. (1977). Laboratory apparatus for studying visual space perception of the pilot in simulated night approaches to landing. Perceptual & Motor Skills, 45(3, Pt. 2), 1331-1336.

Mertens, H. W. (1977). Perceived orientation of a runway model in nonpilots during simulated night approaches to landing (FAA-AM-77-12, AD-A044 553). Washington, DC: Office of Aviation Medicine, Federal Aviation Administration.

Mertens, H. W. (1978). Comparison of the visual perception of a runway model in pilots and nonpilots during simulated night landing approaches. Aviation, Space, and Environmental Medicine, 49(9), 1043-1055.

Mertens, H. W. (1978). Comparison of the visual perception of a runway model in pilots and nonpilots during simulated night landing approaches (FAA-AM-78-15, AD-A054 450). Washington, DC: Office of Aviation Medicine, Federal Aviation Administration.

Mertens, H. W. (1978). Perceived orientation of a runway model in nonpilots during simulated night approaches to landing. Aviation, Space, and Environmental Medicine, 49(3), 457-460.

Mertens, H. W. (1979). Runway image shape as a cue for judgment of approach angle. Dissertation Abstracts International, 40(2-B), 955.

Mertens, H. W. (1979). Runway image shape as a cue for judgment of approach angle (FAA-AM-79-25). Washington, DC: Office of Aviation Medicine, Federal Aviation Administration.

Mertens, H. W. (1981). Perception of runway image shape and approach angle magnitude by pilots in simulated night landing approaches. Aviation, Space, and Environmental Medicine, 52(7), 373-386.

Mertens, H. W., & Lewis, M. F. (1981). Effect of different runway size on pilot performance during simulated night landing approaches (FAA-AM-81-6, AD-A103 190). Washington, DC: Office of Aviation Medicine, Federal Aviation Administration.

Mertens, H. W., & Lewis, M. F. (1982). Effect of different runway sizes on pilot performance during simulated night landing approaches. Aviation, Space, and Environmental Medicine, 53(5), 463-471.

Mertens, H. W., & Lewis, M. F. (1983). Effects of approach lighting and variation in visible runway length on perception of approach angle in simulated night landings. Aviation, Space, and Environmental Medicine, 54(6), 500-506.

Morey, W. A., Bory, A., Grissett, J. D., Houk, W. M. (1984). Dark focus, accommodative flexibility and flight performance. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 66-73). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Perrone, J. A. (1984). Visual slant misperception and the "black-hole" landing situation. Aviation, Space, and Environmental Medicine, 55, 1020-1025.

Randle, R. J., Roscoe, S. N., & Petitt, J. C. (1980). Effects of magnification and visual accommodation on aimpoint estimation in simulated landings with real and virtual image displays (NASA-TP-1635). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Roscoe, S. N. (1979). When day is done and shadows fall, we miss the airport most of all. Human Factors, 21(6), 721-731.

Thorpe, J. A., Varney, N. C., McFadden, R. W., LeMaster, W. D., & Short, L. H. (1978). Training effectiveness of three types of visual systems for KC-135 flight simulators (AFHRL-TR-78-16, AD-A060 253). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Westra, D. P., Lintern, G., Sheppard, D. J., Thomley, K. E., & Mauk, R. (1986). Simulator design and instructional features for carrier landing: A field transfer study (NAVTRASYSCEN-85-C-0044-2, AD-A169 962). Orlando, FL: Naval Training Systems Center.

Wewerinke, P. H. (1980). The effect of visual information on manual approach and landing. In Proceedings of the Sixteenth Annual Conference on Manual Control (pp. 49-65). Cambridge, MA: Massachusetts Institute of Technology.

34. EYE MOVEMENT CHARACTERISTICS

Daum, K. M. (1991). The eye movement behavior of pilots. In Visual Issues in Training and Simulation Presentation Summaries (pp. 93-97). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Dixon, K. W., Krueger, G. M., & Rojas, V. A. (1988). The use of an eye-tracking device for the measurement of flight performance in simulators. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4613, pp. 222-225). Washington, DC: American Institute of Aeronautics and Astronautics.

Dixon, K. W., Krueger, G. M., Rojas, V. A., & Martin, E. L. (1990). Visual behavior in the F-15 Simulator for Air-to-Air Combat (AFHRL-TP-89-75, AD-A218 648). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Martin, E. L., Krueger, G. M., & Rojas, V. A. (1989). Eye movement in air-to-air combat tasks. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3323, pp. 422-425). Washington, DC: American Institute of Aeronautics and Astronautics.

Dixon, K. W., Martin, E. L., Rojas, V. A., & Hubbard, D. C. (1988). The effects of field-of-view on pilot performance in the C-130 WST. In Proceedings of the 10th Interservice/Industry Training Systems Conference (pp. 362-371). Arlington, VA: National Security Industrial Association.

Dixon, K. W., Martin, E. L., Rojas, V. A., & Hubbard, D. C. (1990). Field-of-view assessment of low-level flight and an airdrop in the C-130 Weapon System Trainer (WST) (AFHRL-TR-89-9, AD-A218 504). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Rojas, V. A., Krueger, G. M., & Simcik, L. (1990). Eye tracking device for the measurement of flight performance in simulators (AFHRL-TP-89-18, AD-A220 075). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Evans, R. J., & Gainer, J. C. (1989). Safety evaluation of infrared lamp power output for oculometer eye/head tracker system (AFHRL-TP-89-63, AD-A215 809). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Gutmann, J. C., Snyder, H. L., Farley, W. W., & Evans, J. E., III. (1979). The effect of image quality on search for static and dynamic targets - MTFA-performance correlations. In C. K. Bensel (Ed.), Proceedings of the Human Factors Society 23rd Annual Meeting (pp. 339-343). Santa Monica, CA: Human Factors Society.

Gutmann, J. C., Snyder, H. L., Farley, W. W., & Evans, J. E., III. (1979). An experimental determination of the effect of image quality on eye movements and search for static and dynamic targets (AMRL-TR-79-51, AD-A077 728). Wright-Patterson AFB, OH: Human Engineering Division, Aerospace Medical Research Laboratory.

Mooij, H. A., & Farkin, B. (1994). Observer for point-of-gaze determination in real time. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 175-182). Warminster, Wiltshire, UK: ITEC Ltd.

Nadel, J. I., & Warner, H. D. (1988). A human factors evaluation of the Visual System Component Development Program (VSCDP) eye-tracking system. In Proceedings of the IEEE 1988 National Aerospace and Electronics Conference, NAECON 1988 (Vol. 3, pp. 915-917). New York, NY: Institute of Electrical and Electronics Engineers.

Neboit, M., Papin, J. P., Pottier, A., Puimean-Chieze, J. P., & Viard, D. (1978). Choix et techniques d'analyse d'indices de la prise d'informations visuelles. I. (Choice and techniques of analysis of indices for the perception of visual information. I.) Medecine Aeronautique et Spatiale, Medecine Subaquatique et Hyperbare, 17, 1st Quarter, 29-31. (In French)

Neboit, M., Papin, J. P., Pottier, A., Puimean-Chieze, J. P., & Viard, D. (1978). Choix et techniques d'analyse d'indices de la prise d'informations visuelles. II. (Selection and techniques for analysis of indices of visual data reception. II). Medecine Aeronautique et Spatiale, Medecine Subaquatique et Hyperbare, 17, 2nd quarter, 44-51. (In French)

Neboit, M., Pottier, A., Papin, J. P., Puimean-Chieze, J. P., & Viard, D. (1978). Choix et techniques d'analyse d'indices de la prise d'informations visuelles. III. (Choice and techniques of analysis of indices for the perception of visual information. III.) Medecine Aeronautique et Spatiale, Medecine Subaquatique et Hyperbare, 17, 3rd Quarter, 251-254. (In French)

Papin, J. P., Menu, J. P., & Santucci, G. (1981). Monocular vision and tactical flight in the helicopter. In AGARD Conference Proceedings 312, The Impact of New Guidance and Control Systems on Military Aircraft Cockpit Design (AGARD-CP-312, pp. 21-1 - 21-14). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization. (In French)

Papin, J. P., Viard, D., & Neboit, M. (1979). Etude de la direction du regard des pilotes sur simulateur de vol Mercure (Study of pilot's sight direction on Mercure flight simulator). Medecine Aeronautique et Spatiale, Medecine Subaquatique et Hyperbare, 18, 3rd Quarter, 201-204. (In French)

Peters, D. L. (1991). Chasing the eye: An eye-tracked display for the simulation industry - The how and the why. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 495-497). Playa del Rey, CA: Society for Information Display.

Pierce, B. J., Felber, A. A., & Wetzel, P. A. (1993). Real image display effects on oculomotor response and the perception of spatial relationships. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 502-505). Playa del Rey, CA: Society for Information Display.

Robinson, R. M., Thomas, M. L., & Wetzel, P. A. (1989). Eye tracker development on the Fiber Optic Helmet Mounted Display. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 102-108). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Sanders, M. G., Simmons, R. R., Hofmann, M. A., & Debonis, J. N. (1977). Visual workload of the copilot/navigator during terrain flight. In A. S. Neal & R. F. Palasek (Eds.), Proceedings of the Human Factors Society 21st Annual Meeting (pp. 262-266). Santa Monica, CA: Human Factors Society.

Sandor, P. B., & Leger, A. (1991). Tracking with a restricted field of view: Performance and eye-head coordination aspects. Aviation, Space, and Environmental Medicine, 62, 1026-1031.

Skelly, J. J., Purvis, B., & Wilson, G. (1988). Fighter pilot performance during airborne and simulator missions: Physiological comparisons. In AGARD Conference Proceedings 432, Electric and Magnetic Activity of the Central Nervous System: Research and Clinical Applications in Aerospace Medicine (AGARD-CP-432, pp. 23-1 - 23-10). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Wetzel, P. A. (1991). Development and evaluation of an eye measurement system for flight simulation. In Visual Issues in Training and Simulation Presentation Summaries (pp. 86-92). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Wetzel, P. A., Thomas, M. L., & Williams, T. T. (1990). Development and evaluation of eye tracker performance for use with the Fiber Optic Helmet Mounted Display. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 273-280). Arlington, VA: National Security Industrial Association.

Williams, T., Komoda, M., & Zeevi, J. (1987). Eyetracking with the fiber optic helmet mounted display. In J. Q. B. Chou (Ed.), Proceedings of the 1987 Summer Computer Simulation Conference (pp. 730-734). San Diego, CA: Society for Computer Simulation.

35. HEAD MOVEMENT CHARACTERISTICS

Dixon, K. W., Krueger, G. M., Rojas, V. A., & Martin, E. L. (1990). Visual behavior in the F-15 Simulator for Air-to-Air Combat (AFHRL-TP-89-75, AD-A218 648). Williams AFB, AZ: Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Dixon, K. W., Martin, E. L., & Krueger, G. M. (1989). The effect of stationary and head-driven field-of-view sizes on pop-up weapons delivery. In Proceedings of the 11th Interservice/Industry Training Systems Conference (pp. 137-141). Arlington, VA: American Defense Preparedness Association.

Dixon, K. W., Martin, E. L., & Krueger, G. M. (1990). Effects of field-of-view sizes on pop-up weapons delivery (AFHRL-TR-89-51, AD-A223 018). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Duff, J. M. (1983). Real visual image compensation for head motion parallax effects as a function of object distance (AFHRL-TP-83-37, AD-A132 915). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Ferrin, F. J. (1991). Survey of helmet tracking technologies. In H. M. Assenheim, R. A., Flasck, T. M. Lippert, & J. Bentz (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1456, Large-Screen-Projection, Avionic, and Helmet-Mounted Displays (pp. 86-94). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Hennessy, R. T., Sharkey, T. J., Matsumoto, J. A., & Voorhees, J. W. (1992). Simulator induced alteration of head movements. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4134, pp. 29-36). Washington, DC: American Institute of Aeronautics and Astronautics.

Mooij, H. A., & Farkin, B. (1994). Observer for point-of-gaze determination in real time. In N. Jackson & N. Cruz (Eds.), 5th ITEC, International Training Equipment Conference and Exhibition Proceedings (pp. 175-182). Warminster, Wiltshire, UK: ITEC Ltd.

Rodgers, A. G. (1991). Advances in head tracker technology - A key contributor to helmet vision system performance and implementation. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 127-130). Playa del Rey, CA: Society for Information Display.

Sandor, P. B., & Leger, A. (1991). Tracking with a restricted field of view: Performance and eye-head coordination aspects. Aviation, Space, and Environmental Medicine, 62, 1026-1031.

Smith, B. R., Jr. (1984). Digital head tracking and position prediction for helmet mounted visual display systems. In AIAA 22nd Aerospace Sciences Meeting (AIAA Paper No. 84-0557). New York, NY: American Institute of Aeronautics and Astronautics.

So, R. H. Y., & Griffin, M. J. (1991). Effects of time delays on head tracking performance and the benefits of lag compensation by image deflection. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2926, pp. 124-130). Washington, DC: American Institute of Aeronautics and Astronautics.

Venturino, M., & Wells, M. J. (1990). Head movements as a function of field-of-view size on a helmet-mounted display. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 2, pp. 1572-1576). Santa Monica, CA: Human Factors Society.

Verona, R. W., Rash, C. E., Holt, W. R., & Crosley, J. K. (1986). Head movements during contour flight (USAARL-87-1, AD-A181 203). Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory.

Warner, H. D., Serfoss, G. L., & Hubbard, D. C. (1993). Effects of area-of-interest display characteristics on visual search performance and head movements in simulated low-level flight (AL-TR-1993-0023, AD-A264 661). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Wells, M. J., & Haas, M. W. (1990). Head movements during simulated air-to-air engagements. In R. J. Lewandowski (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1290, Helmet-Mounted Displays II (pp. 246-257). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Wells, M. J., & Venturino, M. (1990). Performance and head movements using a helmet-mounted display with different sized fields-of-view. Optical Engineering, 29(8), 870-877.

36. OPTICAL FLOW

Awe, C. A., & Johnson, W. W. (1991). Time estimation in flight. In R. S. Jensen (Ed.), Proceedings of the Sixth International Symposium on Aviation Psychology (Vol. 1, pp. 560-565). Columbus, OH: Ohio State University.

Bennett, C. T., Johnson, W. W., Perrone, J. A., & Phatak, A. V. (1989). Synthetic perspective optical flow: Influence on pilot control tasks. In S. R. Ellis, M. K. Kaiser, & A. Grunwald (Eds.), Spatial Displays and Spatial Instruments (NASA Conference Publication 10032, pp. 40-1 - 40-9). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Bennett, C. T., & Zacharias, G. L. (1989). Differential optical flow and the control of gaze during passive flight in a virtual world. In Proceedings of the 1989 IEEE International Conference on Systems, Man, and Cybernetics (Vol. II, pp. 752-754). New York, NY: Institute of Electrical and Electronics Engineers.

Cutting, J. E. (1991). Optical flow versus retinal flow as sources of information for flight guidance. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 75-86). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Dyre, B. P., & Andersen, G. J. (1988). Perceived change in orientation from optic flow in the central visual field. In Proceedings of the Human Factors Society 32nd Annual Meeting (Vol. 2, pp. 1434-1438). Santa Monica, CA: Human Factors Society.

Dyre, B. P., & Andersen, G. J. (1990). The impact of visual noise on spatial orientation. In Proceedings of the Human Factors Society 34th Annual Meeting (Vol. 2, pp. 1577-1581). Santa Monica, CA: Human Factors Society.

Flach, J. M. (1991). Control with an eye for perception: Precursors to an active psychophysics. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 121-149). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Flach, J. M. (1994). Perception and control of locomotion (AFOSR-TR-94-0648, AD-A285 605). Bolling AFB, DC: Air Force Office of Scientific Research.

Flach, J. M. (1993). Perception/action: An holistic approach II (AFOSR-TR-93-0820, AD-A271 822). Bolling AFB, DC: Air Force Office of Scientific Research.

Garness, S. A., Flach, J. M., Stanard, T., & Warren, R. (1994). The basis for the perception and control of altitude: Splay & depression angle components of optical flow. In Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting (Vol. 2, pp. 1275-1279). Santa Monica, CA: Human Factors and Ergonomics Society.

Gibson, J. J. (1955). The optical expansion-pattern in aerial locomotion. American Journal of Psychology, 68, 480-484.

Gibson, J. J., Olum, P., & Rosenblatt, F. (1955). Parallax and perspective during aircraft landings. American Journal of Psychology, 68, 372-385.

Hettinger, L. J., & Owen, D. H. (1985). Increasing sensitivity to optical information specifying loss in altitude. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 483-490). Columbus, OH: Ohio State University.

Hettinger, L. J., Owen, D. H., & Warren, R. (1983). The functional utility of optical flow acceleration as information for detecting loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 503-511). Columbus, OH: Ohio State University.

Hettinger, L. J., Warren, R., & Owen, D. H. (1982). Optical information for descent in flight simulation. In Proceedings of the IEEE 1982 National Aerospace and Electronics Conference, NAECON 1982 (Vol. 1, pp. 435-439). New York, NY: Institute of Electrical and Electronics Engineers.

Horn, B. K. P., & Schunck, B. G. (1981). Determining optical flow. In J. J. Pearson (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 281, Techniques and Applications of Image Understanding (pp. 319-331). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Johnson, W. W., & Awe, C. A. (1994). Selective use of functional optical variables in the control of forward speed (NASA-TM-108849). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Johnson, A. E., & Owen, D. H. (1985). The effects of preview period on descent detection. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 467-473). Columbus, OH: Ohio State University.

Johnson, W. W. (1991). Scene related optical information potentially important for flight control. In Visual Issues in Training and Simulation Presentation Summaries (pp. 33-36). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Johnson, W. W., & Awe, C. A. (1993). Use of optical edge and optical flow rate information in the perception and control of ground velocity. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 286-291). Columbus, OH: Ohio State University.

Kelly, L., Flach, J. M., Garness, S., & Warren, R. (1993). Altitude control: Effects of texture and global optical flow. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 292-295). Columbus, OH: Ohio State University.

Lappin, J. S. (1991). Perceiving environmental structure from optical motion. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 39-61). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Larish, J. F., & Flach, J. M. (1987). Judgment of speed with computer generated motion displays. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 244-250). Columbus, OH: Ohio State University.

Mangold, S. J., Owen, D. H., & Warren, R. (1981). Fractional rates of change as functional optical invariants. In R. S. Jensen (Ed.), Proceedings of the First Symposium on Aviation Psychology (pp. 205-215). Columbus, OH: Ohio State University.

Martin, E. A., McMillan, G. R., Warren, R., & Riccio, G. E. (1986). A program to investigate requirements for effective flight simulator displays. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 101-126). London, England: Royal Aeronautical Society.

Owen, D. H. (1982). Optical flow and texture variables useful in simulating self motion (AFOSR-TR-82-0545, AD-A117 016). Bolling AFB, DC: Air Force Office of Scientific Research.

Owen, D. H. (1983). Optical flow and texture variables useful in simulating self motion (II) (AFOSR-TR-83-0807, AD-A133 597). Bolling AFB, DC: Air Force Office of Scientific Research.

Owen, D. H. (1984). Optical flow and texture variables useful in detecting decelerating and accelerating self-motion (AFHRL-TP-84-4, AD-A148 718). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H. (1985). Optical and event-duration variables affecting self-motion perception (AFHRL-TP-85-23, AD-A161 836). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H. (1986). Optical information for flight simulation. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 170-190). London, England: Royal Aeronautical Society.

Owen, D. H. (1991). Perception and control of rotorcraft flight. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 87-97). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Owen, D. H., Freeman, S. J., Zaff, B. F., & Wolpert, L. (1987). Perception and control of simulated self motion (AFHRL-TR-87-16). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H., Hettinger, L. J., Wolpert, L., Tobias, S. B., & Warren, R. (1983). Optical flow and texture variables useful for detecting changes in simulated self motion. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 2, pp. 996-1000). Santa Monica, CA: Human Factors Society.

Owen, D. H., & Jensen, R. S. (1981). Methodological approaches to identifying relevant features for visual flight simulation (AFOSR-TR-81-0479, AD-A100 199). Bolling AFB, DC: Air Force Office of Scientific Research.

Owen, D. H., Jensen, R., Alexander, G., Warren, R., Mangold, S. J., & Hettinger, L. (1981). Transformation realism: An interactive evaluation of optical information necessary for the visual simulation of flight. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 385-400). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Owen, D. H., Pallos, I. E., Hettinger, L. J., & Fogt, J. C. (1985). The influence of preview period and global optical flow rate on sensitivity to loss in speed of self motion. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 459-466). Columbus, OH: Ohio State University.

Owen, D. H., & Warren, R. (1982). Optical variables as measures of performance during simulated flight. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 312-315). Santa Monica, CA: Human Factors Society.

Owen, D. H., Warren, R., Jensen, R. S., Mangold, S. J., & Hettinger, L. J. (1981). Optical information for detecting loss in one's own forward speed. Acta Psychologica, 48, 203-213.

Owen, D. H., Wolpert, L., Hettinger, L. J., & Warren, R. (1984). Global optical metrics for self-motion perception. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 405-415). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Perrone, J. A. (1991). The perception of surface layout during low level flight. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 63-74). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Previc, F. H. (1989). Detection of optical flow patterns during low-altitude flight. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 708-713). Columbus, OH: Ohio State University.

Raviv, D. (1991). Invariants in visual motion (NISTIR-4722). Gaithersburg, MD: Robot Systems Division, National Institute of Standards and Technology.

Roberts, M. E. C., & Murray, P. M. (1986). Optical flow - The key to integration of visual and vestibular motion cueing. In Advances in Flight Simulation - Visual and Motion Systems, International Conference Proceedings (pp. 191-203). London, England: Royal Aeronautical Society.

Simpson, W. A. (1993). Optic flow and depth perception. Spatial Vision, 7(1), 35-75.

Singh, A. (1991). Optic flow computation: A unified perspective. Los Alamitos, CA: IEEE Computer Society Press.

Tobias, S. B., & Owen, D. H. (1983). Useful optical variables for detecting decelerating self motion. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 495-501). Columbus, OH: Ohio State University.

Todd, J. T. (1981). Visual information about moving objects. Journal of Experimental Psychology: Human Perception and Performance, 7(4), 795-810.

Warren, R. (1976). The perception of egomotion. Journal of Experimental Psychology: Human Perception and Performance, 2(3), 448-456.

Warren, R. (1982). Optical transformation during movement: Review of the optical concomitants of egomotion (AFOSR-TR-82-1028, AD-A122 275). Bolling AFB, DC: Air Force Office of Scientific Research.

Warren, R., & Owen, D. H. (1982). Functional optical invariants: A new methodology for aviation research. Aviation, Space, and Environmental Medicine, 53(10), 977-983.

Warren, R., & Owen, D. H. (1981). Functional optical invariants: A new methodology for aviation research. In R. S. Jensen (Ed.), Proceedings of the First Symposium On Aviation Psychology (pp. 192-204). Columbus, OH: Ohio State University.

Warren, W. H., & Hannon, D. J. (1988). Direction of self-motion is perceived from optical flow. Nature, 336, 162-163.

Warren, W. H., Morris, M. W., & Kalish, M. (1988). Perception of translational heading from optical flow. Journal of Experimental Psychology: Human Perception and Performance, 14(4), 646-660.

Wheeler, D. A., & Kraft, C. L. (1989). Sensitivity of detecting simulated ascent and descent in peripheral vision. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 726-731). Columbus, OH: Ohio State University.

Wolpert, L. (1987). Field of view versus retinal field in the detection of loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 223-230). Columbus, OH: Ohio State University.

Wolpert, L. (1987). Field of view versus retinal region in the perception of self motion. Unpublished doctoral dissertation, Ohio State University, Ohio.

Wolpert, L. (1991). Sensitivity to edge and flow rate in the control of speed and altitude. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 103-106). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Wolpert, L., & Owen, D. H. (1985). Sources of optical information and their metrics for detecting loss in altitude. In R. S. Jensen & J. Adrion (Eds.), Proceedings of the Third Symposium on Aviation Psychology (pp. 475-481). Columbus, OH: Ohio State University.

Wolpert, L., Owen, D. H., & Warren, R. (1983). Eyeheight-scaled versus ground-texture-unit-scaled metrics for the detection of loss in altitude. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 513-521). Columbus, OH: Ohio State University.

Wolpert, L., Reardon, K. A., & Warren, R. (1989). The effect of changes in edge and flow rates on altitude control. In R. S. Jensen (Ed.), Proceedings of the Fifth International Symposium on Aviation Psychology (Vol. 2, pp. 749-754). Columbus, OH: Ohio State University.

Zacharias, G. L., Caglayan, A. K., & Sinacori, J. B. (1985). A model for visual flow-field cueing and self-motion estimation. IEEE Transactions on Systems, Man, and Cybernetics, SMC-15(3), 385-389.

Zacharias, G. L., Caglayan, A. K., & Sinacori, J. B. (1985). A visual cueing model for terrain-following applications. Journal of Guidance, Control, and Dynamics, 8(2), 201-207.

Zacharias, G. L., Miao, A. X., & Warren, R. (1993). Multistage integration model for human egomotion perception. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3564, pp. 103-113). Washington, DC: American Institute of Aeronautics and Astronautics.

Zaff, B. S., & Owen, D. H. (1987). Active control of accelerating and decelerating self motion. In R. S. Jensen (Ed.), Proceedings of the Fourth International Symposium on Aviation Psychology (pp. 209-215). Columbus, OH: Ohio State University.

37. BLUR PATTERNS AND LOOMING

Harrington, T. L., & Harrington, M. (1977). Spatial orientation from high-velocity blur patterns: Perception of divergence (Report 1977-1). Arlington, VA: Office of Naval Research, Code 455.

Harrington, T. L., Harrington, M. K., Wilkins, C. A., & Koh, Y. O. (1980). Visual orientation by motion produced blur patterns: Detection of divergence. Perception & Psychophysics, 28(4), 293-305.

Prazdny, K. (1982). Blur patterns: A comment. Perception & Psychophysics, 31(2), 190-191.

Raviv, D. (1992). Quantitative approach to looming (NISTIR-4808). Gaithersburg, MD: Robot Systems Division, National Institute of Standards and Technology.

38. MOTION PERCEPTION (VECTION)

Andersen, G. J. (1986). The role of central field stimulation in the perception of self-motion: Implications for flight simulation. In G. E. Lee (Ed.), Proceedings of the Tenth Symposium on Psychology in the Department of Defense (USAFA-TR-86-1, pp. 441-445). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Andersen, G. J., & Dyre, B. P. (1987). Induced rollvection from stimulation of the central visual field. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 1, pp. 263-265). Santa Monica, CA: Human Factors Society.

Armstrong, R. N., Hofman, M. A., Sanders, M. G., Stone, L. W., & Bowen, C. A. (1975). Perceived velocity and altitude judgments during rotary wing aircraft flight (USAARL-76-3, AD-A016 870). Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory.

Hall, J. R. (1978). Motion versus visual cues in piloted flight simulation. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 17-1 - 17-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Hosman, R. J. A. W., & van der Vaart, J. C. (1983). Accuracy of visually perceived roll angle and roll rate using an artificial horizon and peripheral displays (VTH-LR-377). Delft, Netherlands: Department of Aerospace Engineering, Technische Hogeschool.

Hosman, R. J. A. W., & van der Vaart, J. C. (1984). Accuracy of system step response roll magnitude estimation from central and peripheral visual displays and simulator cockpit motion. In Proceedings of the Twentieth Annual Conference on Manual Control (NASA Conference Publication 2341, Vol. 1, pp. 559-573). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Hosman, R. J. A. W., & van der Vaart, J. C. (1988). Visual-vestibular interaction in pilot's perception of aircraft or simulator motion. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4622, pp. 271-281). Washington, DC: American Institute of Aeronautics and Astronautics.

Howard, I. P. (1991). Vection and induced visual motion (CTN-92-60592). North York, Ontario, Canada: York University.

Junker, A. M., & Price, D. (1976). Comparison between a peripheral display and motion information on human tracking about the roll axis. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 63-72). New York, NY: American Institute of Aeronautics and Astronautics.

Kraft, C. L., Barfield, W., Busey, T. A., Williams, M., & Qualy-White, J. (1993). Peripheral displays and visual performance. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 181-184). Playa del Rey, CA: Society for Information Display.

Leibowitz, H. W. (1990). The multimechanistic basis of motion perception. In J. Morreale (Ed.), 1990 SID International Symposium Digest of Technical Papers, Volume XXI (pp. 344-346). Playa del Rey, CA: Society for Information Display.

Naish, J. M. (1971). Control information in visual flight. In Proceedings of the Seventh Annual Conference on Manual Control (NASA-SP-281, pp. 167-176). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Turano, K. (1992). Visual psychophysics of egomotion (AFOSR-TR-92-0202, AD-A248 349). Bolling AFB, DC: Air Force Office of Scientific Research.

Turano, K. (1994). Visual psychophysics of egomotion (AFOSR-TR-94-0450, AD-A282 547). Bolling AFB, DC: Air Force Office of Scientific Research.

van der Vaart, J. C., & Hosman, R. J. A. W. (1984). Mean and random errors of visual roll rate perception from central and peripheral visual displays. In Proceedings of the Twentieth Annual Conference on Manual Control (NASA Conference Publication 2341, Vol. 1, pp. 515-529). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Young, L. R. (1978). Visually induced motion in flight simulation. In AGARD Conference Proceedings No. 249, Piloted Aircraft Environment Simulation Techniques (AGARD-CP-249, pp. 16-1 - 16-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Young, L. R., Dichgans, J. M., & Oman, C. M. (1973). Visually induced sensations of motion. In Proceedings of the Ninth Annual Conference on Manual Control (pp. 193-195). Cambridge, MA: Massachusetts Institute of Technology.

39. HUMAN VISION CHARACTERISTICS

Adams, W. F., & Prestrude, A. M. (1993). The effects of target vibration on contrast sensitivity. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 1, pp. 296-301). Columbus, OH: Ohio State University.

Advani, S. K., van der Vaart, J. C., Rysdyk, R. T., & Grosz, J. (1993). What optical cues do pilots use to initiate the landing flare? Results of a piloted simulator experiment. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 93-3561, pp. 81-89). Washington, DC: American Institute of Aeronautics and Astronautics.

Barber, A. V. (1990). Visual mechanisms and predictors of far field visual task performance. Human Factors, 32(2), 217-233.

Barnes, A. G. (1970). The effect of visual threshold on aircraft control, with particular reference to approach and flare simulation. In AIAA Visual and Motion Simulation Technology Conference (AIAA Paper No. 70-357). New York, NY: American Institute of Aeronautics and Astronautics.

Barten, P. G. J. (1992). Contrast sensitivity of the human eye. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 751-754). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Brennan, D. H. (1988). Vision and visual protection in fast jet aircraft. In AGARD Lecture Series No. 156, Visual Effects in the High Performance Aircraft Cockpit (AGARD-LS-156, pp. 2-1 - 2-13). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Briggs, R. W. (1993). Effect of specific components in the task of armored vehicle recognition (AD-A266 693). Fort Benjamin Harrison, IN: Army Soldier Support Center.

Bunker, W. M. (1975). Applied optical illusions - A simulation model of eye response helps improve visual scene simulation. In Proceedings of the 8th Annual Simulation Symposium (pp. 181-195). New York, NY: Institute of Electrical and Electronics Engineers.

Clapp, R. E. (1985). The human dual visual system - their importance in simulation. In J. S. Gardenier (Ed.), Simulators, Proceedings of the Conference on Simulators (Simulation Series, Vol. 16, No. 1, pp. 183-187). La Jolla, CA: Society for Computer Simulation.

Clapp, R. (1985). Perceptual "traps" of the visual system. In Proceedings of the 1985 Summer Computer Simulation Conference (pp. 732-737). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1986). Duplication of the eye - hybrid visual displays. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 70-75). San Diego, CA: Society for Computer Simulation.

Clapp, R. E. (1986). Expectance as a factor in the perception of visual displays. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 92-96). San Diego, CA: Society for Computer Simulation.

Ginsburg, A. P. (1984). Contrast sensitivity: Relating visual capability to performance. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 18-27). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Ginsburg, A. P., Easterly, J., & Evans, D. W. (1983). Contrast sensitivity predicts target detection field performance of pilots. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (pp. 269-273). Santa Monica, CA: Human Factors Society.

Ginsburg, A. P., Evans, D. W., Sekuler, R., & Harp, S. (1982). Contrast sensitivity predicts pilots' performance in aircraft simulators (AFOSR-TR-82-0388, AD-A114 841). Bolling AFB, DC: Air Force Office of Scientific Research.

Home, R. (1983). The processes of visual perception and the implications for optimisation of displays (RSRE-83001, AD-A128 151). Malvern, England: Royal Signals and Radar Establishment.

Howard, I. P. (1991). Spatial vision within egocentric and exocentric frames of reference. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 185-203). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Johnson, W. W., & Phatak, A. V. (1990). Modeling human visuo-motor strategy during vehicle control. In Proceedings of the 1990 IEEE International Conference on Systems, Man, and Cybernetics (pp. 530-532). New York, NY: Institute of Electrical and Electronics Engineers.

Kingslake, R. (1973). Influence of the eye on the performance of visual systems. In W. J. Smith (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers 17th Annual Technical Meeting, Volume 39, Applications of Geometrical Optics (pp. 57-64). Redondo Beach, CA: Society of Photo-Optical Instrumentation Engineers.

- Kochhar, D. S., & Fraser, T. M. (1978). Monocular peripheral vision as a factor in flight safety. Aviation, Space, and Environmental Medicine, 49(5), 698-706.
- Kruk, R., & Regan, D. (1983). Visual test results compared with flying performance in telemetry-tracked aircraft. Aviation, Space, and Environmental Medicine, 54(10), 906-911.
- Kruk, R., Regan, D., Beverley, K. I., & Longridge, T. (1981). Correlations between visual test results and flying performance on the Advanced Simulator for Pilot Training (ASPT). Aviation, Space, and Environmental Medicine, 52(8), 455-460.
- Kruk, R., Regan, D. M., Beverley, K. I., & Longridge, T. M. (1982). Visual channel sensitivity and pilot performance in a flight simulator. In R. E. Edwards & P. Tolin (Eds.), Proceedings of the Human Factors Society 26th Annual Meeting (pp. 885-889). Santa Monica, CA: Human Factors Society.
- Kruk, R., Regan, D., Beverley, K. I., & Longridge, T. (1983). Flying performance on the Advanced Simulator for Pilot Training and laboratory tests of vision. Human Factors, 25(4), 457-466.
- Leibowitz, H. W. (1992). Perception in flight: Shape and motion perception, space perception, spatial orientation and visual vestibular interaction. In AGARD Lecture Series 187, Visual Problems in Night Operations (AGARD-LS-187, pp. 3-1 - 3-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.
- Littman, D., & Boehm-Davis, D. (1993). Perceptual factors that influence use of computer enhanced visual displays (NASA-CR-192961). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.
- Long, E. R., Jr., & Long, S. A. T. (1969). The visual acuity in viewing scaled objects on television compared with that in direct viewing (NASA-TN-D-5534). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.
- Monaco, W. A., & Hamilton, P. V. (1984). Air-to-air target detection. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 11-17). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Monaco, W. A., & Hamilton, P. V. (1985). Visual capabilities related to fighter aircrew performance in the F-14 and adversary aircraft. In AGARD Conference Proceedings No. 396, Medical Selection and Physiological Training of Future Fighter Aircrew (AGARD-CP-396, pp. 38-1 - 38-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Morris, A., Hamilton, P. V., Morey, W. A., & Briggs, R. P. (1985). Vision test battery threshold and response time as predictors of air-to-air visual target acquisition in F-14 and adversary aircraft. In AGARD Conference Proceedings No. 396, Medical Selection and Physiological Training of Future Fighter Aircrew (AGARD-CP-396, pp. 39-1 - 39-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Morrison, T. R. (1980). A review of dynamic visual acuity (NAMRL-Monograph-28, AD-A085 860). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

O'Neal, M. R., & Miller, R. E., II. (1987). Further investigation of contrast sensitivity and visual acuity in pilot detection of aircraft. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1189-1193). Santa Monica, CA: Human Factors Society.

O'Neal, M. R., & Miller, R. E., II (1988). Further investigation of contrast sensitivity and visual acuity in pilot detection of aircraft (AAMRL-TR-88-002, AD-A198 434). Wright-Patterson AFB, OH: Human Systems Division, Armstrong Aerospace Medical Research Laboratory.

Overington, I. (1983). Limitations of spatial-frequency-based criteria for assessment of raster display systems. In Proceedings of SPIE-The International Society for Optical Engineering, Volume 399, Optical System Design, Analysis, and Production (pp. 34-42). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Palmer, E., & Petitt, J. (1976). Difference thresholds for judgments of sink rate during the flare. In AIAA Visual and Motion Simulation Conference Proceedings (pp. 96-100). New York, NY: American Institute of Aeronautics and Astronautics.

Pantle, A. J. (1977). Research on visual perception of complex and dynamic imagery (AMRL-TR-77-83, AD-A049 127). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Proffitt, D. R. (1991). Contextual specificity in perception and action. In W. W. Johnson & M. K. Kaiser (Eds.), Proceedings of the Workshop on Visually Guided Control of Movement (NASA-CP-3118, pp. 151-155). Moffett Field, CA: Ames Research Center, National Aeronautics and Space Administration.

Provines, W. F., Rahe, A. J., Block, M. G., Pena, T., & Tredici, T. J. (1983). Yellow ophthalmic filters in the visual acquisition of aircraft (USAFSAM-TR-83-46, AD-A138 536). Brooks AFB, TX: Aerospace Medical Division, USAF School of Aerospace Medicine.

Provines, W. F., Rahe, A. J., Block, M. G., Pena, T., & Tredici, T. J. (1992). Yellow lens effects upon visual acquisition performance. Aviation, Space, and Environmental Medicine, 63(7), 561-564.

Regan, D. (1982). Assessment and development of oculomotor flying skills by the application of the channel theory of vision (AFOSR-TR-82-0441, AD-A115 325). Bolling AFB, DC: Air Force Office of Scientific Research.

Regan, D. (1982). Assessment and development of oculomotor flying skills by the application of the channel theory of vision (AFOSR-TR-83-0541, AD-A129 534). Bolling AFB, DC: Air Force Office of Scientific Research.

Regan, D. (1984). Visual factors in flying performance. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 3-10). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Regan, D. (1985). Visual sensitivities and discriminations and their roles in aviation (AFOSR-TR-85-0639, AD-A158 962). Bolling AFB, DC: Air Force Office of Scientific Research.

Regan, D. (1986). Visual sensitivities and discriminations and their roles in aviation (AFOSR-TR-86-0464, AD-A170 418). Bolling AFB, DC: Air Force Office of Scientific Research.

Regan, D. (1989). Visual sensitivities and discriminations and their role in aviation (AFOSR-TR-90-0235, AD-A219 319). Bolling AFB, DC: Air Force Office of Scientific Research.

Regan, D. M., Kruk, R., Beverley, K. I., & Longridge, T. M. (1981). The relevance of channel theory for the design of simulator imagery. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 307-344). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Regan, D., Kruk, R., Beverley, K., & Longridge, T. (1981). A visual channel theory approach to pilot performance and simulator imagery. In R. C. Sugarman, A. S. Baum, J. L. Ditzian, D. J. Funke, V. J. Gawron, & K. R. Laughery (Eds.), Proceedings of the Human Factors Society 25th Annual Meeting (pp. 223-227). Santa Monica, CA: Human Factors Society.

Rogers, K. O., & Gross, D. C. (1992). Human visual performance modeling. In Proceedings of the 14th Interservice/Industry Training Systems and Education Conference (pp. 692-701). Arlington, VA: National Security Industrial Association.

Rogowitz, B. E. (1992). Human vision and display design. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 743-746). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Sekuler, R. (1985). Enhancing sensitivity to visual motion and enhancing visual sensitivity (AFOSR-TR-85-0668, AD-A158 800). Bolling AFB, DC: Air Force Office of Scientific Research.

Sekuler, R., Tynan, P. D., & Kennedy, R. S. (1981). Sourcebook of temporal factors affecting information transfer from visual displays (ARI-TR-540, AD-A109 907). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Shinar, D., & Gilead, E. (1987). Contrast sensitivity as a predictor of complex target detection. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1194-1197). Santa Monica, CA: Human Factors Society.

Simonsen, L. (1988). Visual related accidents/incidents. In AGARD Lecture Series No. 156, Visual Effects in the High Performance Aircraft Cockpit (AGARD-LS-156, pp. 3-1 - 3-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Sperling, G. (1994). Visual motion perception and visual information processing (AFOSR-TR-94-0470, AD-A282 928). Bolling AFB, DC: Air Force Office of Scientific Research.

Task, H. L., & Pinkus, A. R. (1987). Contrast sensitivity and target recognition performance: A lack of correlation. In J. Morreale (Ed.), 1987 SID International Symposium Digest of Technical Papers, Volume XVIII (pp. 127-129). Playa del Rey, CA: Society for Information Display.

Temme, L. A., & Still, D. L. (1991). Prescriptive eyeglass use by U.S. Navy jet pilots: Effects on air-to-air target detection. Aviation, Space, and Environmental Medicine, 62(9), 823-826.

Thibos, L. N., & Bradley, A. (1991). The limits to performance in central and peripheral vision. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 301-303). Playa del Rey, CA: Society for Information Display.

Thomas, S. R., Brakefield, J., & Barsalou, N. (1991). Does Wilson's human spatial vision model hold for complex "real-world" target detection? In Visual Issues in Training and Simulation Presentation Summaries (pp. 53-57). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

40. VISUAL TARGET ACQUISITION

Akerman, A., III, & Kinzly, R. E. (1979). Predicting aircraft detectability. Human Factors, 21(3), 277-291.

Andrews, J. W. (1984). Air-to-air visual acquisition performance with TCAS II (DOT/FAA/PM-84/17, AD-A148 454). Washington, DC: Department of Transportation, Federal Aviation Administration.

Baldwin, R. D. (1973). Capabilities of ground observers to locate, recognize, and estimate distance of low flying aircraft (HumRRO-TR-73-8, AD-758 875). Alexandria, VA: Human Resources Research Organization.

Baldwin, R. D. (1973). Relationship between recognition range and the size, aspect angle, and color of aircraft (HumRRO-TR-73-2, AD-758 870). Alexandria, VA: Human Resources Research Organization.

Baldwin, R. D., Frederickson, E. W., & Hackerson, E. C. (1970). Aircraft recognition performance of crew chiefs with and without forward observers (Technical Report 70-12, AD-714 213). Alexandria, VA: Human Resources Research Organization.

Baldwin, R. D., Frederickson, E. W., Kubala, A. L., McCluskey, M. R., & Wright, A. D. (1968). Ground observer ability to detect and estimate the range of jet aircraft flying over hilly terrain (AD-A020 657). Alexandria, VA: Human Resources Research Organization.

Barber, A. V. (1990). Visual mechanisms and predictors of far field visual task performance. Human Factors, 32(2), 217-233.

Barnes, J. A. (1978). A review of individual performance in air-to-ground target detection and identification studies (HEL-TM- 26-78, AD-A061 580). Aberdeen Proving Ground, MD: U.S. Army Human Engineering Laboratory.

Bergert, J. W. (1970). Target acquisition studies - Visual angle requirements for directly viewed targets (OR-10399, AD-700 328). Orlando, FL: Martin Marietta Corp.

Bergert, J. W., & Fowler, F. D. (1970). Target acquisition studies - Visual angle requirements for TV displayed targets (OR-10689, AD-706 369). Orlando, FL: Martin Marietta Corp.

Bloomfield, J. R., Wald, J., & Thompson, L. A. (1979). Visual search: Clutter and proximity effects (AD-A115 799). Minneapolis, MN: Honeywell, Inc.

Briggs, R. W. (1993). Effect of specific components in the task of armored vehicle recognition (AD-A266 693). Fort Benjamin Harrison, IN: Army Soldier Support Center.

Carlstrom, A. (1989). Mode of presentation of cues in policy capturing: A comparison between verbal and pictorial presentation of targets in judgment of probability to fire (FOA Rapport C 50074-5.2). Stockholm, Sweden: Foersvarets Forskningsanstalt.

Carlstrom, A. (1989). Target selection in anti-tank helicopter operations: Effects of experience (FOA Rapport C 50073-5.2). Stockholm, Sweden: Foersvarets Forskningsanstalt.

Carlstrom, A. (1989). Target selection in anti-tank helicopter operations: Relative weight of cues in target evaluation judgments (FOA Rapport C 50072-5.2). Stockholm, Sweden: Foersvarets Forskningsanstalt.

Chisum, G. T. (1977). Prediction of airborne target detection (NADC-77102-40, AD-A041 428). Warminster, PA: Naval Air Development Center.

Corrick, C. E. (1979). Detection of different target types in realistic terrain (NWC-TP-6107, AD-A072 973). China Lake, CA: Naval Weapons Center.

Costanza, E. B., Stacey, S. R., & Snyder, H. L. (1980). Air-to-air target acquisition: Factors and means of improvement (SAM-TR-80-9, AD-A087 848). Brooks AFB, TX: Aerospace Medical Division, USAF School of Aerospace Medicine.

Doll, T. J., McWhorter, S. W., & Schmieder, D. E. (1993). Simulation of human visual search in cluttered backgrounds. In Proceedings of the Human Factors and Ergonomics Society 37th Annual Meeting (Vol. 2, pp. 1310-1314). Santa Monica, CA: Human Factors and Ergonomics Society.

Erickson, R. A. (1978). Line criteria in target acquisition with television. Human Factors, 20(5), 573-588.

Foskett, R. J., Baldwin, R. D., & Kubala, A. L. (1978). The detection ranges of features of armored vehicles (ARI-TR-78-A37, AD-A068 043). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Fowler, F. D., Freitag, M., Jones, D. B., & King, B. (1971). Target acquisition studies - (1) Two dimensional compared with three dimensional targets. (2) Changes in gamma for TV displayed targets (OR-11091, AD-718 382). Orlando, FL: Martin Marietta Corp.

Fowler, F. D., & Jones, D. B. (1972). Target acquisition studies (OR-11901, AD-740 787). Orlando, FL: Martin Marietta Corp.

Foyle, D. C., & Kaiser, M. K. (1991). Pilot distance estimation with unaided vision, night-vision goggles and infrared imagery. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 314-317). Playa del Rey, CA: Society for Information Display.

Frederickson, E. W., Follettie, J. F., & Baldwin, R. D. (1967). Aircraft detection, range estimation, and auditory tracking tests in a desert environment (HumRRO Technical Report 67-3). Alexandria, VA: Human Resources Research Organization.

Frenzel-Norlin, G. (1993). Malidentifying fran flygplan (Air-to-ground target recognition) (FOA-C-50101-5.2). Stockholm, Sweden: Foersvarets Forskningsanstalt. (In Swedish)

Galanter, E., & Galanter, P. (1973). Range estimates of distant visual stimuli. Perception & Psychophysics, 14(2), 301-306.

Gawron, V. J., Laughery, K. R., Jr., Jorgensen, C. C., & Polito, J. (1983). A computer simulation of visual recognition performance. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 1, pp. 349-353). Santa Monica, CA: Human Factors Society.

Ginsburg, A. P. (1984). Contrast sensitivity: Relating visual capability to performance. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 18-27). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Ginsburg, A. P., Easterly, J., & Evans, D. W. (1983). Contrast sensitivity predicts target detection field performance of pilots. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (pp. 269-273). Santa Monica, CA: Human Factors Society.

Ginsburg, A. P., Evans, D. W., Sekuler, R., & Harp, S. (1982). Contrast sensitivity predicts pilots' performance in aircraft simulators (AFOSR-TR-82-0388, AD-A114 841). Bolling AFB, DC: Air Force Office of Scientific Research.

Greening, C. P. (1974). Alternative approaches to modeling visual target acquisition (NWC-TP-5698, AD-B000 465). China Lake, CA: Naval Weapons Center.

Greening, C. P. (1976). Mathematical modeling of air-to-ground target acquisition. Human Factors, 18(2), 111-148.

Greening, C. P. (1977). Significant non-target effects on target acquisition performance. In E. G. Monroe (Ed.), Proceedings of the 1977 IMAGE Conference (AD-A044 582, pp. 34-49). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Greening, C. P. (1980). Is image quality important? In G. E. Corrick, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 516-520). Santa Monica, CA: Human Factors Society.

Greening, C. P., & Wyman, M. J. (1970). Experimental evaluation of a visual detection model. Human Factors, 12(5), 435-445.

Grossman, J. D., & Whitehurst, H. O. (1979). The relative effects of multiple factors on target acquisition. Human Factors, 21(4), 423-432.

Hamilton, P. V., & Monaco, W. A. (1986). Improving air-to-air target detection. Wings of Gold, Winter, 46-48.

Hilgendorf, R. L., & Milenski, J. (1974). SEEKVAL Project IA1: Effects of brightness contrast on target acquisition (AMRL-TR-74-55). Wright-Patterson AFB, OH: Aerospace Medical Division, Aerospace Medical Research Laboratory.

Hoffmann, H. E. (1976). A review of the most important established facts about the visibility (maximum detection range) of aircraft (Library Translation 1895). Farnborough, Hants, England: Royal Aircraft Establishment.

Hoffmann, H. E. (1979). The influence of the flight altitude and the limitation of the field of view on the visibility of targets on the ground and the maximum visibility flight altitude (DFVLR-FB-79-35). Cologne, Federal Republic of Germany: Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt. (In German)

Hoffmann, H. E. (1981). The optical recognition of sea targets as a function of surrounding and observation parameters in air to water observations (BMVG-FBWT-81-10). Bonn, Federal Republic of Germany: Bundesministerium der Verteidigung. (In German)

Hoffmann, H. E. (1981). The visible detection of aerial targets as a function of environmental, target and observation parameters for surface to air or air to air observations (BMVG-FBWT-81-12). Bonn, Federal Republic of Germany: Bundesministerium der Verteidigung. (In German)

Hoffmann, H. E., & Buell, R. H. (1974). Results of tests for determination of the maximum detection range in observing aircraft from the ground in Northern Germany (DLR-IB-553-74/4). Bonn, Federal Republic of Germany: Bundesministerium der Verteidigung. (In German)

Holman, L. K. B. (1981). Visual search strategy predictions: The use of aspect ratio as a cue (Report No. BT 12565). Bristol, England: British Aerospace Dynamics Group.

Hutchins, C. E., & Jones, T. N. (1975). An initial investigation of those ACMR parameters related to initial air-to-air visual acquisition (TM-75-2, AD-A955 236). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Hutchins, C. W., Jr. (1978). The relationship between Air Combat Maneuvering Range (ACMR) output measures and initial visual acquisition performance (NAMRL-SR-79-1, AD-A062 134). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Johnson, R. M. (1981). An information processing model of target acquisition. In R. C. Sugarman, A. S. Baum, J. L. Ditzian, D. J. Funke, V. J. Gawron, & K. R. Laughery (Eds.), Proceedings of the Human Factors Society 25th Annual Meeting (pp. 267-271). Santa Monica, CA: Human Factors Society.

Katoh, Z., & Fujiwara, O. (1977). Study of visual space perception: Experimental study of pilot's distance judgment. Reports of Aeromedical Laboratory, 18(1), 11-21. (Tokyo, Japan: Aeromedical Laboratory, Japan Air Self-Defense Force). (In Japanese)

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1984). Visual simulation requirements for aircraft aspect recognition at real world distances (NAVTRAEEQUIPCEN-81-C-0105-5, AD-A151 040). Orlando, FL: Naval Training Equipment Center.

Kennedy, R. S., Berbaum, K. S., Collyer, S. C., May, J. G., & Dunlap, W. P. (1988). Spatial requirements for visual simulation of aircraft at real-world distances. Human Factors, 30(2), 153-161.

Kerchner, R. M., Hughes, R. G., & Lee, A. (1983). TAC BRAWLER: An application of engagement simulation modeling to simulator visual system display requirements for air combat maneuvering. In R. S. Jensen (Ed.), Proceedings of the Second Symposium on Aviation Psychology (pp. 599-606). Columbus, OH: Ohio State University.

Kosnik, W. (1991). Target acquisition simulation using real-world targets and backgrounds. In Visual Issues in Training and Simulation Presentation Summaries (pp. 58-69). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Kosnik, W. (1992). Controlling contrast in target acquisition simulations involving complex backgrounds. In Proceedings of the Human Factors Society 36th Annual Meeting (Vol. 2, pp. 1435-1439). Santa Monica, CA: Human Factors Society.

Kottas, B. L., & Bessemer, D. W. (1980). Comparison of potential critical feature sets for simulator-based target identification training (ARI-TR-510, AD-A128 344). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Kress, G., & Brichtson, C. A. (1983). Operational analysis of visual skills for air combat maneuvering (NAVTRAEEQUIPCEN-80-D-0011-0041-3). Orlando, FL: Naval Training Equipment Center.

Kruk, R., & Regan, D. (1983). Visual test results compared with flying performance in telemetry-tracked aircraft. Aviation, Space, and Environmental Medicine, 54(10), 906-911.

LeMay, M. (1981). The influence of figural complexity on the detection, recognition, and identification of targets in CGI displays. In E. G. Monroe (Ed.), Proceedings of the 1981 IMAGE II Conference (AFHRL-TR-81-48, AD-A110 226, pp. 106-120). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Modeer, B. (1982). Long range identification of silhouette targets, given different numbers of alternative responses and varying target similarity (FOA-C-530009-H2). Stockholm, Sweden: Foersvarets Forskningsanstalt. (In Swedish)

Modeer, B. (1982). Long range target identification of vehicular silhouettes (FOA-C-53007-H2). Stockholm, Sweden: Foersvarets Forskningsanstalt.

Modeer, B. (1984). Using gross outline features in long range target identification (FOA-C-53018-H2). Stockholm, Sweden: Foersvarets Forskningsanstalt. (In Swedish)

Monaco, W. A., & Hamilton, P. V. (1984). Air-to-air target detection. In Proceedings of the Tri-Service Aeromedical Research Panel Fall Technical Meeting (NAMRL Monograph-33, pp. 11-17). Pensacola, FL: Naval Aerospace Medical Research Laboratory.

Monaco, W. A., & Hamilton, P. V. (1985). Visual capabilities related to fighter aircrew performance in the F-14 and adversary aircraft. In AGARD Conference Proceedings No. 396, Medical Selection and Physiological Training of Future Fighter Aircr (AGARD-CP-396, pp. 38-1 - 38-9). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Morris, A., Hamilton, P. V., Morey, W. A., & Briggs, R. P. (1985). Vision test battery threshold and response time as predictors of air-to-air visual target acquisition in F-14 and adversary aircraft. In AGARD Conference Proceedings No. 396, Medical Selection and Physiological Training of Future Fighter Aircr (AGARD-CP-396, pp. 39-1 - 39-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Morris, A., & Temme, L. A. (1989). The time required for U.S. Navy fighter pilots to shift gaze and identify near and far targets. Aviation, Space, and Environmental Medicine, 60, 1085-1089.

Nieuwboer, H. W., Way, T. C., Jahns, D. W., & Gilmour, J. D. (1975). Joint test project report of combat air support target acquisition program. SEEKVAL Project IA2. Direct Visual imagery experiments (AD-A145 625). Washington, DC: SEEKVAL Joint Test Force.

Norlin, B. (1981). Recognition of vehicle targets from the air: A field test (FOA-C-56027-H2). Stockholm, Sweden: Research Institute of National Defence. (In Swedish)

O'Neal, M. R., & Miller, R. E., II (1987). Further investigation of contrast sensitivity and visual acuity in pilot detection of aircraft. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1189-1193). Santa Monica, CA: Human Factors Society.

O'Neal, M. R., & Miller, R. E., II (1988). Further investigation of contrast sensitivity and visual acuity in pilot detection of aircraft (AAMRL-TR-88-002, AD-A198 434). Wright-Patterson AFB, OH: Human Systems Division, Armstrong Aerospace Medical Research Laboratory.

Petersen, H. E., & Dugas, D. J. (1972). The relative importance of contrast and motion in visual detection. Human Factors, 14(3), 207-216.

Provines, W. F., Rahe, A. J., Block, M. G., Pena, T., & Tredici, T. J. (1983). Yellow ophthalmic filters in the visual acquisition of aircraft (USAFSAM-TR-83-46, AD-A138 536). Brooks AFB, TX: Aerospace Medical Division, USAF School of Aerospace Medicine.

Provines, W. F., Rahe, A. J., Block, M. G., Pena, T., & Tredici, T. J. (1992). Yellow lens effects upon visual acquisition performance. Aviation, Space, and Environmental Medicine, 63(7), 561-564.

Schmieder, D. E., & Weathersby, M. R. (1983). Detection performance in clutter with variable resolution. IEEE Transactions on Aerospace and Electronic Systems, AES-19(7), 622-630.

Shinar, D., & Gilead, E. (1987). Contrast sensitivity as a predictor of complex target detection. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 2, pp. 1194-1197). Santa Monica, CA: Human Factors Society.

Silbernagel, B. L. (1982). Using realistic sensor, target, and scene characteristics to develop a target acquisition model. Human Factors, 24(3), 321-328.

Task, H. L., & Pinkus, A. R. (1987). Contrast sensitivity and target recognition performance: A lack of correlation. In J. Morreale (Ed.), 1987 SID International Symposium Digest of Technical Papers, Volume XVIII (pp. 127-129). Playa del Rey, CA: Society for Information Display.

Taylor, R. W., Reeves, A. P., & Kuhl, K. P. (1990). Methods for identifying object class, type, and orientation in the presence of uncertainty (ARFSD-TR-90007). Picatinny Arsenal, NJ: U.S. Army Armament Research, Development and Engineering Center.

Temme, L. A., & Still, D. L. (1991). Prescriptive eyeglass use by U.S. Navy jet pilots: Effects on air-to-air target detection. Aviation, Space, and Environmental Medicine, 62(9), 823-826.

Thomas, S. R., Brakefield, J., & Barsalou, N. (1991). Does Wilson's human spatial vision model hold for complex "real-world" target detection? In Visual Issues in Training and Simulation Presentation Summaries (pp. 53-57). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Wagner, D. W. (1975). Target detection with color versus black and white television (NWC-TP-5731, AD-A010 126). China Lake, CA: Naval Weapons Center.

Wagner, D. W., & Whitehurst, H. O. (1980). Target and environmental factors affecting target detection by direct vision (NWC-TP-6231. AD-B056 060). China Lake, CA: Naval Weapons Center.

Warnick, W. L., Chastain, G. D., & Ton, W. H. (1979). Long range target recognition and identification of camouflaged armored vehicles (ARI-TR-79-A13, AD-A077 862). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Weikert, C. (1982). Detection of flying targets in front of a land background: Laboratory tests (FOA-C-56034-H2). Stockholm, Sweden: Research Institute of National Defence. (In Swedish)

Weikert, C. (1982). Detection of flying targets in front of land background: Field tests (FOA-C-56035-H2). Stockholm, Sweden: Research Institute of National Defence. (In Swedish)

Wernicke, B. K. (1973). Limitations of unaided eye visual target detection from high speed low flying aircraft correlated with target background environment (AFAL/TR-72-188, AD-759 651). Wright-Patterson AFB, OH: Air Force Avionics Laboratory.

Wright, A. D. (1966). Factors influencing the visual detection and recognition of low-altitude aircraft. Perceptual & Motor Skills, 23(3, pt. 1), 950.

41. IMAGE QUALITY MEASUREMENT

Ahumada, Jr., A. J., & Null, C. H. (1992). Image quality: A multidimensional problem. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 851-854). Playa del Rey, CA: Society for Information Display.

Arguello, R. J., Kessler, H. B., & Sellner, H. R. (1981). Effect of sampling, optical transfer function shape, and anisotropy on subjective image quality. In P. S. Cheatham (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 310, Image Quality (pp. 24-33). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Awwal, A. A. S., Cherri, A. K., Karim, M. A., & Moon, D. L. (1989). Dynamic response on an electro-optical imaging system. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society of Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 185-197). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Banbury, J. R. (1981). Evaluation of modulation transfer function (MTF) and veiling glare characteristics for cathode ray tube displays. In T. L. Williams (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 274, Assessment of Imaging Systems: Visible and Infrared (pp. 130-138). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Barrett, H. H. (1992). Evaluation of image quality through linear discriminant models. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 871-875). Playa del Rey, CA: Society for Information Display.

Barten, P. G. J. (1988). Evaluation of CRT displays with the SQRI method. In J. Morreale (Ed.), 1988 SID International Symposium Digest of Technical Papers, Volume XIX (pp. 445-448). Playa del Rey, CA: Society for Information Display.

Barten, P. G. J. (1989). Evaluation of CRT displays with the SQRI method. Proceedings of the Society for Information Display, 30(1), 9-14.

Barten, P. G. J. (1989). The square root integral (SQRI): A new metric to describe the effect of various display parameters on perceived image quality. In B. E. Rogowitz (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1077, Human Vision, Visual Processing, and Digital Display (pp. 73-82). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Barten, P. G. J. (1991). Evaluation of the effect of noise on subjective image quality. In B. E. Rogowitz, M. H. Brill, & J. P. Allebach (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1453, Human Vision, Visual Processing, and Digital Display II (pp. 2-15). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Beamon, W. S. (1977). Observer performance using a video display. In A. S. Neal & R. F. Palasek (Eds.), Proceedings of the Human Factors Society 21st Annual Meeting (pp. 406-410). Santa Monica, CA: Human Factors Society.

Beamon, W. S. & Synder, H. L. (1975). An experimental evaluation of the spot wobble method of suppressing raster structure visibility (AMRL-TR-75-63, AD-A018 566). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Beaton, R. J. (1983). Quantitative models of image quality. In A. T. Pope & L. D. Haugh (Eds.), Proceedings of the Human Factors Society 27th Annual Meeting (Vol. 1, pp. 41-45). Santa Monica, CA: Human Factors Society.

Beaton, R. J., & Farley, W. W. (1991). Comparative study of the MTFA, ICS, and SORI image quality metrics for visual display systems (AL-TR-1992-0001, AD-A252 116). Wright-Patterson AFB, OH: Human Engineering Division, Armstrong Laboratory.

Biberman, L. M., Legault, R., Milton, A. F., Rosell, F. A., Schade, O. H., Sr., Schnitzler, A. D., & Snyder, H. L. (1971). Image quality in sampled data systems (IDA/HQ-71-13139, AD-733 663). Arlington, VA: Science and Technology Division, Institute for Defense Analyses.

Blumenthal, A. H., & Campana, S. B. (1981). An improved electro-optical image quality summary measure. In P. S. Cheatham (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 310, Image Quality (pp. 43-52). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Blumenthal, A. H., & Campana, S. B. (1983). Development of an image quality model for object discrimination. In T. L. Williams (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 467, Image Assessment Infrared and Visible (pp. 24-32). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Briggs, S. J. (1980). The definition and measurement of image quality. In A. G. Tescher (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 249, Advances in Image Transmission II (pp. 170-174). Bellingham, WA: The Society of Photo-Optical Instrumentation Engineers.

Briggs, S. J., Heagy, D., & Holmes, R. (1993). Visual test target for display evaluation. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 396-399). Playa del Rey, CA: Society for Information Display.

Burton, G. J. (1981). Effects of modulation transfer function (MTF) and phase transfer function (PTF) on visual performance. In T. L. Williams (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 274, Assessment of Imaging Systems: Visible and Infrared (pp. 211-218). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Chao, B. P., Beaton, R. J., & Snyder, H. L. (1983). Human performance evaluation of digital image quality. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 386, Advances in Display Technology III (pp. 20-24). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Chen, B., Rotondo, J., & Shovar, N. (1993). Subjective video image-quality measurement methods. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 393-395). Playa del Rey, CA: Society for Information Display.

Cherri, A. K., Awwal, A. A. S., Karim, M. A., & Moon, D. L. (1989). Restoration of motion-degraded images in electro-optical displays. In J. T. Carollo (Ed.), Proceedings of SPIE-The International Society of Optical Engineering, Volume 1116, Helmet-Mounted Displays (pp. 198-202). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Chi, C. & Pollak, E. (1984). Control systems analysis program: A tool for analysis of the GE-VSCDP image display system. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 267-278). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Clodfelter, R. M. (1986). Modulation transfer function for the display engineer. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 624, Advances in Display Technology VI (pp. 113-118). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Cohen, R. W., Gorog, I. & Carlson, C. R. (1975). Image descriptors for displays (PRRL-75-CR-2, AD-A007 585). Princeton, NJ: RCA Laboratories.

Edwards, R. A., Sullivan, S., & Holden, S. K. (1981). Measurement of the optical transfer function (OTF) of a scanned laser visual system. In T. L. Williams (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 274, Assessment of Imaging Systems: Visible and Infrared (pp. 69-79). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Evans, R. J. (1990). Image quality metrics and application of the Square Root Integral (SORI) metric: An overview (AFHRL-TR-90-56, AD-A229 753). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Evans, R. (1990). Image quality metrics and performance of visual display systems. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 274-282). Tempe, AZ: IMAGE Society, Inc.

Evans, R. J. (1993). Image quality and the display modulation transfer function: Experimental findings (AL/HR-TR-1993-0131, AD-A274 061). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Evans, R. J. (1994). Empirical approach to visual display preference based upon modulation transfer function and luminance (AL/HR-TR-1994-0107, AD-A285 450). Mesa, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Ewart, R. B., & Harshbarger, J. H. (1975). Measurement of flight simulator visual system performance. In F. Lewandowski (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 59, Simulators and Simulation Design, Applications, and Techniques (pp. 132-140). Palos Verdes Estates, CA: Society of Photo-Optical Instrumentation Engineers.

Frauenhofer, D., & Scott, F. (1971). The modulation transfer function and methods of measurement. In L. M. Biberman & S. Nudelman (Eds.), Photoelectric Imaging Devices, Volume 1 -Physical processes and methods of analysis (pp. 291-306). New York, NY: Plenum Press.

Gallimore, J. J. (1991). Review of psychophysically-based image quality metrics (AD-A251 053). Dayton, OH: Logicon Technical Services, Inc.

Gomer, F. E., & Bish, K. G. (1978). Evoked potential correlates of display image quality. Human Factors, 20(5), 589-596.

Granger, E. M. (1985). Visual limits to image quality. In A. G. Tescher (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 528, Digital Image Processing (pp. 95-102). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Greening, C. P. (1980). Is image quality important? In G. E. Corrick, E. C. Haseltine, & R. T. Durst, Jr. (Eds.), Proceedings of the Human Factors Society 24th Annual Meeting (pp. 516-520). Santa Monica, CA: Human Factors Society.

Gutmann, J. C., Snyder, H. L., Farley, W. W., & Evans, J. E., III (1979). The effect of image quality on search for static and dynamic targets - MTFA-performance correlations. In C. K. Bensel (Ed.), Proceedings of the Human Factors Society 23rd Annual Meeting (pp. 339-343). Santa Monica, CA: Human Factors Society.

Gutmann, J. C., Snyder, H. L., Farley, W. W., & Evans, J. E., III (1979). An experimental determination of the effect of image quality on eye movements and search for static and dynamic targets (AMRL-TR-79-51, AD-A077 728). Wright-Patterson AFB, OH: Human Engineering Division, Aerospace Medical Research Laboratory.

Hall, C. F. (1981). Subjective evaluation of a perceptual quality metric. In P. S. Cheatham (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 310, Image Quality (pp. 200-204). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Hearty, P. J. (1992). Television image quality: Multidimensional experiments for a multidimensional problem. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 855-858). Playa del Rey, CA: Society for Information Display.

Hess, R. A. (1993). Incorporating display limitations in a model-based analysis of flight simulator fidelity. In AIAA 31st Aerospace Sciences Meeting and Exhibit (AIAA Paper No. 93-0859). Washington, DC: American Institute of Aeronautics and Astronautics.

Hopkins, H. H. (1981). Introductory - Modern methods of image assessment. In T. L. Williams (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 274, Assessment of Imaging Systems: Visible and Infrared (pp. 2-11). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Huck, F. O., Park, S. K., Speray, D. E., & Halyo, N. (1981). Information density and efficiency of two-dimensional (2-D) sampled imagery. In P. S. Cheatham (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 310, Image Quality (pp. 36-42). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Jones, B. L. (1986). Psychophysical scaling of picture quality. In E. Schlam (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 624, Advances in Display Technology VI (pp. 16-25). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Jorna, G. C. (1993). MTF measurements, image-quality metrics, and subjective image quality for soft-copy color images. In J. Morreale (Ed.), 1993 SID International Symposium Digest of Technical Papers, Volume XXIV (pp. 404-407). Playa del Rey, CA: Society for Information Display.

Kanazawa, M., & Kondoh, I. (1992). Automatic MTF (modulation transfer function) measurement of CRT display. In Proceedings of the Twelfth International Display Research Conference, Japan Display '92 (pp. 403-406). Playa del Rey, CA: Society for Information Display; Tokyo, Japan: Institute of Television Engineers of Japan.

Kelly, G. R. (1992). Measurement of modulation transfer functions of simulator displays (AL-TP-1992-0056, AD-A259 401). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

Lewis, J. T., & Stoll, E. D. (1982). Quantification of image quality for CGI displays. In L. Winner & M. Winner (Eds.), 1982 SID International Symposium Digest of Technical Papers, Volume XIII (pp. 140-141). Los Angeles, CA: Society for Information Display.

Lourens, J. G., du Toit, T. C., & du Toit, J. B. (1989). Assessing the focus quality of television pictures. In B. E. Rogowitz (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1077, Human Vision, Visual Processing, and Digital Display (pp. 35-41). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Meister, D., & Sullivan, D. J. (1969). Guide to human engineering design for visual displays (AD-693 237). Canoga Park, CA: Bunker-Ramo Corp.

Miyahara, M., Kotani, K., & Algazi, V. R. (1992). Objective picture-quality scale (PQS) for image coding. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 859-862). Playa del Rey, CA: Society for Information Display.

Nelson, L. A., Maner, R. M., Lengyel, M. J., & Seo, M. (1991). Measures of image quality. In J. Morreale (Ed.), 1991 SID International Symposium Digest of Technical Papers, Volume XXII (pp. 768-771). Playa del Rey, CA: Society for Information Display.

Overington, I. (1981). Image quality and observer performance. In Proceedings of SPIE-The International Society for Optical Engineering, Volume 310, Image Quality (pp. 2-9). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Padmos, P., & Milders, M. V. (1992). Quality criteria for simulator images: A literature review. Human Factors, 34(6), 727-748.

Pinkus, A. R., & Task, H. L. (1988). Display system image quality. In AGARD Lecture Series No. 156, Visual Effects in the High Performance Aircraft Cockpit (AGARD-LS-156, pp. 8-1 - 8-17). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Roufs, A. J. (1992). Perceptual image quality: Concept and measurement. Philips Journal of Research, 47(1), 35-62.

Schindler, R. A. (1979). Physical measures of image quality and their relationship to performance. In J. R. Parsons (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 199, Advances in Display Technology. (pp. 117-125). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Snyder, H. L. (1974). Image quality and face recognition on a television display. Human Factors, 16(3), 300-307.

Snyder, H. L. (1976). Human performance and photometric measurement of electrooptical displays. In Electro-Optical Systems Design Conference and International Laser Exposition, Proceedings of the Technical Program (pp. 218-223). Chicago, IL: Industrial and Scientific Conference Management, Inc.

Snyder, H. L. (1985). Image quality: Measures and visual performance. In L. E. Tannas, Jr. (Ed.), Flat-panel displays and CRTs (pp. 70-90). New York, NY: Van Nostrand Reinhold Company Inc.

Task, H. L., & Verona, R. W. (1976). A new measure of television display quality reliable to observer performance (AMRL-TR-76-73, AD-A030 568). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.

Veron, H., Kistner, J. M., & Bearce, B. L. (1992). Derivation of display-observer performance. In J. Morreale (Ed.), 1992 SID International Symposium Digest of Technical Papers, Volume XXIII (pp. 863-866). Playa del Rey, CA: Society for Information Display.

Verona, R. W. (1992). Comparison of CRT display measurement techniques. In T. M. Lippert (Ed.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 1695, Helmet-Mounted Displays III (pp. 117-127). Bellingham, WA: SPIE-The International Society for Optical Engineering.

Verona, R. W., Task, H. L., Arnold, V. C., & Brindle, J. H. (1979). Direct measure of cathode-ray tube (CRT) image quality. In H. P. Field, E. F. Zalewski, & F. Zweibaum (Eds.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 196, Measurements of Optical Radiations (pp. 106-113). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Williams, T. L. (1986). Some aspects of the MTF testing of imaging systems. In R. E. Fischer & P. J. Rogers (Eds.), Proceedings of SPIE-The International Society for Optical Engineering, Volume 655, Optical System Design, Analysis, and Production for Advanced Technology Systems (pp. 334-342). Bellingham, WA: SPIE-The International Society for Optical Engineering.

42. VISUAL CONTRIBUTIONS TO SIMULATOR SICKNESS

Benson, A. J. (1988). Aetiological factors in simulator sickness. In AGARD Conference Proceedings No. 433, Motion Cues in Flight Simulation and Simulator Induced Sickness (AGARD-CP-433, pp. 3-1 - 3-8). Neuilly sur Seine, France: Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization.

Cardullo, F. M., & Brown, Y. J. (1990). Visual system lags: The problem, the cause, the cure. In E. G. Monroe (Ed.), Proceedings of the 1990 IMAGE V Conference (pp. 30-42). Tempe, AZ: IMAGE Society, Inc.

Casali, J. G., & Wierwille, W. W. (1986). Vehicular simulator-induced sickness, Volume III: Survey of etiological factors and research facility requirements (NTSC-TR-86-012, AD-A173 226). Orlando, FL: Code 711, Naval Training System Center.

Hennessy, R. T., Sharkey, T. J., Matsumoto, J. A., & Voorhees, J. W. (1992). Simulator induced alteration of head movements. In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4134, pp. 29-36). Washington, DC: American Institute of Aeronautics and Astronautics.

Hettinger, L. J., Kennedy, R. S., & Berbaum, K. S. (1987). Tracing the etiology of simulator sickness. In B. T. Fairchild (Ed.), Simulators IV, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 18, No. 4, pp. 105-108). San Diego, CA: Society for Computer Simulation.

Hettinger, L. J., Nolan, M. D., Kennedy, R. S., Berbaum, K. S., Schnitzius, K. P., & Edinger, K. M. (1987). Visual display factors contributing to simulator sickness. In Proceedings of the Human Factors Society 31st Annual Meeting (Vol. 1, pp. 497-501). Santa Monica, CA: Human Factors Society.

Jones, M. B., Kennedy, R. S., & Romo, J. G. (1994). Isoperformance curves involving display parameters. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 312-321). Tempe, AZ: IMAGE Society, Inc.

Kennedy, R. S., Berbaum, K. S., & Smith, M. G. (1991). Correlating visual scene elements with simulator sickness incidence: Hardware and software development (AD-A252 235). Orlando, FL: Essex Corp.

Kennedy, R. S., Berbaum, K. S., & Smith, M. G. (1993). Methods for correlating visual scene elements with simulator sickness incidence. In Proceedings of the Human Factors and Ergonomics Society 37th Annual Meeting (Vol. 2, pp. 1252-1256). Santa Monica, CA: Human Factors and Ergonomics Society.

Kennedy, R. S., Berbaum, K. S., Smith, M. G., & Hettinger, L. J. (1992). Differences in simulator sickness symptom profiles in different simulators: Application of a "field experiment" method. In E. G. Monroe (Ed.), Proceedings of the 1992 IMAGE VI Conference (pp. 28-39). Tempe, AZ: IMAGE Society, Inc.

Kennedy, R. S., Merkle, P. J., Jr., & Lilienthal, M. G. (1986). A comparison of postural equilibrium effects following exposure to different ground-based flight trainers. In Proceedings of the SAFE Association Annual Symposium (pp. 210-213). Van Nuys, CA: SAFE Association.

Kruk, R. V. (1992) Simulator sickness experience in simulators equipped with fiber optic helmet mounted display systems. In AIAA and AHS Flight Simulation Technologies Conference (AIAA Paper No. 92-4135). Washington, DC: American Institute of Aeronautics and Astronautics.

Lilienthal, M. G., & Merkle, P. J., Jr. (1986). Simulator sickness in flight simulators: A case study. Transportation Research Record, Issue No. 1059, 81-86.

Magee, L. E., & Tully, P. J. (1985). Diagnosis of simulator sickness in the CF-18 WST (Weapons System Trainer) (DCIEM-86-R-01). Downsview, Ontario, Canada: Defence and Civil Institute of Environmental Medicine.

Martin, E. A. (1991). An evaluation of dome display suitability for side-by-side crewmember viewing. In Proceedings of the 13th Interservice/Industry Training Systems Conference (pp. 271-277). Arlington, VA: American Defense Preparedness Association.

McCauley, M. E., Hettinger, L. J., & Sharkey, T. J. (1990). The effects of simulator visual-motion asynchrony on simulator induced sickness. In AIAA Flight Simulation Technologies Conference and Exhibit (AIAA Paper No. 90-3172). Washington, DC: American Institute of Aeronautics and Astronautics.

Rinalducci, E. J., & Uliano, K. (1992). Visual cues and potential problems in flight simulation. In Proceedings of the 1992 IEEE International Conference on Systems, Man, and Cybernetics (Vol. 2, pp. 1153-1158). New York, NY: Institute of Electrical and Electronics Engineers.

Sharkey, T. J., & McCauley, M. E. (1991). The effect of global visual flow on simulator sickness. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 91-2975, pp. 496-504). Washington, DC: American Institute of Aeronautics and Astronautics.

Sharkey, T. J., & McCauley, M. E. (1992). Does a motion base prevent simulator sickness? In AIAA/AHS Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 92-4133, pp. 21-28). Washington, DC: American Institute of Aeronautics and Astronautics.

Uliano, K. C., Kennedy, R. S., & Lambert, E. Y. (1986). Asynchronous visual delays and the development of simulator sickness. In Proceedings of the Human Factors Society 30th Annual Meeting (Vol. 1, pp. 422-426). Santa Monica, CA: Human Factors Society.

Uliano, K. C., Lambert, E. Y., Kennedy, R. S., & Sheppard, D. J. (1986). The effects of asynchronous visual delays on simulator flight performance and the development of simulator sickness symptomatology (NAVTRASYSCEN-86-D-0026-1, AD-A180 196). Orlando, FL: Naval Training System Center.

Warner, H. D., Serfoss, G. L., Baruch, T. M., & Hubbard, D. C. (1992). Flight simulator-induced sickness and visual systems evaluation. In A. J. Aretz (Ed.), Proceedings of the Thirteenth Symposium Psychology in the Department of Defense (USAFA TR 92-2, pp. 11-15). Colorado Springs, CO: Department of Behavioral Sciences and Leadership, U.S. Air Force Academy.

Warner, H. D., Serfoss, G. L., Baruch, T. M., & Hubbard, D. C. (1993). Flight simulator-induced sickness and visual displays evaluation (AL/HR-TR-1993-0056, AD-A267 019). Williams AFB, AZ: Aircrew Training Research Division, Armstrong Laboratory.

43. SIMULATION EVALUATION

Adams, J. A. (1979). On the evaluation of training devices. Human Factors, 21(6), 711-720.

Cleveland, W. B., & Atencio, A., Jr. (1986). Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation. In M. Ung (Ed.), Aerospace Simulation II, Proceedings of the Conference Aerospace Simulation II (Simulation Series, Vol. 16, No. 2, pp. 13-26). San Diego, CA: Society for Computer Simulation.

Crane, P. M. (1993). Evaluation of two wide field-of-view display systems for air combat training. In Proceedings of the 13th International Display Research Conference, Euro Display '93 (pp. 171-174). Brive, France: Le Club Visu.

Crane, P. M. (1994). Evaluation of two wide-field-of-view display systems for air combat training. Journal of the Society for Information Display, 2(1), 59-61.

Ferguson, S. W., Clement, W. F., Hoh, R. H., & Cleveland, W. B. (1985). Assessment of simulation fidelity using measurements of piloting technique in flight - Part II. In Proceedings of the 41st Annual Forum of the American Helicopter Society, Handling Qualities Session (pp. 1-23). Alexandria, VA: American Helicopter Society.

Kraft, C. L., Elworth, C. L., Anderson, C. D., & Allsopp, W. J. (1976). Pilot acceptance and performance evaluation of visual simulation. In Proceedings of the 9th NTEC/Industry Conference (NAVTRAEEQIPCEN-IH-276, pp. 235-250). Orlando, FL: Naval Training Equipment Center.

Lilienthal, M. G. (1990). Psychophysical approach to visual display acceptance. In Proceedings of the 12th Interservice/Industry Training Systems Conference (pp. 18-22). Arlington, VA: National Security Industrial Association.

Mayer, G. B., Jr. (1981). Determining the training effectiveness and cost-effectiveness of visual flight simulators for military aircraft (AD-A104 627). Unpublished master's thesis, Naval Postgraduate School, Monterey, CA.

Middendorf, M. S., Johnson, W. V., Gilkey, M. J., & McClurg, T. D. (1989). A comprehensive collection of procedures for simulation verification. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 89-3260, pp. 1-7). Washington, DC: American Institute of Aeronautics and Astronautics.

O'Neal, M. E., & Brown, J. E. (1984). F-15 Limited Field of View visual system training effectiveness evaluation. In Proceedings of the 6th Interservice/Industry Training Equipment Conference and Exhibition (Vol. 1, pp. 87-97). Arlington, VA: National Security Industrial Association.

Parrish, R. V., & McKissick, B. T. (1979). Application of modified profile analysis to function testing of simulated CTOL transport touchdown-performance data (NASA-TP-1541). Hampton, VA: Langley Research Center, National Aeronautics and Space Administration.

Reid, G. B., & Cyrus, M. L. (1977). Formation Flight Trainer evaluation for T-37 UPT (AFHRL-TR-77-23, AD-A043 197). Williams AFB, AZ: Flying Training Division, Air Force Human Resources Laboratory.

Roth, E. M., & Bernard, T. E. (1985). A psychophysical technique for evaluation of television images. In J. Morreale & J. Hammond (Eds.), 1985 SID International Symposium Digest of Technical Papers, Volume XVI (pp. 108-110). Playa del Rey, CA: Society for Information Display.

Soderberg, B., Kruck, M., & Bess, R. (1994). Benchmark for testing and qualifying image generator systems. In E. G. Monroe (Ed.), Proceedings of the 1994 IMAGE VII Conference (pp. 96-104). Tempe, AZ: IMAGE Society, Inc.

Szabo, N. (1981). Design verification by emulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 81-0975, pp. 74-77). New York, NY: American Institute of Aeronautics and Astronautics.

Talleur, D. A., Lintern, G., & Ponder, J. R. (1993). The integration of visual simulation in beginning flight training. In R. S. Jensen & D. Neumeister (Eds.), Proceedings of the Seventh International Symposium on Aviation Psychology (Vol. 2, pp. 747-752). Columbus, OH: Ohio State University.

Waag, W. L. (1981). Training effectiveness of visual and motion simulation (AFHRL-TR-79-72, AD-A094 530). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

44. COLLISION DETECTION AND SYSTEM CALIBRATION

Bickerstaff, M. A., & Hellestrand, G. R. (1991). A highly parallel architecture for real time collision detection in flight simulation. Computers & Graphics, 15(3), 355-363.

Haines, R. F. (1986). Simulator scene display evaluation device (US-PATENT-APPL-SN-565481, US-PATENT-4 605 303). Washington, DC: U.S. Patent and Trademark Office.

Matusof, R., Schwalm, S., & Hicks, B. A. (1990). Correlating visual imagery with the simulated mission. In AIAA Flight Simulation Technologies Conference and Exhibit, A Collection of Technical Papers (AIAA Paper No. 90-3147, pp. 188-194). Washington, DC: American Institute of Aeronautics and Astronautics.

45. RESEARCH REQUIREMENTS

Bunker, W. M. (1978). Training effectiveness versus simulation realism. In L. Beiser (Ed.), Proceedings of the Society of Photo-Optical Instrumentation Engineers, Volume 162, Visual Simulation & Image Realism (pp. 76-82). Bellingham, WA: Society of Photo-Optical Instrumentation Engineers.

Cross, K. D., & Gainer, C. A. (1987). An enumeration of research to determine the optimal design and use of Army flight training simulators (ARI-TR-763, AD-A191 242). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.

Hale, S. (1987). Helicopter external vision requirements and visual display characteristics: A report/bibliography, revision A (HEL-TN-6-87-REV-A, AD-A187 075). Aberdeen Proving Ground, MD: U.S. Army Human Engineering Laboratory.

Haworth, L. A., Bucher, N. M., & Hennessy, R. T. (1988). Wide field of view helmet mounted display systems for helicopter simulation. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 88-4575, pp. 1-9). Washington, DC: American Institute of Aeronautics and Astronautics.

Hennessy, R. T., Sullivan, D. J., & Cooles, H. D. (1980). Critical research issues and visual systems requirements for a V/STOL training research simulator (NAVTRAEEQUIPCEN-78-C-0076-1, AD-A092 561). Orlando, FL: Naval Training Equipment Center.

Insley, R. N., & Spears, W. D. (1982). Phase 1 pilot study: VTRS transfer of training experiment (NAVTRAEEQUIPCEN-80-D-0009-17-2, AD-A120 315). Orlando, FL: Naval Training Equipment Center.

Kleinman, D. L., & Baron, S. (1972). A control theoretic model for piloted approach-to-landing. In Proceedings of the International Federation of Automatic Control, Fifth World Congress (p. 74). Pittsburgh, PA: Instrument Society of America.

Kraft, C. L., Anderson, C. D., & Elworth, C. L. (1980). Peripheral cues and color in visual simulation (AFOSR-TR-80-0873, AD-A-089 837). Bolling AFB, DC: Air Force Office of Scientific Research.

Levison, W. H. (1985). Application of the optimal control model to the design of flight simulation experiments. In Proceedings of the SAE Aerospace Technology Conference and Exposition, Flight Simulation/Simulators (SAE Paper 851903, pp. 19-28). Warrendale, PA: Society for Automotive Engineers.

Lintern, G. (1986). An approach to scene design for real-time computer-generated imagery. In B. T. Fairchild (Ed.), Simulators III, Proceedings of the SCS Simulators Conference (Simulation Series, Vol. 17, No. 2, pp. 127-131). San Diego, CA: Society for Computer Simulation.

Lintern, G., Nelson, B. E., Sheppard, D. J., Westra, D. P., & Kennedy, R. S. (1981). Visual Technology Research Simulator (VTRS) human performance research: Phase III (NAVTRAEEQUIPCEN-78-C-0060-11, AD-A112 475). Orlando, FL: Naval Training Equipment Center.

Lintern, G., Wightman, D. C., & Westra, D. P. (1984). An overview of the research program at the Visual Technology Research Simulator. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 205-221). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Matheny, W. G. (1976). Studies of motion and visual interaction in simulator design and application (AFOSR-TR-77-0965, AD-A043 245). Bolling AFB, DC: Air Force Office of Scientific Research.

Richards, W., & Dismukes, K. (1982). Vision research for flight simulation (AFHRL-TR-82-6, AD-A118 721). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Rulon, R. S. (1981). Computer generated image system trends for the 21st century. In AIAA Flight Simulation Technologies Conference, A Collection of Technical Papers (AIAA Paper No. 81-0983, pp. 129-133). New York, NY: American Institute of Aeronautics and Astronautics.

Simon, C. W. (1981). Selected research publications in cognitive visual technology research simulator studies: Supplemental techniques (NAVTRAEEQIPCEN-78-C-0060-3, AD-A095 633). Orlando, FL: Naval Training Equipment Center.

Warren, R., & McMillan, G. R. (1984). Altitude control using action-demanding interactive displays: Toward an active psychophysics. In E. G. Monroe (Ed.), Proceedings of the 1984 IMAGE III Conference (AFHRL-TR-84-36, AD-A148 636, pp. 37-51). Williams AFB, AZ: Operations Training Division, Air Force Human Resources Laboratory.

Woomer, C., & Carico, D. (1977). A program for increased flight fidelity in helicopter simulation (NATC-TM-77-1-RW, AD-A039 234). Patuxent River, MD: Naval Air Test Center.