


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.					DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		REL TO PROD	7DEC66		RA		
A		REV. TO CEMN	12/16/67	223	AP		
B		SEE SHEET 6A7	11/11/67	238	AP		
C		SEE SHEET 30A7	10/17/67	258	AP		
D		SEE SHEET 20F7	SEPT 7/69	1218	HCC		

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
1	1	A10545-4	ASS'Y P.C. BOARD POWER SUPPLY	
4	2	1N547	SEMI-CONDUCTOR DEVICE, DIODE	
2	3	1N3022B	SEMI-CONDUCTOR DEVICE, DIODE	CR 912 CR 915
4	4	CE105-100-25	CAPACITOR, FIXED, ELECTROLYTIC	
4	5	RW-123-100J	RESISTOR, FIXED, WIREWOUND	
4	6	RC32GF101J	RESISTOR, FIXED, COMPOSITION	
2	7	CL101-2	COIL, RF, 1 MH	L 902 L 903
AR	8	B5100	SOLDER, SOFT	



A10545-5 D

TOLERANCES		SCALE: 1:1
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

STE-1	005/67	A10545-6	DEC 2/66
MODEL	PROJECT NO.	ASS'Y. NO.	DATE


STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		ASS'Y P.C. BOARD POWER SUPPLY (FINAL ASSEMBLY)	
TYPE & TEMPER		RA	
HEAT TREAT. SPEC.		MECH. DES. APP.	
FINISH & SPEC. NO.		SHEET 5 of 7	A10545-5 D

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY						DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES							
ISSUE	ITEM	CHANGED FROM	DATE	EN. NO.	DRAFTS	CHECKER	ENR. APP.
0		REL. TO PROD.	7 DEC 66		RA		
A		REV. AS PER CEMN	MAY 11/67	223	RPL		
B		REV. TO CEMN	12/6/67	238	A.P.	<i>gds</i>	
C		SEE SHEET 3 OF 7	10/11/67	258	A.P.		
D		SEE SHEET 2 OF 7	SEPT 7/73	1243	HGS		

C915, 916, 917

R919, 920, 921

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
1	1	A10545-5	ASSY PC BOARD POWER SUPPLY	
2	2	1N547	SEMI-CONDUCTOR DEVICE, DIODE	CR916 CR917
1	3	1N303B	SEMI-CONDUCTOR DEVICE, DIODE	CR918
1	4	CE105-25-50	CAPACITOR, FIXED, ELECTROLYTIC	C918
3	5	CE105-20-100	CAPACITOR, FIXED, ELECTROLYTIC	
1	6	RW123-100J	RESISTOR, FIXED, WIRE WOUND	R919
3	7	RC326F102J	RESISTOR, FIXED, COMPOSITION	
1	8	CL101-2	COIL, RF, 1 MH	L904
AR	9	BS100	SOLDER 50FT	



A10545-6 D

TOLERANCES	SCALE 1:1
ALL DEC. DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK
OTHERS FRACTIONAL DIM. ±	SIZES AND MANUFACTURERS
ANGULAR DIM. ±	TOLERANCES ARE NOT INCLUDED

STE-1	005/67	BMA10544	DEC 5/66
MODEL	PROJECT NO.	ASSY. NO.	DATE


STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		ASSY PC BOARD POWER SUPPLY	
WEIGHT PER PC.		FINAL ASSEMBLY	
TYPE & TEMPER.		RA	
HEAT TREAT. SPEC.		DRAWN	ELEC. DES. APP.
FINISH & SPEC. NO.		CHECKED	MECH. DES. APP.
		FINAL APPROVAL	
		SHEET 6 OF 7 A10545-6 D	

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
φ		REL TO PROD	MAY 12/67		RPL		
A		REV TO CEMN	12/6/67	223	AP		
B		SEE SHEET 6 OF 7	12/6/67	238	AP		
C		SEE SHEET 3 OF 7	10/1/67	258	AP		
D		SEE SHEET 2 OF 7	SEPT 7/73	1248	HCS		

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
1	1	A10545-5	ASS'Y PC BOARD POWER SUPPLY	
2	2	1N547	SEMI-CONDUCTOR DEVICE, DIODE	CR916 CR917
1	3	1N3030B	SEMI-CONDUCTOR DEVICE, DIODE	CR918
1	4	CE105-25-50	CAPACITOR, FIXED, ELECTROLYTIC	C918
3	5	CE105-20-100	CAPACITOR, FIXED, ELECTROLYTIC	
1	6	RW123-100J	RESISTOR, FIXED, WIREWOUND	R918
3	7	RC32GF102J	RESISTOR, FIXED, COMPOSITION	
1	8	CL101-2	COIL, RF, 1 MH	L904
AR	9	BS 100	SOLDER SOFT	

C915, 916
917

R919, 920
921



A10545-7 D

* NOTE:
FOR A10545-7 CHANGE CEMN FROM
1N3030B TO 1N3030B

TOLERANCES		SCALE: 1:1
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

TTR-20			
STE-5			
STE-1A	005/67	BMA10544	MAY 12/67
MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON			

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		ASS'Y PC BOARD POWER SUPPLY	
WEIGHT PER PC.		FINAL ASSEMBLY	
TYPE & TEMPER		RPL	
HEAT TREAT. SPEC.		DRAWN	ELEC. DES. APP. MECH. DES. APP.
FINISH & SPEC. NO.		CHECKED	FINAL APPROVAL
		SHEET 7 of 7 A10545-7 D	