
REVISIONS								
ZONE	SYM		DESCRIPTION	DATE	E.M.N. NO.	DRAFT	СНКО	APPD
Ø		REL. TO	PROD.	1/6B		RPC		XM

NOTES

- (1) MATERIAL : PLASTIC SHEET, LAMINATED COPPER CLAD FL-GE 062 C2/0
- (2) CONDUCTIVE PATTERN TO BE
 - (A) PLATED WITH A MINIMUM OF . 0003 TIN LEAD (B) CORTED WITH A MINIMUM OF . 0003 SOLDER
- (3) TO BE IN ACCORDANCE WITH TMC SPEC. 5735



HOLE	DESCRIPTION	REQ'D		
A	.140 DIA.	4		
В	.081 DIA.	2		
C	.062 DIA.	2		
D	.031 DIA.	8		
UNMARKED	.046 DIA.	23		

AMC20		20419/68		SEENOTES		TMC(Canada)LIMITED			
м	ODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SI	ZE DO DO	OTTAWA ONTARIO		
	USED ON MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN IF IT IS FOUND DESIRABLE TO CHANGE					P.CB. OS	CILLATOR	2 ASS'Y	
MAXIM				MATERIAL	WEIGHT PER PC.				
THE RESERVE	DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		SPECIFIED ON THIS DRAWING NOTIFY THE FURCHASER PROMPTLY.		TYPE & TEMPER		RPL		W
		OLERANCES	SCALE				DRAWN	ELEC. DES. APP	MECH. DES. APP.
ALL	DEC. DIM. ± FRAG. DIM. ± ANGULAR DIM. ±	IM. ±	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		HEAT TREAT. SPEC.		CHECKED	CHECKED FINAL APPROVAL	
OTHERS		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANGES ARE NOT INCLUDED.		FINISH & SPEC. NO.		SHEET 20F 4 A10695-2 9			