



A  
A 4580

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXPERIMENTAL RELEASE	11/12/68		C.V.	
Ø	ORIGINAL RELEASE FOR PRODUCTION	7/18/69		CV	
Δ	REDRAWN FROM PHOTO TO LINE DWG	10/25/70	20049	GE	W PEB

ASSEMBLY NOTES

1. TO MOUNT COMPONENTS INSERT LEAD THROUGH PLATED THRU-HOLES.
2. CAUTION: WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4580.
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

X	2	BS100	SOLDER, TIN ALLOY	
1	1	PC367	PRINTED CIRCUIT BOARD	
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL

LIST OF MATERIAL

MATERIAL	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH	TITLE PC367 ASSEMBLY DUAL COMPARATOR			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN <i>K. Hill</i>	DATE 4/10/69	FINAL APPROVAL <i>S. DeMarco</i> SPM
		CHECKED <i>J.D.</i>	DATE 7/17/69	DATE 7-17-69
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		DATE 7-17-69
TOLERANCES		ELECT. DES. <i>R. U330</i>		DATE 7-17-69
		MECH. DES.		DATE 7-17-69
		SHEET		REV. LTR. A

3	RTTD-4	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
	CODE A	S401-451

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

NOTES