


APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	CHG-( )4		X	EXP. RELEASE	12-22-67		G.D.L.		
			Ø	ORIG. RELEASE FOR PROD.	12-28-67		R.G.		



— ASSEMBLY NOTES —

- 1- TO MOUNT COMPONENTS, INSERT LEAD THROUGH PLATED - THRU-HOLES.
- 2- CAUTION WHEN APPLYING HEAT & SOLDER TO LEAD & FOIL
- 3- CLEAN & INSPECT AS PER 5676
- 4- FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4686
- 5- USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	1	1	PC 444	PRINTED, CIRCUIT BOARD	
	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
	0. POSE			LIST OF MATERIAL	
	MATERIAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH	S401-451	MECH. DES.	ELECT. DES.	CHECKED	DRAWN
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.			SIZE A	CODE IDENT. NO. 82679	DWG NO. A 4686
			SCALE 2:1	SHEET OF	