


AX-146



1. FAN ASSEMBLY
2. Motor Driven
3. 115 v, 50/60 cps
4. Capacitor (not included) 1 mf.
5. Single phase
6. 34 watts, full load
7. 3400 nominal RPM
8. CCW rotation
9. 4.30 blast
10. 86 cfm free air delivery
11. Maximum S.P. at no delivery .75 in of H₂O
12. Net weight - 3.6 lbs.
13. Complete with wiring harness

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for assistance and is subject to recall at any time.

Property of
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES			SCALE:				
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ±			REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±							

REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
	RTF-2			
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
STOCK SIZE		FAN, CENTRIFUGAL	
MATERIAL			
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN: <i>WJK</i> CHECKED: <i>C.D.D.</i> FINAL APPROVAL: <i>AMB</i>	
FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	AX-146