


CA 531 A



| | | | | |
|--------------------|----------|-------------------|--|----------------|
| 1 | 15 | LA101-62 | WIRE MARKER | |
| 1 | 14 | ↑ -61 | ↑ | |
| 1 | 13 | ↑ -60 | ↑ | |
| 1 | 12 | ↑ -59 | ↑ | |
| 1 | 11 | ↓ -58 | ↓ | |
| 1 | 10 | LA 101-57 | WIRE MARKER | |
| | 9 | CB 101-1MW | CORD, LACING | |
| | 8 | PX 100-1-208 | SLEEVING | |
| 6 | 7 | TE 120-2 | SPADE LUG | |
| | 6 | MWCZZ(7)U97 | WIRE, ELECTRICAL, INSULATED | Wh/Purple |
| | 5 | ↑ 7 | ↑ | Purple |
| | 4 | ↑ 98 | ↑ | Wh/Gray |
| | 3 | ↓ 4 | ↓ | Yellow |
| | 2 | MWCZZ(7)U8 | | Gray |
| | 1 | MWCZO(7)UO | WIRE, ELECTRICAL, INSULATED | Black |
| REQ. ITEM | PART NO. | | DESCRIPTION | SYMBOL |
| STOCK SIZE | | | THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK | |
| MATERIAL | | | CABLE, CROWBAR | |
| TYPE & TEMPER | | HEAT TREAT. SPEC. | DRAWN | CHECKED |
| FINISH & SPEC. NO. | | ELEC. DES. APP. | MECH. DES. APP. | FINAL APPROVAL |

| | | | | | | | |
|----------------|---|---|--------|---------|--------|--------------------|--------------------|
| ISSUE | ITEM | CHANGED FROM | DATE | CH. NO. | DRAFTS | CHECKER | ENG. APP. |
| A | | ADDED ITEMS 11 TO 15 ITEM 10 WAS LA101 | 3.1.67 | 17877 | RME | <i>[Signature]</i> | <i>[Signature]</i> |
| TOLERANCES | | SCALE: | | | | | |
| DEC. DIM. ± | MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. | | | | | | |
| FRAC. DIM. ± | REMOVE ALL BURRS AND SHARP EDGES | | | | | | |
| ANGULAR DIM. ± | | | | | | | |

| | | | | |
|---------------|---------|-------------|------------|---------|
| 1 | GPT-40K | AR-123 | A-1837 | 2-23-60 |
| REQ. PER UNIT | MODEL | PROJECT NO. | ASS'Y. NO. | DATE |
| USED ON | | | | |