






REQ. PER UNIT	USED ON			LD 1609	Ø
	MODEL	ASS'Y. NO.	DATE		
	HFIR-1				



MARK TMC PART NO. WITH LATEST REV. LETTER

NOTE: \* RUBBER STAMP PROPER SUFFIX NO. AS REQUIRED (BY TMC)

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.  
 LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

SUFFIX NO.	DESCRIPTION	
-1	WAFER READ BACK	CHANNEL "A"
-2	LEDEX DRIVE	
-3	WAFER READ BACK	CHANNEL "B"
-4	LEDEX DRIVE	

REF: MS3792

REQ.	ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL							
		---		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK								
Ø		---		MARKING, MOUNTING BRACKET								
X		---		LEDEX								
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE										
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A									
	TOLERANCES						FINISH & SPEC. NO.			ELEC. DES. APP.	MECH. DES. APP.	LD 1609 Ø






REQ. PER UNIT	USED ON			LD1615 Ø
	MODEL	ASSY. NO.	DATE	
1	RTTD-1	A3709	9-28-64	

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

MARK TMC P/No. W/LATEST REVISION LETTER




REF: MS 3858

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL						
	<del>K</del>		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK							
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-10-65	Ø	A.L. JCB						
X	EXP. RELEASE	9-28-64	X	G.D.L. U.M.						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	MARKING, PLATE, MTG, COMPONENT		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		1:1		G.D.L.		MARKING PROCESS: PER TMC SPEC. 5727		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A	TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN G.D.L. 2/8/65	CHECKED W. JORDAN 2/8/65	FINAL APPROVAL
				FINISH & SPEC. NO.				ELEC. DES. APP.	MECH. DES. APP.	LD1615 Ø

REQ. PER UNIT 1	USED ON			LD1619	Ø
	MODEL RTMU-1	ASS'Y. NO.	DATE 10-1-64		

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.



MARK TMC PART No LD1619- /MS4049- WITH LATEST REVISION LETTER ON REAR


REF: MS 4049

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL					
Ø	ORIGINAL RELEASE FOR PRODUCTION	10-2-64	Ø - G.D.L.						
X	EXP. RELEASE	10-1-64	G.D.L.						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		1:1					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A						
						G.D.L. 10-1-64 @ 10-2-64		RXL	
						DRAWN		CHECKED	
						W. JORDAN 10/2/64		LD1619 Ø	
						ELEC. DES. APP.		MECH. DES. APP.	





REQ. PER UNIT	USED ON			LD1621	Ø
	MODEL	ASS'Y. NO.	DATE		
1	RTMU-1		10-1-64		



MARK TMC P/NO LD1621- /MS 4049-  
WITH LATEST REVISION LETTER ON REAR


MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

REF: MS4049

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL							
	#		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK								
	STOCK SIZE		MARKING, PLATE MFG. COMPONENT								
	#		MARKING PROCESS: PER TMC SPEC S-727								
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				#	G.D.L. 10-1-64	@ 10-2-64	RIL	
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE	A		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							#		G.D.L.	M. JORDAN 10/2/64	LD1621 Ø
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		

REQ. PER UNIT 1	USED ON			LD1622	Ø
	MODEL RTMU-1	ASS'Y. NO.	DATE 10-1-64		



- MARK TMC P/No LD1622- /MS4049-  
WITH LATEST REVISION LETTER ON REAR


MARKING PROCESS: AS PER TMC SPECIFICATION S-727.  
LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

REF : MS 4049

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL						
Ø	ORIGINAL RELEASE FOR PRODUCTION	10-2-64	Ø							
X	EXP. RELEASE	10-1-64	G.D.L							
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	1:1	MARKING, PLATE MTG. COMPONENT	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A	MARKING PROCESS: PER TMC SPEC. S-727
TYPE & TEMPER							HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
FINISH & SPEC. NO.							ELEC. DES. APP.	MECH. DES. APP.	LD1622	Ø



REQ. PER UNIT	USED ON			LD1641	A
	MODEL	ASS'Y. NO.	DATE		
1	RTIA-1	A 4063	1-25-65		



MARK TMC P/N WITH LATEST REVISION LETTER

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.  
 LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

REF: MS4080

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL	
A	R2011 ADDED	12/2/65	15274	J.V.	JCB	JCE				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	A	
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-8-65	Ø	J.F.					STOCK SIZE			
X2	REDRAWN - NO CHANGES	1-25-65	X2	J.M.					MARKING CHASSIS, ELECTRICAL			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1							MARKING PROCESS PER TMC SPEC S727		
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A							TYPE & TEMPER	HEAT TREAT. SPEC.	
	TOLERANCES								DRAWN JCB 2/8/65	CHECKED W. JORDAN 2/8/65	FINAL APPROVAL LD1641	A
									FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	


REQ. PER UNIT	USED ON			LD1644	A
	MODEL	ASS'Y. NO.	DATE		
1	TTR-10	AX 418	10.28.64		

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

NOTE:

LETTERING TO BE CENTERED ON HOLE



REF: MS 4113

REQ.	ITEM	PART NO.	O. POSE	DESCRIPTION	SYMBOL									
A				TMC P/N RELOCATED SIZE CONFORMED WITH MS CHG.										
Ø				ORIGINAL RELEASE FOR PRODUCTION										
X				EXPER. RELEASE										
SYM	DESCRIPTION			DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE	1:1										
DECIMALS	TOLERANCES		FRACTIONS	CODE										
.X ± .05 .XX ± .01 .XXX ± .005			± 1/64 ANGLES ± 0° 30'	A										
FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		LD1644		A						







REQ. PER UNIT	USED ON			LD1661 Ø
	MODEL	ASS'Y. NO.	DATE	
1	RAK 106		12-28-64	

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.





MARK TMC PART No. WITH LATEST REV. LETTER

REF: MS 4096

REQ.	ITEM	PART NO.	O POSE		DESCRIPTION	SYMBOL	
		#			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
Ø		ORIGINAL RELEASE FOR PRODUCTION	1-28-65	Ø	J.S.		
X		EXPER. RELEASE	12-28-64		G.D.L.		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				
	TOLERANCES	FRACTIONS	CODE				
	.X ± .05 .XX ± .01 .XXX ± .005	± 1/64 ANGLES ± 0° 30'	A				
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		#	#	G.D.L. 12-28-64	@ R.	R.T.C.	
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	LD1661 Ø		



REQ. PER UNIT	USED ON			LD1663	∅
	MODEL	ASS'Y. NO.	DATE		
1	PFCB-1		11-19-64		



MARK TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 3/16 HIGH BLACK GOTHIC, LOCATED AS SHOWN.


REF: MS4146-

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	O. POSE	DESCRIPTION	SYMBOL	
∅	ORIGINAL RELEASE FOR PRODUCTION	11-24-64	∅	@						THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
X <sub>1</sub>	ON LD# TITLE "INTERCONNECT MODULE" WAS "JUMPER BOARD ASSY."	11-23-64	X <sub>1</sub>	JL								
X	EXP. RELEASE	11-19-64	X	SRG							MARKING, BKT. MTG. (INTERCONNECT MODULE)	
										MARKING PROCESS: AS PER TMC SPEC. S727		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1							SRG	@	Rde
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A									LD1663 ∅
	TOLERANCES						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		



REQ. PER UNIT	USED ON			LD1684	Ø
	MODEL	ASS'Y. NO.	DATE		
1	GPT-10KLF		11-3-65		

MARK TMC P/NO. (LD1684 )  
 1/8 HIGH GOTHIC W/LATEST  
 REV LETTER. (BOTTOM OF LIP)



MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

REF: MS4216


REQ.	ITEM	PART NO.	F. BUDETTI	DESCRIPTION	SYMBOL	
				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
				MARKING, CHASSIS MTG. FAN		
				MARKING, PROCESS: AS PER TMC SPEC. S727		
Ø			12/21/65	Ø	ML	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1/2" = 1"			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A		
				TYPE & TEMPER	HEAT TREAT. SPEC.	
				DRAWN	CHECKED	FINAL APPROVAL
				FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
						LD1684 Ø



REQ. PER UNIT	USED ON			LD1690	Ø
	MODEL	ASS'Y. NO.	DATE		
1	GPT-HOKLF		10-29-65		

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.




REF: MS4208

							REQ. ITEM	PART NO.	F. BUDETTI	DESCRIPTION	SYMBOL	
							STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
							MATERIAL		MARKING, SHIELD, LEFT SIDE, TOP INSIDE MARKING PROCESS: AS PER TMC SPEC. S-727			
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-4-66	M	Jc			MATERIAL					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE DO NOT SCALE					TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A							LD1690 Ø		
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		

MARK TMC P/N (LD1693-)  
 1/8" HIGH GOTHIC W/LATEST REV.  
 LETTER. (ON LIP)

REQ. PER UNIT	USED ON			LD1693	Ø
	MODEL	ASS'Y. NO.	DATE		
1	GPT-10KLF		11-6-65		



MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.


REF. MS 4212-

							REQ. ITEM	PART NO.	F. BUDETTI DESCRIPTION			SYMBOL	
							STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
							MATERIAL		MARKING, CHASSIS ALDC				
							TYPE & TEMPER		MARKING PROCESS: AS PER TMC SPEC S727				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE		DRAWN		CHECKED		FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							TOLERANCES		DRAWN		CHECKED		FINAL APPROVAL
FRACTIONS ± 1/64 ANGLES ± 0° 30'							CODE		DRAWN		CHECKED		FINAL APPROVAL
A							FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		LD1693 Ø

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

REQ. PER UNIT 1	USED ON			LD1694	Ø
	MODEL GPT-10KLF	ASS'Y. NO.	DATE 11-6-65		

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.




REF: MS4210

							REQ. ITEM	PART NO.	F. BUDETTI	DESCRIPTION	SYMBOL
							STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
							MATERIAL		MARKING, BOX, JUNCTION MARKING PROCESS: AS PER TMC SPEC S-727		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE 1:1		DRAWN: <i>[Signature]</i> CHECKED: <i>[Signature]</i> FINAL APPROVAL: <i>[Signature]</i>		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		CODE A	FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	LD1694 Ø





REQ. PER UNIT	USED ON			LD1696	Ø
	MODEL	ASS'Y. NO.	DATE		
1	GPT-10KLF		11-4-65		



MARK TMC P/N  
(LD1696)  
1/8 HIGH GOTHIC  
W/LATEST REV  
LETTER.  
(ON LIP)

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK GOTHIC, LOCATED AS SHOWN.

REF: MS 4211

REQ. ITEM	PART NO.	F. BUDETTI			DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP.				
		MAMARONECK, NEW YORK				
		MARKING BRACKET, MTG, ALDC				
		MARKING PROCESS: AS PER TMC SPEC. S727				
Ø	ORIGINAL RELEASE	12/21/65				
X1	E1206 WAS C1206	11-16-65	X1			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE A		
TOLERANCES		FINISH & SPEC. NO.				
		TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN
						CHECKED
						FINAL APPROVAL
						ELEC. DES. APP.
						MECH. DES. APP.
						LD1696
						Ø