

APPLICATION

QTY MODEL USED ON ASSY NO.

2 RTIH-3

LTR

X

DESCRIPTION

EXP. RELEASE
Ø ORIG. RELEASE

REVISIONS

DATE


11-15-67
12-3-68

E.M.N.NO.

DRAFT

CHKD

APPD

133. M
56 JDO

HOLE	DESCRIPTION	REQ
A	9/64 DIA.	6

OPP. SIDE SAME

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
AND INCLUDE CHEMICALLY APPLIED
OR PLATED FINISHESDECIMALS
.X ± .05
.XX ± .01
.XXX ± .005FRACTIONS
1/64
ANGLES
0° - 30°MATERIAL: 062 THK
ALUM 5052-H32
FINISH S404
YEL. IRIDITE
S401-451

REQ'D

ITEM

PART NUMBER

DESCRIPTION

SYM.

EASTON
FINAL APPROVAL
S. Williams
DATE 12/3/68

DATE

MECH. DES.

DATE

ELECT. DES.

DATE

CHECKED

DATE

DRAWN

DATE

LIST OF MATERIAL SK3253-002-11

THE TECHNICAL MATERIEL CORP.

MAMARONECK, NEW YORK

PLATE END, READ OUT
CASE

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE

A

CODE IDENT. NO.

MS 5270

ISSUE

Ø

SCALE 1:1

SHEET

OF