

APPLICATION


QTY	MODEL USED ON	ASS'Y NO.	LTR
1	LPFA-40K		X1

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
COMPLETELY REVISED	2-3-67		RG		
ORIG RELEASE FOR PROD.	5-25-67	Ø			

REVISIONS

HOLES:

A - 11/64 DIA. 4 REQ.



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
AND INCLUDE CHEMICALLY APPLIED
OR PLATED FINISHES

DECIMALS
.X ± .05
.XX ± .01
.XXX ± .005

FRACTIONS
1/64
ANGLES
0° - 30'

MATERIAL .051
ALUM. 5052-H32
FINISH S520 TEX. PAINT
OUTSIDE ONLY
S401-451

REQ'D ITEM PART NUMBER DESCRIPTION SYM.

F. BUDETTI

FINAL APPROVAL

DATE 5/24/67

MECH. DES.

DATE 2/29/66

ELECT. DES.

DATE

CHECKED

DATE 5-24-67

DRAWN

DATE 1-7-67

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.

MAMARONECK, NEW YORK

COVER, TERM. STRIP

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE
A

CODE IDENT. NO.

82679

DWG NO.

MSG073

ISSUE

Ø

SCALE 1:2

M/L

SHEET

OF