

APPLICATION


QTY	MODEL USED ON	ASS'Y NO.
2	TR162-A	A4577

LTR

X1 REDRAWN & REVISED
 Ø ORIG. RELEASE FOR PROD.

REVISIONS

DATE	E.M.N.NO	DRAFT	CHKD	APPD
3.16.67	-	4/10	JHL	FB
4.13.67				



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES

UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES
 AND INCLUDE CHEMICALLY APPLIED
 OR PLATED FINISHES

DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS
 1/64
 ANGLES
 0° .30'

MATERIAL 5052-H32
 .064 ALUMINUM

FINISH
 S404 YEL IRIDITE

REQ'D ITEM

L. BUTLER

PART NUMBER

DESCRIPTION

LIST OF MATERIAL

SYM.

FINAL APPROVAL

MECH. DES.

ELECT. DES.

CHECKED

DRAWN

DATE

DATE

DATE

DATE

DATE

4/17

4/17

4/13/67

4/13/67

3.16.67

THE TECHNICAL MATERIEL CORP.
 MAMARONECK, NEW YORK

STRAP, XFMR TIEDOWN

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE

A

CODE IDENT. NO.

82679

DWG NO.

MS6096

ISSUE

Ø

SCALE 1:1

SHEET

OF