


APPLICATION

| | | | |
|-----|---------------|----------|-----|
| QTY | MODEL USED ON | ASSY NO. | LTR |
| 1 | AX5130 | BMA-466 | Ø |

REVISIONS

| | | | | | |
|-----------------------|---------|----------|-------|------|--------|
| DESCRIPTION | DATE | E.M.N.NO | DRAFT | CHKD | APPD |
| ORIG RELEASE FOR PROD | 6/18/71 | | W. | | J.S.B. |
| ADD. ASSY. NO. | 8-16-71 | 20427 | RZ | W. | RK |



HOLE DESCRIPTION REQ.
 A 5/16 DIA. /
 B 7/32 DIA. 2

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.
4. MOUNT INSERTS AFTER FINISHING.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS 1/64
 ANGLES 0° - 30'

MATERIAL 063 ALLUM
 5052 H32

FINISH S404
 YEL IRIDITE

| | | | | |
|------------------|---------|-------------|------------------------------|------|
| REQ'D | ITEM | PART NUMBER | DESCRIPTION | SYM. |
| | | F. BUDETTI | LIST OF MATERIAL | |
| FINAL APPROV | DATE | DATE | THE TECHNICAL MATERIEL CORP. | |
| AB | 6/18/71 | 6-18-71 | MAMARONECK, NEW YORK | |
| MECH. DES | DATE | DATE | | |
| Apetrova | 6-18-71 | 6-18-71 | | |
| ELECT. DES | DATE | DATE | | |
| R.V. [Signature] | | | | |
| CHECKED | DATE | DATE | | |
| | | | SHIFT, PLATE | |
| DRAWN | DATE | DATE | | |
| GE | 4/19/71 | | | |

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

| | | | |
|-------|-----------------|---------|-------|
| SIZE | CODE IDENT. NO. | DWG NO. | ISSUE |
| A | 82679 | MS 6213 | A |
| SCALE | 1:1 | SHEET | OF |