



REVISIONS							
ZONE	LTR	DESCRIPTION	DATE	E.M.N. NO	DRAFT	CHKD	APPD
0		ORIG RELEASE FOR PROD	11/17/71		CV		

HOLE	DESCRIPTION	REQ.
4	.221-224 DIA.	2



REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
2	1	NUT PLY. SPLINE	A

LIST OF MATERIAL			
REQ'D	ITEM	DESCRIPTION	SYM.
2	1	NUT PLY. SPLINE	A

FINAL APPROVAL	DATE	MECH. DES.	DATE	ELECT. DES.	DATE
<i>[Signature]</i>	11-1-71	<i>[Signature]</i>	10-7-71		

DECIMALS	TOLS.	FRACTIONS	ANGLES
.X ± .05		1/64	
.XX ± .01			0° - 30'
.XXX ± .005			

QTY / UNIT	1	MODEL USED ON	LRCA 2	ASS'Y NO.	
APPLICATION		CODE			

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.