


APPLICATION

REVISIONS

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	HFL-100		Ø	ORIGINAL RELEASE FOR PROD	8/76		CL	<i>[Signature]</i>	<i>[Signature]</i>



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS	FRACTIONS	LIST OF MATERIAL			
.X ± .05	1/64	FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP.	
.XX ± .01	TOLS.	<i>[Signature]</i>	8-12-76	MAMARONECK, NEW YORK	
.XXX ± .005	ANGLES	MECH. DES.	DATE	BRACKET, HOLDING SHIELD	
	0° - 30°	ELECT. DES.	DATE	SIZE	CODE IDENT. NO.
MATERIAL 064 THK		CHECKED	DATE	A	82679
ALY 5052 H32		DRAWN	DATE	SCALE	DWG NO.
FINISH S404		G.D.L	3-22-76	1:1	MS 6707
YEL IRIDITE				SHEET	OF
NOTICE TO PERSONS RECEIVING THIS DRAWING			ISSUE		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.			Ø		