


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

PM-224 B

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

REQ PER UNIT	USED ON			
	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
1	VOX	101	A-415	3-4-53
1	PMD-2	285		8/16/54
1	VOX-1	291		1/17/55
1	VOX-2	291		1/17/55
2	GPR	297		4-4-55
1	RTF			2-1-56
1	RTF-2	F/P		11-20-58



ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
B	1	.118 TOL. WAS .117 .115	12-3-58	Z	J.C.B.	J.H.	dr
A	1	DIM. ADDED	8/27/54	1	J.H.	C.D.D.	W.D.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		1/16 THICK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE		
		STEEL	PLATE, DIAL LOCKING	
		MATERIAL	L. H.	
		WEIGHT PER PC.		
		COLD ROLLED	C.D.D. 3-4-53	
		TYPE & TEMPER	A J J	W.D.
			DRAWN	ELEC. DES. APP. MECH. DES. APP.
			J.H.	A J J W.D.
		HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL
		8-105 CADMIUM PLATE .0003	SUPERCEDES BMS079	
		FINISH & SPEC. NO.	(B)	PM-224 B

TOLERANCES		SCALE
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± 1/64 ANGULAR DIM. ± 1°	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.