




TMC P/N	X°	Y	HOLE "A" REQ
PM 560	—	—	1
PM 560-2	30°	1/2	2

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
10	GPT 10K	CL-151	2-26-59
6	BCT-10KA	CL-431	

PM 560 D

A ~ 5/32 (.156) DIA. (SEE CHART) 1 REQ.
 B ~ DRILL & TAP, 6-32 1 REQ.



NOTICE TO PERSONS RECEIVING THIS DRAWING:
 THE TECHNICAL MATERIEL CORPORATION claims copyright in the material disclosed hereon. This material is to be used in confidence for engineering information only. It may not be reprinted or used for any other purpose without the written consent of THE TECHNICAL MATERIEL CORPORATION. This drawing is loaned for mutual use and is not to be returned or retained at any time.
 TECHNICAL MATERIEL CORPORATION
 1000 NEW YORK

D		ADD. PM 560-2	2.6.69	19298	GE	JDR	FB	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL				
C	1	COMPLETELY REVISED	12-17-64	13035	g.f.	@					THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK					
B	1	.743 ±.0015 WAS .7480 ±.0015	4-5-60	2002	g.f.	JDR					INSERT, LINE FILTER COIL					
A	1	.7480 ±.0015 Dim. was 3/4"	5/27/59	1020	J.C.B.	JDR										
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.									
TOLERANCES			SCALE:					1/2 HARD	J.C. BIELE	JDR						
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL				
FRAC. DIM. ±								NATURAL								
ANGULAR DIM. ±								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.					
											PM-560	D				