


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON			PM-938	Ø
	MODEL	ASS'Y. NO.	DATE		
1	GPT-200K (AX-395)	A-3235	6-21-63		



HOLES REQ.
 A-DRILL &
 C'SINK
 1/4-20
 FHS. 4

METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC

REQ.	ITEM	PART NO.	F. BUDETTI DESCRIPTION			SYMBOL
		1/4 THICK	THE TECHNICAL MATERIEL CORP.			
		STOCK SIZE	MAMARONECK, NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	ALUMINUM	PLATE, SUPPORT, TOP			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	3-1-64				
		SCALE	1/4" = 1"			
		2024-T4			John C Biele	aa ^{90b} RDC 3-30-64
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
		S404-TRIDITE, 14-2 AL-COAT		203 RB	RB	PM-938 Ø
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		

DECIMALS .X ± .05 .XX ± .01 .XXX ± .005
 FRACTIONS ± 1/64 ANGLES ± 0° 30'
 TOLERANCES
 CODE A