

TMC SPECIFICATION

NO. S 1198

REV:

COMPILED: *RRH/PAB*

CHECKED: *S.B.*

APPD:

SHEET 1 OF 2

TITLE:

3 WIRE POWER CORDS

(EXTERNAL ONLY)

CA No.	Length as Reqd	Equipment Connector	Power Source Connector	R=Retr S=Str	Current Cap. Amperes	Remarks
CA509		PL134NG	3,TE155-34170	S	30	
CA555-3	-XX	PL176	PL218	R	7	
CA555-5	-XX	PL176	PL177	R	7	
CA555-8	-XX	PL176	_____	R	7	
CA575-5	-XXX	3,TE120-2	PL218	R	7	
CA575-10	-XX	_____	PL218	R	7	
CA581-2		MS3106A16S5S	PL218	R	10	12" retr. length
CA645-1	-XX	PL134NG	PL135NG	S	10	
CA696-1	-XXX	PL176	3,TE155-34170	S	10	
CA696-2	-XXX	PL176	3,TE156-34149	S	10	
CA696-4	-XXX	PL176	3,TE159-34161	S	10	
CA706-4		_____	PL177	S	4	72" long
CA751A	-XXX	3,TE120-2	PL218	S	10	
CA751B	-XXX	_____	*PL218	S	10	*Spec Grd Strap
CA884-1	-XXX	PL176	PL177	S	4	
CA884-6	-XXX	PL176	PL177	S	10	
CA884-7	-XXX	PL176	PL218	S	4	
CA907-1	-XXX	MS3106A14S1S	4,TE159-34161	S	17	Shielded
CA950-3	-XXX	2TE159-34161 1TE155-34170	JJ297-1	S	30	Shielded
CA953-2	-XX	3,TE155-34168	PL218	S	7	
CA953-3	-XX	_____	PL218	S	10	
CA1068-1	-XX	MS3106A14S1S	PL218	R	7	
CA1079		MS3106A16S5S	*PL218	S	10	*Spec Grd Strap
CA1097	-XXX	PL176	3,TE156-34149	S	17	Shielded

TMC SPECIFICATION

NO. S 1198

REV:

COMPILED: *RRH/9/88*

CHECKED: *S.B.*

APPD:

SHEET 2 OF 2

TITLE:

3 WIRE POWER CORDS (CONT)
(EXTERNAL ONLY)

CA No.	Length as Reqd	Equipment Connector	Power Source Connector	R=Retr S=Str	Current Cap. Amperes	Remarks
CA1151-1	-XXX	MS3106A16S5S	PL177	S	10	
CA1151-2	-XXX	MS3106A14S1S	PL218	S	4	
CA1151-3	-XXX	MS3106A14S1S	PL218	S	10	
CA1151-4	-XXX	MS3106A16S5S	PL218	S	4	
CA1151-5	-XXX	MS3106A15S5S	PL218	S	10	
CA1151-7	-XXX	MS3106A16S5S	PL218	S	7	

Note: Extended Length = 5X Retracted Length

